DOLLAR GENERAL EFFERVESCENT PAIN RELIEVER- aspirin tablet, effervescent Dolgencorp, Inc

Dollar General Effervescent Pain Reliever

Active ingredient

(in each effervescent tablet) Buffered aspirin 325 mg (NSAID)*

*Nonsteroidal anti-inflammatory drug

Purpose

(in each effervescent tablet)

Buffered aspirin 325 mg (NSAID)*.... Pain reliever/fever reducer

*Nonsteroidal anti-inflammatory drug

Uses

- for the temporary relief of minor aches and pains due to:
- headache muscle pain backache
- 🔳 toothache 🔳 menstrual pain 🔳 colds
- minor arthritis pain
- temporarily reduces fever

Warnings

Reye's syndrome: Children and teenagers who have or are recovering from chicken pox or flu-like symptoms should not use this product. When using this product, if changes in behavior with nausea and vomiting occur, consult a doctor because these symptoms could be an early sign of Reye's syndrome, a rare but serious illness.

Allergy alert: Aspirin may cause a severe allergic reaction which may include: \blacksquare hives \blacksquare facial swelling \blacksquare asthma (wheezing) \blacksquare shock

Stomach bleeding warning: This product contains an NSAID, which may cause severe stomach bleeding. The chance is higher if you ■ are age 60 or older ■ have had stomach ulcers or bleeding problems ■ take a blood thinning (anticoagulant) or steroid drug ■ take other drugs containing prescription or nonprescription NSAIDs (aspirin, ibuprofen, naproxen, or others) ■ have 3 or more alcoholic drinks every day while using this product ■ take more or for a longer time than directed

Do not use

Do not use \blacksquare if you are allergic to aspirin or any other pain reliever/fever reducer \blacksquare if you have ever had an allergic reaction to this product or any of its ingredients

Ask a doctor before use if

■ stomach bleeding warning applies to you ■ you have a history of stomach problems, such as heartburn ■ you have high blood pressure, heart disease, liver cirrhosis, or kidney disease ■ you are taking a diuretic ■ you have asthma ■ you have a sodium-restricted diet

Ask a doctor or pharmacist before use if you are

Ask a doctor or pharmacist before use if you are taking a prescription drug for

🔳 diabetes 🔳 gout 🔳 arthritis

When using this product

When using this product do not exceed recommended dosage

If pregnant or breast-feeding

If pregnant or breast-feeding, ask a health professional before use. It is especially important not to use aspirin at 20 weeks or later in pregnancy unless definitely directed to do so by a doctor because it may cause problems in the unborn child or complications during delivery.

Keep out of reach of children.

In case of overdose

In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- do not exceed recommended dosage
- to avoid serious injury, completely dissolve tablets in 4 oz. of water before taking

adults and children 12 years and over: 2 tablets every 4 hours, or as directed by a doctor - do not exceed 8 tablets in 24 hours

60 years and over: 2 tablets every 4 hours, or as directed by a doctor - do not exceed 4 tablets in 24 hours

children under 12 years: consult a doctor

Take this product any time – morning, noon or night – when you need relief from

headaches, backaches, body aches or muscle pain.

Place two (2) tablets in 4 oz. of water. Dissolve tablets completely.

You do not have to drink any of the residue that may be on the bottom of the glass. The medicines are in the water.

Other information

■ each tablet contains: sodium 524 mg

■ store at room temperature (59º-86ºF). Avoid excessive heat.

Inactive ingredients

anhydrous citric acid, sodium bicarbonate

Questions or comments

Questions or comments? (1-888-309-9030)



DOLLAR GENERAL EF aspirin tablet, effervescent	FERVESCENT P	AIN RE	LIEVER						
Product Information									
Product Type	HUMAN OTC DRUG	Item Code (Source)		NDC:55910-040					
Route of Administration	ORAL								
Active Ingredient/Active Moiety									
Ingredi		Basis of Stren	gth	Strength					
ASPIRIN (UNII: R16C05Y76E) (ASPI	ASPIRIN		325 mg						
Inactive Ingredients									
	Ingredient Name			S	trength				
SODIUM BICARBONATE (UNII: 8M	DF5V39QO)								

ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)										
Product Characteristics										
Color white		Score			no score					
Shape RC		ROUND	Size		25mm					
Flavor			Imprint Code		L421					
Contains										
Packaging										
# Item Code		Package Description		r	Aarketing Start Date	Marketing End Date				
1 NDC:55910-040- 36	18 in 1 C	8 in 1 CARTON		08/01/2024						
1	2 in 1 PO Product	? in 1 POUCH; Type 0: Not a Combination Product								
Marketing Information										
Marketing Category	Арр	Application Number or Mone Citation		oh Marketing Star Date		Marketing End Date				
OTC Monograph Drug	M013	M013			08/01/2024					

Labeler - Dolgencorp, Inc (068331990)

Revised: 8/2024

Dolgencorp, Inc