

**NIGHTTIME COLD AND FLU RELIEF - acetaminophen, dextromethorphan hbr
and doxylamine succinate capsule**
Chain Drug Consortium, LLC

NIGHTTIME COLD AND FLU

Multi-Symptom

Drug Facts

Active ingredients (in each capsule)

Acetaminophen USP 325 mg
Dextromethorphan HBr USP 15 mg
Doxylamine succinate USP 6.25 mg

Purpose

Pain reliever/fever reducer
Cough suppressant
Antihistamine

Uses

temporarily relieves common cold/flu symptoms:

- cough due to minor throat & bronchial irritation
- sore throat
- headache
- minor aches & pains
- fever
- runny nose & sneezing

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4 doses in 24 hrs, which is the maximum daily amount for this product
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks daily while using this product

Sore throat warning: If sore throat is severe, lasts for more than 2 days, occurs with or is followed by fever, headache, rash, nausea, or vomiting, see a doctor promptly.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or

pharmacist.

- If you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.
- to make a child sleep

Ask a doctor before use if you have

- liver disease
- glaucoma
- cough that occurs with too much phlegm (mucus)
- a breathing problem or chronic cough that lasts or as occurs with smoking, asthma, chronic bronchitis or emphysema
- trouble urinating due to enlarged prostate gland

Ask a doctor or pharmacist before use if you are

- taking sedatives or tranquilizers
- taking the blood thinning drug warfarin

When using this product

- **do not use more than directed**
- excitability may occur, especially in children
- marked drowsiness may occur
- avoid alcoholic drinks
- be careful when driving a motor vehicle or operating machinery
- alcohol, sedatives, & tranquilizers may increase drowsiness

Stop use and ask a doctor if

- pain or cough gets worse or lasts more than 7 days
- fever gets worse or lasts more than 3 days
- redness or swelling is present
- new symptoms occur
- cough comes back or occurs with rash or headache that lasts.

These could be signs of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

Overdose warning:

Taking more than directed can cause serious health problems. In case of overdose, get

medical help or contact a Poison Control Center right away (1-800-222-1222). Quick medical attention is critical for adults & for children even if you do not notice any signs or symptoms.

Directions

- take only as directed - see Overdose warning
- do not exceed 4 doses per 24 hours

adults & children 12 yrs & over	2 capsules with water every 6 hrs
children 4 to under 12 yrs	ask a doctor
children under 4 yrs	do not use

when using other Daytime or Nighttime products, carefully read each label to ensure correct dosing

Other information

- store at room temperature

Inactive ingredients

D&C Yellow No. 10, gelatin, glycerin, Neelicert FD&C Blue No. 1, polyethylene glycol, povidone, propylene glycol, purified water, shellac glaze, sorbitol sorbitan solution, titanium dioxide

Questions or comments?

call **1-855-274-4122**

**Distributed by:
Pharmacy Value Alliance, LLC
407 East Lancaster Avenue,
Wayne, Pa 19087**

PACKAGE LABEL-PRINCIPAL DISPLAY PANEL - 16 Capsules Bottle

NDC 68016-878-16

Premier Value®

**COMPARE TO THE ACTIVE INGREDIENTS
IN VICKS® NYOUIL® COLD & FLU**

NIGHTTIME RELIEF LIQUICAPS®

Multi-Symptom

Nighttime COLD & FLU RELIEF

Acetaminophen, Dextromethorphan HBr and

Doxylamine Succinate Capsules

325 mg/15 mg/6.25 mg

- Aches, Fever & Sore Throat
- Sneezing, Runny Nose
- Cough

16 Capsules

LEBG9070

Drug Facts

Active ingredients (in each capsule) **Purpose**
Acetaminophen USP 325 mg.....Pain reliever/fever reducer
Dextromethorphan HBr USP 15 mg.....Cough suppressant
Doxylamine succinate USP 6.25 mg.....Antihistamine

Uses temporarily relieves common cold/flu symptoms:
■ cough due to minor throat & bronchial irritation ■ sore throat ■ headache ■ minor aches & pains ■ fever ■ runny nose & sneezing

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take ■ more than 4 doses in 24 hrs, which is the maximum daily amount for this product ■ with other drugs containing acetaminophen ■ 3 or more alcoholic drinks daily while using this product

Sore throat warning: If sore throat is severe, lasts for more than 2 days, occurs with or is followed by fever, headache, rash, nausea, or vomiting, see a doctor promptly.

Do not use ■ with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist. ■ if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product. ■ to make a child sleep

Ask a doctor before use if you have ■ liver disease ■ glaucoma ■ cough that occurs with too much phlegm (mucus)

Drug Facts (continued)

■ a breathing problem or chronic cough that lasts or as occurs with smoking, asthma, chronic bronchitis or emphysema ■ trouble urinating due to enlarged prostate gland

Ask a doctor or pharmacist before use if you are ■ taking sedatives or tranquilizers ■ taking the blood thinning drug warfarin

When using this product ■ do not use more than directed ■ excitability may occur, especially in children ■ marked drowsiness may occur ■ avoid alcoholic drinks ■ be careful when driving a motor vehicle or operating machinery ■ alcohol, sedatives, & tranquilizers may increase drowsiness

Stop use and ask a doctor if ■ pain or cough gets worse or lasts more than 7 days ■ fever gets worse or lasts more than 3 days ■ redness or swelling is present ■ new symptoms occur ■ cough comes back or occurs with rash or headache that lasts. These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use. **Keep out of reach of children.**

Overdose warning: Taking more than directed can cause serious health problems. In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Quick medical attention is critical for adults & for children even if you do not notice any signs or symptoms.

Directions ■ take only as directed - see Overdose warning ■ do not exceed 4 doses per 24 hrs

adults & children 12 yrs & over	2 capsules with water every 6 hrs
children 4 to under 12 yrs	ask a doctor
children under 4 yrs	do not use

Drug Facts (continued)

■ when using other Daytime or Nighttime products, carefully read each label to ensure correct dosing

Other information ■ store at room temperature

Inactive ingredients D&C Yellow No. 10, gelatin

Drug Facts (continued)

glycerin, Neelicer FD&C Blue No. 1, polyethylene glycol, povidone, propylene glycol, purified water, shellac glaze, sorbitol sorbitan solution, titanium dioxide

Questions or comments? call 1-855-274-4122

300200000x

Lot:
EXP:



NDC 68016-878-16

*COMPARE TO THE ACTIVE INGREDIENTS IN VICKS® NYQUIL® COLD & FLU NIGHTTIME RELIEF LIQUICAPS®





NIGHTTIME COLD AND FLU RELIEF

acetaminophen, dextromethorphan hbr and doxylamine succinate capsule

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:68016-878
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	325 mg
DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RT19KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	15 mg
DOXYLAMINE SUCCINATE (UNII: V9BI9B5YI2) (DOXYLAMINE - UNII:95QB77JKPL)	DOXYLAMINE SUCCINATE	6.25 mg

Inactive Ingredients

Ingredient Name	Strength
D&C YELLOW NO. 10 (UNII: 35SW5USQ3G)	
GELATIN, UNSPECIFIED (UNII: 2G86QN327L)	
GLYCERIN (UNII: PDC6A3C0OX)	
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
POVIDONE, UNSPECIFIED (UNII: FZ989GH94E)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
WATER (UNII: 059QF0KO0R)	
SHELLAC (UNII: 46N107B71O)	
SORBITOL (UNII: 506T60A25R)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	

Product Characteristics

Color	GREEN	Score	no score
Shape	OVAL	Size	20mm
Flavor		Imprint Code	Q07
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:68016-878-16	8 in 1 CARTON	07/12/2019	
1		2 in 1 BLISTER PACK; Type 0: Not a Combination Product		
2	NDC:68016-878-24	12 in 1 CARTON	07/12/2019	
2		2 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	07/12/2019	

Labeler - Chain Drug Consortium, LLC (101668460)

Registrant - Aurohealth LLC (078728447)

Establishment

Name	Address	ID/FEI	Business Operations
APL HEALTHCARE LIMITED		650844777	MANUFACTURE(68016-878)

Revised: 10/2024

Chain Drug Consortium, LLC