

VShell SUNSCREEN- sunscreen cream
Guangdong Miaolian Cosmetics Co., Ltd.

Active Ingredient

Zinc Oxide 16%

Purpose

Helps prevent sunburn

Use

If used as directed with other sun protection measures [see Directions] decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only

Do Not Use

Do not use on damaged or broken skin.

When Using

When using this product keep out of eyes.
Rinse with water to remove.
Stop use and ask doctor if rash occurs.

Stop Use

Stop use and ask doctor if rash occurs

Ask Doctor

Not for use in children under 6 months old

Keep Out Of Reach Of Children

Keep out of reach of children. If swallowed, get medical help or contact Poison Control Center right away.

Directions

Apply liberally and evenly 15 minutes prior to sun exposure. Reapply after 40 minutes of swimming or sweating immediately after towel drying "at least every 2 hours.

Other information

Protect this product from excessive heat and direct sun.

Inactive Ingredients

Aloe Barbadensis Leaf Juice, C12-15 Alkyl Benzoate, Caprylic/Capric Triglyceride, Glyceryl Stearate, Helianthus Annuus (Sunflower) Seed Oil, Ricinus Communis (Castor) Seed Oil, Beeswax, Oryza Sativa (Rice) Bran Wax, Sorbitan Sesquioleate, Glycerin, Cetyl Alcohol, Stearyl Alcohol, Magnesium Aluminum Silicate, Butyrospermum Parkii (Shea) Butter, Camellia Sinensis Flower Extract, Ilex Paraguariensis Leaf Extract, Rosa Canina Fruit Oil, Tocopheryl Acetate, Carthamus Tinctorius (Safflower) Seed Oil, Rubus Idaeus (Raspberry) Fruit Extract, Squalane, Xanthan Gum, Propanediol, Ethylhexylglycerin, Potassium Sorbate, Fragrance

Questions

Call us ☎☎0086☎020-37411701

V SHELL

DEVELOPED WITH
DERMATOLOGISTS

UVA/UVB Protection + Antioxidants
SUNSCREEN

Oil-Free
Won't cause breakouts



365 DAILY SUNCARE

Face
BROAD SPECTRUM
SPF 50+++

Dry Touch

Tested on sensitive skin. Fragrance-free
WATER RESISTANT (80 MINUTES)

50ml/1.69 FL.OZ

Drug Facts

Active Ingredients Purpose
Zinc Oxide 16% Sunscreen

Uses • Helps prevent sunburn.
• if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only
Do not use on damaged or broken skin.
When using this product keep out of eyes. Rinse with water to remove.
Stop using and ask doctor if rash occurs.
Keep out of reach of children. If swallowed, get medical help or contact Poison Control Center right away.

Directions

- Apply liberally and evenly 15 minutes prior to sun exposure.
- Reapply after 40 minutes of swimming or sweating immediately after towel drying; at least every 2 hours.
- Children under 6 months of age: Ask a doctor.
Sun Protection Measures:
Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other
- Limit time in the sun, especially from 10 a.m. – 2 p.m.
- Wear long-sleeved shirts, pants, hats, and sunglasses.

V SHELL®

Other information

Protect This product from excessive heat and direct sun.

Inactive ingredients

Aloe Barbadensis Leaf juice, C12-15 Alky Benzoate, Caprylic/Capric Triislyceride, Glyceryl Stearate, Helianthus Annuus (Sunflower) Seed Oil, Ricinus Communis (Castor) Seed Oil, Beeswax, Oryza Sativa (Rice Bran Wax, Sorbitan Sesquioleate, glycerin, Cetyl Alcohol, Stearyl Alcohol, Magnesium Aluminum silicate, Butyrospermum Parki (Shea) Butter, Camellia Sinensis flower extract, Ilex Paraguariensis Leaf Extract, Rosa Canina Fruit Oil, Tocopheryl Acetate, Carthamus Tinctorius (Safflower) Seed Oil, Rubus Idaeus (Raspberry) Fruit Extract, Squalane, Xanthan Gum, Propanediol, Ethylhexylglycerin, Potassium Sorbate, Fragrance

Questions? Call us! (0086) 020-37411701

Distributed by: No. 201-501, Building 8, Block 001, Phase I, No. 1, Wanyang 2nd Road, Xincheng Town, Xinxing County, Yunfu City, Guangdong Province, China



V SHELL SUNSCREEN

sunscreen cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:84507-006
Route of Administration	CUTANEOUS		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII: SOI2LOH54Z)	ZINC OXIDE	16 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
SHEA BUTTER (UNII: K49155WL9Y)	
ALPHA-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
PROPANEDIOL (UNII: 5965N8W85T)	
CASTOR OIL (UNII: D5340Y2I9G)	
SORBITAN SESQUIOLEATE (UNII: 0W8RRI5W5A)	
CETYL ALCOHOL (UNII: 936JST6JCN)	
GLYCERIN (UNII: PDC6A3C0OX)	
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)	
STEARYL ALCOHOL (UNII: 2KR89I4H1Y)	
GLYCERYL MONOSTEARATE (UNII: 230OU9XXE4)	
ALLYL BENZOATE (UNII: AQY5543KFE)	
SQUALANE (UNII: GW89575KF9)	
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)	
MAGNESIUM ALUMINUM SILICATE (UNII: 6M3P64V0NC)	
FRAGRANCE 13576 (UNII: 5EM498GW35)	
ILEX PARAGUARIENSIS LEAF (UNII: 1Q953B4O4F)	
SUNFLOWER OIL (UNII: 3W1JG795YI)	
ROSA CANINA FRUIT OIL (UNII: CR7307M3QZ)	
CAMELLIA SINENSIS FLOWER (UNII: 9I2BJY2J17)	
YELLOW WAX (UNII: 2ZA36H0S2V)	
XANTHAN GUM (UNII: TTV12P4NEE)	
ALOE VERA LEAF (UNII: ZY81Z83H0X)	
RASPBERRY (UNII: 4N14V5R27W)	
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	
SAFFLOWER SEED (UNII: 8FCL6A31TX)	
RICE BRAN (UNII: R60QEP13IC)	

Product Characteristics

Color	white (IVORY)	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:84507-006-01	50 g in 1 BOTTLE; Type 0: Not a Combination Product	07/23/2024	



Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	07/23/2024	

Labeler - Guangdong Miaolian Cosmetics Co., Ltd. (707598469)

Establishment

Name	Address	ID/FEI	Business Operations
Guangdong Miaolian Cosmetics Co., Ltd.		707598469	manufacture(84507-006) , label(84507-006)

Revised: 7/2024

Guangdong Miaolian Cosmetics Co., Ltd.