

**HUMCO POVIDONE IODINE- povidone iodine 10% liquid**  
**Humco Holding Group, Inc.**

-----  
**Humco Povidone Iodine**

Drug Facts

**Active Ingredient**

Povidone-Iodine 10%

(Equivalent to 1% titrable iodine)

**Purpose**

Antiseptic

**Use**

First aid antiseptic to prevent infection in minor cuts and burns.

**Warnings**

For External Use Only

**Ask a doctor before use if you have**

- deep puncture wounds
- animal bites
- serious burns

**Stop use and consult a doctor if**

- the condition persists or gets worse
- irritation and redness develop and persists for more than 72 hours

**When using this product do not**

- use in eyes
- use on individuals who are allergic or sensitive to iodine or use for longer than 1 week unless directed by a doctor
- apply over large areas of the body

**Keep out of reach of children.**

In case of accidental ingestion, seek professional assistance or contact a Poison Control

Center immediately.

## Directions

Clean the affected area. Apply a small amount on the area 1 to 3 times daily. May be covered with sterile bandage. If badaged, let it dry first.

## Other information

store at room temperature, 20-25C (68-77F)

## Inactive Ingredients

Citric Acid, Disodium Phosphate, Glycerin, nonoxynol-9. Sodium Hydroxide and Purified Water.

## Principal Display Panel

Label 8 fl oz

<p><b>Drug Facts</b></p> <table border="1"><tr><td><b>Active ingredient</b></td><td><b>Purpose</b></td></tr><tr><td>Povidone-Iodine 10%.....Antiseptic (*Equivalent to 1% titratable iodine)</td><td></td></tr></table> <p><b>Use</b> First aid antiseptic to prevent infection in minor cuts and burns</p> <p><b>Warnings For external use only.</b> <b>Ask a doctor before use if you have</b></p> <ul style="list-style-type: none"><li>■ deep or puncture wounds</li><li>■ animal bites</li><li>■ serious burns</li></ul> <p><b>Stop use and consult a doctor if</b></p> <ul style="list-style-type: none"><li>■ the condition persists or gets worse</li><li>■ irritation and redness develop and persists for more than 72 hours</li></ul> <p><b>When using this product do not</b></p> <ul style="list-style-type: none"><li>■ use in the eyes</li><li>■ use on individuals who are allergic or sensitive to iodine or use for longer than 1 week unless directed by a doctor</li><li>■ apply over large areas of the body</li></ul> <p><b>Keep out of reach of children.</b> In case of accidental ingestion, seek professional assistance or contact a Poison Control Center immediately. <i>Continued ►</i></p>	<b>Active ingredient</b>	<b>Purpose</b>	Povidone-Iodine 10%.....Antiseptic (*Equivalent to 1% titratable iodine)		<p>NDC 0395-2325-98</p> <p><b>POVIDONE-IODINE</b></p> <p>10%* TOPICAL SOLUTION USP</p> <p>The Traditional Family First Aid</p> <p>ANTISEPTIC FIRST AID</p> <p>*First aid antiseptic</p> <p>**Compare to Active Ingredient in Betadine®</p> <p>8 FL OZ (237 mL)</p> <p><b>HUMCO</b>™</p>	<p><b>Drug Facts (continued)</b></p> <p><b>Directions</b></p> <ul style="list-style-type: none"><li>■ clean the affected area</li><li>■ apply a small amount on the area 1 to 3 times daily</li><li>■ may be covered with sterile bandage</li><li>■ if bandaged let dry first</li></ul> <p><b>Other information</b></p> <ul style="list-style-type: none"><li>■ store a room temperature, 20-25° C (68-77° F)</li></ul> <p><b>Inactive ingredients</b> Citric Acid, Disodium Phosphate, Glycerin, Nonoxynol-9, Sodium Hydroxide and Purified Water</p> <p>**This product is not manufactured or distributed by Purdue Products L.P., owner of the registered trademark Betadine®.</p> <p>REV.100308.RLG</p> <p>3 03952 32598 7</p> <p>HUMCO, Texarkana, TX 75501 Questions or Comments? ☎1-800-662-3435 "We Help People Feel Better"</p> <p>* Go to: <a href="http://www.simplehomeremedies.com">www.simplehomeremedies.com</a> to find helpful hints, and learn more about Povidone-Iodine.</p>
<b>Active ingredient</b>	<b>Purpose</b>					
Povidone-Iodine 10%.....Antiseptic (*Equivalent to 1% titratable iodine)						

## Principal Display Panel

<b>Drug Facts</b>	
<b>Active ingredient</b>	<b>Purpose</b>
Povidone-Iodine 10%.....	First Aid Antiseptic (*Equivalent to 1% titratable iodine)
<b>Uses</b> First aid antiseptic to help prevent infection in minor cuts, scrapes and burns	
<b>Warnings For external use only.</b> <b>Ask a doctor before use if you have</b>	
<ul style="list-style-type: none"> <li>■ deep or puncture wounds</li> <li>■ animal bites</li> <li>■ serious burns</li> </ul>	
<b>Stop use and consult a doctor if</b>	
<ul style="list-style-type: none"> <li>■ the condition persists or gets worse</li> <li>■ irritation and redness develop and persists for more than 72 hours</li> </ul>	
<b>When using this product do not</b>	
<ul style="list-style-type: none"> <li>■ use in the eyes</li> <li>■ use on individuals who are allergic or sensitive to iodine or use for longer than 1 week unless directed by a doctor</li> <li>■ apply over large areas of the body</li> </ul>	
<b>Keep out of reach of children.</b> In case of accidental ingestion, seek professional assistance or contact a Poison Control Center immediately (1-800-222-1222).	
<i>Continued</i> ▶	

**POVIDONE-IODINE**  
10% TOPICAL SOLUTION USP

**HUMCO**  
A trusted name  
in home health care

**First Aid**

\*\*Compare to Active Ingredient in Betadine®

**FIRST AID ANTISEPTIC**

Helps prevent infection in minor

- Cuts
- Scrapes
- Burns

16 fl oz  
(1 Pt) 473 mL

**Drug Facts (continued)**

**Directions**

■ clean the affected area ■ apply a small amount on the area 1 to 3 times daily ■ may be covered with sterile bandage ■ if bandaged let dry first

**Other information**

■ store at room temperature, 20-25°C (68-77° F)

**Inactive ingredients**

Citric Acid, Disodium Phosphate, Glycerin, Nonoxynol-9, Sodium Hydroxide and Purified Water

\*\*This product is not manufactured or distributed by Purdue Products L.P., owner of the registered trademark Betadine®.



Distributed by HUMCO  
Austin, TX 78701  
Questions or Comments?  
1-800-662-3435

**Drug Facts**

**Active ingredient** Povidone-Iodine 10%.....  
**Purpose** Antiseptic  
(\*Equivalent to 1% titratable iodine)

**Use**  
First aid antiseptic to prevent infection in minor cuts and burns

**Warnings For external use only.**

**Ask a doctor before use if you have**

- deep or puncture wounds
- animal bites
- serious burns

**Stop use and consult a doctor if**

- the condition persists or gets worse
- irritation and redness develop and persists for more than 72 hours

**When using this product do not**

- use in the eyes
- use on individuals who are allergic or sensitive to iodine or use for longer than 1 week unless directed by a doctor
- apply over large areas of the body

**Keep out of reach of children.** In case of accidental ingestion, seek professional assistance or contact a Poison Control Center immediately.

*Continued* ▶



**Drug Facts (continued)**

**Directions**

■ clean the affected area ■ apply a small amount on the area 1 to 3 times daily ■ may be covered with sterile bandage ■ if bandaged let dry first

**Other information**

■ store a room temperature, 20-25° C (68-77° F)

**Inactive ingredients**

Citric Acid, Disodium Phosphate, Glycerin, Nonoxynol-9, Sodium Hydroxide and Purified Water

\*\*This product is not manufactured or distributed by Purdue Products L.P., owner of the registered trademark Betadine®.



HUMCO, Texarkana, TX 75501  
Questions or Comments? ☎1-800-662-3435  
"We Help People Feel Better"

\* Go to: [www.simplehomeremedies.com](http://www.simplehomeremedies.com) to find helpful hints, and learn more about Povidone-Iodine.

Label 16 fl oz

**New Label 16 oz**

## Drug Facts

**Active ingredient**      **Purpose**  
Povidone-Iodine 10%.....First Aid Antiseptic  
(\*Equivalent to 1% titratable iodine)

**Indications**  
First aid antiseptic to help prevent infection in minor cuts, scrapes and burns

**Warnings**    **For external use only.**  
**Ask a doctor before use if you have**  
■ deep or puncture wounds  
■ animal bites  
■ serious burns

**Stop use and consult a doctor if**  
■ the condition persists or gets worse  
■ irritation and redness develop and persists for more than 72 hours

**When using this product do not**  
■ use in the eyes  
■ use on individuals who are allergic or sensitive to iodine or use for longer than 1 week unless directed by a doctor  
■ apply over large areas of the body

**Keep out of reach of children.** In case of accidental ingestion, seek professional assistance or contact a Poison Control Center immediately.  
*Continued ▶*

**POVIDONE-  
IODINE**  
10% TOPICAL SOLUTION USP



## First Aid

\*\*Compare to Active Ingredient in Betadine®

## FIRST AID ANTISEPTIC

Helps prevent infection in minor  
• Cuts  
• Scrapes  
• Burns

16 FL oz  
(1 Pt) 473 mL

## Drug Facts (continued)

**Directions**  
■ clean the affected area ■ apply a small amount on the area 1 to 3 times daily ■ may be covered with sterile bandage ■ if bandaged let dry first

**Other information**  
■ store at room temperature, 20-25° C (68-77° F)

**Inactive ingredients**  
Citric Acid, Disodium Phosphate, Glycerin, Nonoxynol-9, Sodium Hydroxide and Purified Water

\*\*This product is not manufactured or distributed by Purdue Products L.P., owner of the registered trademark Betadine®.



HUMCO, Texarkana, TX 75501  
Questions or Comments? ☎1-800-662-3435  
"We Help People Feel Better"

\* Go to: [www.simplehomemedies.com](http://www.simplehomemedies.com) to find helpful hints, and learn more about Povidone-Iodine.

## HUMCO POVIDONE IODINE

povidone iodine 10% liquid

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:0395-2325
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>POVIDONE-IODINE</b> (UNII: 85H0HZ U99M) (IODINE - UNII:9679TC07X4)	IODINE	100 mg in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>ANHYDROUS CITRIC ACID</b> (UNII: XF417D3PSL)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>NONOXYNOL-9</b> (UNII: 48Q180SH9T)	
<b>SODIUM HYDROXIDE</b> (UNII: 55X04QC32I)	
<b>WATER</b> (UNII: 059QF0KO0R)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date

<b>1</b>	NDC:0395-2325-98	237 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	11/14/2017	
<b>2</b>	NDC:0395-2325-16	473 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	11/14/2017	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M003	01/01/2008	

**Labeler** - Humco Holding Group, Inc. (825672884)

**Registrant** - Pharma Nobis, LLC (118564114)

## Establishment

Name	Address	ID/FEI	Business Operations
Pharma Nobis, LLC		118564114	manufacture(0395-2325) , analysis(0395-2325) , pack(0395-2325) , label(0395-2325)

Revised: 12/2024

Humco Holding Group, Inc.