

**BENZOYL PEROXIDE- benzoyl peroxide gel**  
**Innovida Pharmaceutique Corporation**

-----

***Active Ingredient***

Benzoyl peroxide USP 10%

***Purpose***

Acne treatment

***Uses***

For the treatment of acne

***Warnings***

**For external use only**

Do not use this medication if you have very sensitive skin or if you are sensitive to benzoyl peroxide.

**When using this product**

- avoid unnecessary sun exposure and use a sunscreen
- avoid contact with eyes, lips and mouth
- avoid contact with hair or dyed fabrics, which may be bleached by this product
- skin irritation may occur, characterized by redness, burning, itching, peeling, or possibly swelling. Irritation may be reduced by using the product less frequently or in a lower concentration.
- skin irritation and dryness is more likely to occur if you use another topical acne medication at the same time. If irritation occurs, only use one topical acne medication at a time.
- **Stop use and consult a doctor if** irritation becomes severe
- **If pregnant or breast-feeding**, ask a health professional before use.

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away. Avoid contact with the eyes. If contact occurs, flush thoroughly with water.

***Directions***

- clean the skin thoroughly before applying this product
- cover the entire affected area with a thin layer one to three times daily
- because excessive drying of the skin may occur, start with one application daily, then gradually increase to two or three times daily if needed or as directed by a doctor
- if bothersome dryness or peeling occurs, reduce application to once a day or every other day
- if going outside, apply sunscreen after using this product

- if irritation or sensitivity develops, stop use of both products and ask a doctor.

***Other information***

- keep tightly closed
- store at room temperature

***Inactive Ingredients***

carbomer, disodium EDTA, hydroxypropyl methylcellulose, laureth-4, sodium hydroxide, water

**Product label**

INN<sup>o</sup>VIDA  
PHARMACEUTIQUE CORPORATION

NDC: 71800-045-06

# Benzoyl Peroxide Gel USP

Acne Medication, Gel, Benzoyl Peroxide 10%

TOPICAL ADMINISTRATION

2.1 oz (60 g)



# Benzoyl Peroxide Gel USP

INN<sup>o</sup>VIDA  
PHARMACEUTIQUE CORPORATION

Acne Medication, Gel, Benzoyl Peroxide 10%



Mfd. for:  
Innovida Pharmaceutical Corporation  
Phoenix, AZ 85040  
Tel: 888-462-4166

**Drug Facts**  
Benzoyl peroxide USP 10%  
Acne treatment

**Purpose**

**Uses** • for the treatment of acne

**Warnings** • For external use only. • Do not use this medication if you have very sensitive skin or if you are sensitive to benzoyl peroxide.

**When using this product** • A warning seal on your container is an expiration date and use as directed. • Avoid contact with eyes, hair and mouth. • Avoid contact with heat or direct sunlight. • Benzoyl peroxide may cause skin irritation, dryness, burning, itching, peeling, or possible hair loss. • Benzoyl peroxide may cause skin irritation, dryness, burning, itching, peeling, or possible hair loss. • Benzoyl peroxide may cause skin irritation, dryness, burning, itching, peeling, or possible hair loss. • Benzoyl peroxide may cause skin irritation, dryness, burning, itching, peeling, or possible hair loss.

**Stop use and consult a doctor if** • Irritation becomes severe.

**If pregnant or breastfeeding**, ask a health professional for use.


**Keep out of reach of children.** If swallowed, get medical help or contact Poison Control Center right away. Avoid contact with the eyes. If contact occurs, flush thoroughly with water.

**Directions** • Cleanse thoroughly before applying this product. • Cover the entire affected area with a thin layer once to three times daily. • Because benzoyl peroxide is a bleaching agent, it may cause some discoloration of the skin. • Apply to the affected area once to three times daily. • Rinse off with water. • Do not use on the face if you have sensitive skin. • Benzoyl peroxide may cause skin irritation, dryness, burning, itching, peeling, or possible hair loss. • Benzoyl peroxide may cause skin irritation, dryness, burning, itching, peeling, or possible hair loss.

**Other information** • The light cycle is not recommended. • Use at room temperature.

**Inactive ingredients:** carbomer, croscarmellose sodium, EDTA, hydroxypropyl methylcellulose, butyl-4-hydroxytoluene, water.

NDC: 71800-045-06



**INN<sub>o</sub>VIDA**  
PHARMACEUTIQUE CORPORATION

# Benzoyl Peroxide

Acne Medication, Gel,  
Benzoyl Peroxide 10%

TOPICAL ADMINISTRATION

2.1 oz (60 g)

## Drug Facts

**Active ingredient**  
Benzoyl peroxide USP 10%.....**Purpose**  
Acne treatment

**Uses** • for the treatment of acne

**Warnings** • for external use only • Do not use this medication if you have very sensitive skin or if you are sensitive to benzoyl peroxide.

**When using this product** • avoid unnecessary sun exposure and use a sunscreen • avoid contact with eyes, lips and mouth • avoid contact with hair or dyed fabrics, which may be bleached by this product • skin irritation may occur, characterized by redness, burning, itching, peeling, or possibly swelling. Irritation may be reduced by using the product less frequently or in a lower concentration. • skin irritation and dryness is more likely to occur if you use another topical acne medication at the same time. If irritation occurs, only use one topical acne medication at a time.

**Stop use and consult a doctor if** • irritation becomes severe

**If pregnant or breast-feeding**, ask a health professional before use.

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away. Avoid contact with the eyes. If contact occurs, flush thoroughly with water.

**Directions** • clean the skin thoroughly before applying this product • cover the entire affected area with a thin layer one to three times daily • because excessive drying of the skin may occur, start with one application daily, then gradually increase to two or three times daily if needed or as directed by a doctor • if bothersome dryness or peeling occurs, reduce application to once a day or every other day • if going outside, apply sunscreen after using this product • if irritation or sensitivity develops, stop use of both products and ask a doctor.

**Other information** • keep tightly closed • store at room temperature

**Inactive ingredients:** carbomer, disodium EDTA, hydroxypropyl methylcellulose, laureth-4, sodium hydroxide, water

Mfd. for: Innovida Pharmaceutique Corporation, Phoenix, AZ 85040, Tel.: 888-462-4166

## BENZOYL PEROXIDE

benzoyl peroxide gel

### Product Information

|                                |                |                           |               |
|--------------------------------|----------------|---------------------------|---------------|
| <b>Product Type</b>            | HUMAN OTC DRUG | <b>Item Code (Source)</b> | NDC:71800-045 |
| <b>Route of Administration</b> | TOPICAL        |                           |               |

### Active Ingredient/Active Moiety

| Ingredient Name   | Basis of Strength | Strength          |
|---|-------------------|-------------------|
| <b>BENZOYL PEROXIDE</b> (UNII: W9WZ N9A0GM) (BENZOYL PEROXIDE - UNII:W9WZ N9A0GM) | BENZOYL PEROXIDE  | 100 mg<br>in 1 mL |

### Inactive Ingredients

| Ingredient Name  | Strength |
|--|----------|
| <b>CARBOXYMETHYLCELLULOSE SODIUM, UNSPECIFIED</b> (UNII: K679OBS311) |          |
| <b>EDETATE DISODIUM</b> (UNII: 7FLD91C86K)                           |          |
| <b>LAURETH-4</b> (UNII: 6HQ855798J)                                  |          |
| <b>SODIUM HYDROXIDE</b> (UNII: 55X04QC32I)                           |          |
| <b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)                           |          |
| <b>WATER</b> (UNII: 059QF0KO0R)                                      |          |

**Packaging**

| # | Item Code        | Package Description                                | Marketing Start Date | Marketing End Date |
|---|------------------|--|----------------------|--------------------|
| 1 | NDC:71800-045-06 | 1 in 1 CARTON                                      | 02/10/2025           |                    |
| 1 |                  | 62 mL in 1 TUBE; Type 0: Not a Combination Product |                      |                    |

**Marketing Information**

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC Monograph Drug | M006                                     | 02/10/2025           |                    |

**Labeler** - Innovida Pharmaceutique Corporation (080892908)

Revised: 2/2025

Innovida Pharmaceutique Corporation