

5% MINOXIDIL HAIR REGROWTH SOLUTION WITH BIOTIN- minoxidil solution
Guangzhou Ruijiu Electronic Technology Co., Ltd.

5% Minoxidil Hair Regrowth Solution With Biotin

5% Minoxidil Hair Regrowth Solution With Biotin

Minoxidil 5%

Biotin 0.2%

Hair Regrowth

Use to regrow hair of scalp and beard

For external use only.

Keep out of reach of children.

You have no family history of hair loss.

Your hair loss is sudden and/or patchy.

Your hair loss is associated with childbirth.

You do not know the reason for your hair loss.

You are under 18 years of age. Do not use on babies and children

Your scalp is red, inflamed, infected, irritated, or painful.

You use other medicines on the scalp.

Avoid contact with eyes. In case of accidental contact, rinse eyes with a large amount of cool tap water.

You need to use this product 1 time a day for at least 3 months before you see results, The amount of hair regrowth is different for each person.

If scalp irritation or redness occurs.

If you get unwanted facial hair growth.

If you do not see hair regrowth in 4 months.

If sudden, unexplained weight gain occurs.

If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Apply 1 ml of Minoxidil Serum directly onto the scalp in the hair loss area.

Use fingertips to massage solution into skin/hair for 1 minute then wash hands thoroughly.

Men: use twice daily. Women: use once daily on clean, dry hair for best results.

Before use, read all information on carton and enclosed leaflet. Store at controlled room temperature 10° to 25°C (50° to 77°F)

Do not incinerate container. Do not expose to heat or store at temperature above 104°F (40°C).

CASTOR OIL

ALCOHOL

GLYCERIN

CETYL ALCOHOL

LACTIC ACID

WATER

Drug Facts

Active Ingredient

Minoxidil 5% w/w
Biotin 0.2% w/w

Purpose

Hair Regrowth

Use to regrow hair of scalp and beard

Warnings

- For external use only.
- Keep out of reach of children.

Do not use if

- You have no family history of hair loss.
- Your hair loss is sudden and/or patchy.
- Your hair loss is associated with childbirth.
- You do not know the reason for your hair loss.
- You are under 18 years of age. Do not use on babies and children.
- Your scalp is red, inflamed, infected, irritated, or painful.
- You use other medicines on the scalp.

When using

- Avoid contact with eyes. In case of accidental contact, rinse eyes with a large amount of cool tap water.
- You need to use this product 1 times a day for at least 3 months before you see results. The amount of hair regrowth is different for each person.

Stop use and ask a doctor

- If scalp irritation or redness occurs.
- If you get unwanted facial hair growth.
- If you do not see hair regrowth in 4 months.
- If sudden, unexplained weight gain occurs.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

- Apply 1 ml of Minoxidil Serum directly onto the scalp in the hair loss area.
- Use fingertips to massage solution into skin/hair for 1 minutes then wash hands thoroughly.
- Men: use twice daily. Women: use once daily on clean, dry hair for best results.

Other information

- Before use, read all information on carton and enclosed leaflet Store at controlled room temperature 10° to 25°C (50° to 77°F)
- Do not incinerate container. Do not expose to heat or store at temperature above 104°F (40°C).

Inactive ingredients

Castor oil, Alcohol, Glycerin, Cetyl alcohol, Lactic acid, Water

Questions?

support@pdamhealth.com

PDAM[®]

5% Minoxidil with Biotin
Hair Regrowth Solution



ONE 60mL (2 fl oz) BOTTLE
For Men and Women (One Month Supply)

Manufactured for SOLARSPACE INC
Address: 110 16TH St Ste 1400, Denver, CO, US

Email: support@pdamhealth.com

PDAM[®]

Minoxidil

Hair Regrowth Solution

5% Minoxidil
with Biotin

For Men and Women

#1

DERMATOLOGIST RECOMMENDED
ACTIVE INGREDIENT

Revitalizes Hair Follicles
Fast & Non-Irritating
Unscented



One Month Supply
ONE 60mL (2 fl oz) BOTTLES

PDAM[®]

THIS PACKAGE CONTAINS
ONE 60mL (2 fl oz) BOTTLE
5% Minoxidil with Biotin

Directions

1. Apply 1 ml of Minoxidil Serum directly onto the scalp in the hair loss area.
2. Use fingertips to massage solution into skin/hair for 1 minutes then wash hands thoroughly.
3. Men: use twice daily. Women: use once daily on clean, dry hair for best results.

To regrow hair on the scalp and beard, 5% Minoxidil Topical Solution is a hair regrowth treatment. The active ingredient works by increasing blood flow to the scalp and revitalizing hair follicles, leading to thicker, fuller hair over time.



762736187867

MFD: 2024.6.30 EXP: 2026.6.30

Drug Facts

Active Ingredient

Minoxidil 5% w/w
Biotin 0.2% w/w

Purpose

Hair Regrowth

Use to regrow hair of scalp and beard

Warnings

- For external use only.
- Keep out of reach of children.

Do not use if

- You have no family history of hair loss.
- Your hair loss is sudden and/or patchy.
- Your hair loss is associated with childbirth.
- You do not know the reason for your hair loss.
- You are under 18 years of age. Do not use on babies and children.
- Your scalp is red, inflamed, infected, irritated, or painful.
- You use other medicines on the scalp.

When using

- Avoid contact with eyes. In case of accidental contact, rinse eyes with a large amount of cool tap water.
- You need to use this product 1 times a day for at least 3 months before you see results. The amount of hair regrowth is different for each person.

Stop use and ask a doctor

- If scalp irritation or redness occurs.
- If you get unwanted facial hair growth.
- If you do not see hair regrowth in 4 months.
- If sudden, unexplained weight gain occurs.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

- Apply 1 ml of Minoxidil Serum directly onto the scalp in the hair loss area.
- Use fingertips to massage solution into skin/hair for 1 minutes then wash hands thoroughly.
- Men: use twice daily. Women: use once daily on clean, dry hair for best results.

Other information

- Before use, read all information on carton and enclosed leaflet. Store at controlled room temperature 10° to 25°C (50° to 77°F).
- Do not incinerate container. Do not expose to heat or store at temperature above 104°F (40°C).

Inactive ingredients

Castor oil, Alcohol, Glycerin, Cetyl alcohol, Lactic acid, Water

Questions?

support@pdamhealth.com

PDAM[®]

PDAM[®]

Minoxidil

Hair Regrowth Solution

PDAM[®]

5% Minoxidil with Biotin
Hair Regrowth Solution

5% Minoxidil with Biotin

THIS PACKAGE CONTAINS
TWO 60mL (2 fl oz) BOTTLES
5% Minoxidil with Biotin



TWO 60mL (2 fl oz) BOTTLES
For Men and Women (Two Month Supply)

Manufactured for SOLARSPACE INC
Address: 110 16TH St Ste 1400, Denver, CO, US

Email: support@pdamhealth.com

For Men and Women

#1

DERMATOLOGIST RECOMMENDED
ACTIVE INGREDIENT

Revitalizes Hair Follicles
Fast & Non-Irritating
Unscented



Two Month Supply
TWO 60mL (2 fl oz) BOTTLES

Directions

1. Apply 1 ml of Minoxidil Serum directly onto the scalp in the hair loss area.

2. Use fingertips to massage solution into skin/hair for 1 minutes then wash hands thoroughly.









3. Men: use twice daily. Women: use once daily on clean, dry hair for best results.

To regrow hair on the scalp and beard. 5% Minoxidil Topical Solution is a hair regrowth treatment. The active ingredient works by increasing blood flow to the scalp and revitalizing hair follicles, leading to thicker, fuller hair over time.



762736187898

MFD: 2024.6.30 EXP: 2026.6.30

<p>Drug Facts</p> <p>Active Ingredient Minoxidil 5% w/w Biotin 0.2% w/w</p> <p>Purpose Hair Regrowth</p> <p>Use to regrow hair of scalp and beard</p> <p>Warnings</p> <ul style="list-style-type: none"> • For external use only. • Keep out of reach of children. <p>Do not use if</p> <ul style="list-style-type: none"> • You have no family history of hair loss. • Your hair loss is sudden and/or patchy. • Your hair loss is associated with childbirth. • You do not know the reason for your hair loss. • You are under 18 years of age. Do not use on babies and children. • Your scalp is red, inflamed, infected, irritated, or painful. • You use other medicines on the scalp. <p>When using</p> <ul style="list-style-type: none"> • Avoid contact with eyes. In case of accidental contact, rinse eyes with a large amount of cool tap water. • You need to use this product 1 times a day for at least 3 months before you see results. The amount of hair regrowth is different for each person. <p>Stop use and ask a doctor</p> <ul style="list-style-type: none"> • If scalp irritation or redness occurs. • If you get unwanted facial hair growth. • If you do not see hair regrowth in 4 months. • If sudden, unexplained weight gain occurs. <p>Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center(1-800-222-1222) right away.</p> <p>Directions</p> <ul style="list-style-type: none"> • Apply 1 ml of Minoxidil Serum directly onto the scalp in the hair loss area. • Use fingertips to massage solution into skin/hair for 1 minutes then washhands thoroughly. • Men: use twice daily. Women: use once daily on clean, dry hair for best results. <p>Other information</p> <ul style="list-style-type: none"> • Before use, read all information on carton and enclosed leaflet Store at controlled room temperature 10° to 25°C (50° to 77° F) • Do not incinerate container. Do not expose to heat or store at temperature above 104°F (40°C). <p>Inactive Ingredients Caster oil, Alcohol, Glycerin, Cetyl alcohol, Lactic acid, Water</p> <p>Questions? support@pdamhealth.com</p>	<div> <div>  </div> <div> PDAM® Minoxidil Hair Regrowth Solution </div> </div> <div> 5% Minoxidil with Biotin Hair Regrowth Solution </div> <div>  </div> <div> THREE 60mL (2 fl oz) BOTTLES For Men and Women (Three Month Supply) </div> <div> Manufactured for SOLARSPACE INC Address: 1310 18TH St Ste 1400, Denver, CO, US Email: support@pdamhealth.com </div>		<div> <div>  </div> <div> PDAM® Minoxidil Hair Regrowth Solution </div> </div> <div> 5% Minoxidil with Biotin </div> <div> THIS PACKAGE CONTAINS THREE 60mL (2 fl oz) BOTTLES 5% Minoxidil with Biotin </div> <div> Directions </div> <div> 1. Apply 1 ml of Minoxidil Serum directly onto the scalp in the hair loss area. 2. Use fingertips to massage solution into skin/hair for 1 minutes then wash hands thoroughly. 3. Men: use twice daily. Women: use once daily on clean, dry hair for best results. To regrow hair on the scalp and beard. 5% Minoxidil Topical Solution is a hair regrowth treatment. The active ingredient works by increasing blood flow to the scalp and revitalizing hair follicles, leading to thicker, fuller hair over time. </div> <div>  </div> <div> 762736187874 MPD: 2024.6.30 EXP: 2026.6.30 </div>
	<div> <div>  </div> <div> PDAM® Minoxidil Hair Regrowth Solution </div> </div> <div> 5% Minoxidil with Biotin Hair Regrowth Solution </div> <div> For Men and Women </div> <div> #1 DERMATOLOGIST RECOMMENDED ACTIVE INGREDIENT </div> <div> Revitalizes Hair Follicles Fast & Non-Irritating Unscented </div> <div>  </div> <div> Three Month Supply THREE 60mL (2 fl oz) BOTTLES </div>		<div> <div>  </div> <div> PDAM® Minoxidil Hair Regrowth Solution </div> </div> <div> 5% Minoxidil with Biotin </div> <div> THIS PACKAGE CONTAINS THREE 60mL (2 fl oz) BOTTLES 5% Minoxidil with Biotin </div> <div> Directions </div> <div> 1. Apply 1 ml of Minoxidil Serum directly onto the scalp in the hair loss area. 2. Use fingertips to massage solution into skin/hair for 1 minutes then wash hands thoroughly. 3. Men: use twice daily. Women: use once daily on clean, dry hair for best results. To regrow hair on the scalp and beard. 5% Minoxidil Topical Solution is a hair regrowth treatment. The active ingredient works by increasing blood flow to the scalp and revitalizing hair follicles, leading to thicker, fuller hair over time. </div> <div>  </div> <div> 762736187874 MPD: 2024.6.30 EXP: 2026.6.30 </div>

5% MINOXIDIL HAIR REGROWTH SOLUTION WITH BIOTIN

minoxidil solution

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:83767-301
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
MINOXIDIL (UNII: 5965120SH1) (MINOXIDIL - UNII:5965120SH1)	MINOXIDIL	5 g in 100 g
BIOTIN (UNII: 6SO6U10H04) (BIOTIN - UNII:6SO6U10H04)	BIOTIN	0.2 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
ALCOHOL (UNII: 3K9958V90M)	
LACTIC ACID (UNII: 33X04XA5AT)	
CASTOR OIL (UNII: D5340Y2I9G)	
GLYCERIN (UNII: PDC6A3C0OX)	

CETYL ALCOHOL (UNII: 936JST6JCN)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:83767-301-01	1 in 1 PACKAGE	07/26/2024	
1		60 g in 1 BOTTLE; Type 0: Not a Combination Product		
2	NDC:83767-301-02	2 in 1 PACKAGE	07/26/2024	
2		60 g in 1 BOTTLE; Type 0: Not a Combination Product		
3	NDC:83767-301-03	3 in 1 PACKAGE	07/26/2024	
3		60 g in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M032	07/26/2024	

Labeler - Guangzhou Ruijiu Electronic Technology Co., Ltd. (631973699)

Establishment

Name	Address	ID/FEI	Business Operations
Guangzhou Ruijiu Electronic Technology Co., Ltd.		631973699	manufacture(83767-301)

Revised: 7/2024

Guangzhou Ruijiu Electronic Technology Co., Ltd.