

LBEL COULEUR LUXE ROUGE AMPLIFIER XP AMPLIFYING SPF 15 (MARRON ILLIMITE) - BROWN- octinoxate and oxybenzone lipstick

LBEL COULEUR LUXE ROUGE AMPLIFIER XP AMPLIFYING SPF 15 (CHOCOLAT MAJESTIC) - BROWN- octinoxate and oxybenzone lipstick

LBEL COULEUR LUXE ROUGE AMPLIFIER XP AMPLIFYING SPF 15 (CORAIL MAXIMUM) - ORANGE- octinoxate and oxybenzone lipstick

LBEL COULEUR LUXE ROUGE AMPLIFIER XP AMPLIFYING SPF 15 (FUCSIA SPLENDEDE) - MAGENTA- octinoxate and oxybenzone lipstick

LBEL COULEUR LUXE ROUGE AMPLIFIER XP AMPLIFYING SPF 15 (ROUGE PRODIGEUX) - RED- octinoxate and oxybenzone lipstick

LBEL COULEUR LUXE ROUGE AMPLIFIER XP AMPLIFYING SPF 15 (ROUGE GRANDOISE) - RED- octinoxate and oxybenzone lipstick

LBEL COULEUR LUXE ROUGE AMPLIFIER XP AMPLIFYING SPF 15 (ROSE CHAMPAGNE) - PINK- octinoxate and oxybenzone lipstick

LBEL COULEUR LUXE ROUGE AMPLIFIER XP AMPLIFYING SPF 15 (ROSE DAMOUR) - PINK- octinoxate and oxybenzone lipstick

LBEL COULEUR LUXE ROUGE AMPLIFIER XP AMPLIFYING SPF 15 (ROUGE RUBI) - RED- octinoxate and oxybenzone lipstick

LBEL COULEUR LUXE ROUGE AMPLIFIER XP AMPLIFYING SPF 15 (SAUMON ESSENTIEL) - PINK- octinoxate and oxybenzone lipstick

LBEL COULEUR LUXE ROUGE AMPLIFIER XP AMPLIFYING SPF 15 (BOURGOGNE VIF) - BROWN- octinoxate and oxybenzone lipstick

LBEL COULEUR LUXE ROUGE AMPLIFIER XP AMPLIFYING SPF 15 (VIOLET POURPRE) - PURPLE- octinoxate and oxybenzone lipstick

LBEL COULEUR LUXE ROUGE AMPLIFIER XP AMPLIFYING SPF 15 (ORANGE DELIRANT) - ORANGE- octinoxate and oxybenzone lipstick

LBEL COULEUR LUXE ROUGE AMPLIFIER XP AMPLIFYING SPF 15 (ROSE FEMME) - PINK- octinoxate and oxybenzone lipstick

LBEL COULEUR LUXE ROUGE AMPLIFIER XP AMPLIFYING SPF 15 (ROUGE INTENSE) - RED- octinoxate and oxybenzone lipstick

LBEL COULEUR LUXE ROUGE AMPLIFIER XP AMPLIFYING SPF 15 (DORE CHOCOLAT) - BROWN- octinoxate and oxybenzone lipstick

LBEL COULEUR LUXE ROUGE AMPLIFIER XP AMPLIFYING SPF 15 (FUCSIA DESIR) - MAGENTA- octinoxate and oxybenzone lipstick

LBEL COULEUR LUXE ROUGE AMPLIFIER XP AMPLIFYING SPF 15 (MER DE ROSES) - PINK- octinoxate and oxybenzone lipstick

LBEL COULEUR LUXE ROUGE AMPLIFIER XP AMPLIFYING SPF 15 (ROUGE PROVOCATION) - RED- octinoxate and oxybenzone lipstick

LBEL COULEUR LUXE ROUGE AMPLIFIER XP AMPLIFYING SPF 15 (ROSE TENTATION) - PINK- octinoxate and oxybenzone lipstick

LBEL COULEUR LUXE ROUGE AMPLIFIER XP AMPLIFYING SPF 15 (ROSE DELICAT) - PINK- octinoxate and oxybenzone lipstick

LBEL COULEUR LUXE ROUGE AMPLIFIER XP AMPLIFYING SPF 15 (CARMINE) - RED- octinoxate and oxybenzone lipstick

LBEL COULEUR LUXE ROUGE AMPLIFIER XP AMPLIFYING SPF 15 (NOBLESSE) - RED- octinoxate and oxybenzone lipstick

LBEL COULEUR LUXE ROUGE AMPLIFIER XP AMPLIFYING SPF 15 (MALBEC) - BROWN- octinoxate and oxybenzone lipstick

LBEL COULEUR LUXE ROUGE AMPLIFIER XP AMPLIFYING SPF 15 (AMANDIER) - BROWN- octinoxate and oxybenzone lipstick

LBEL COULEUR LUXE ROUGE AMPLIFIER XP AMPLIFYING SPF 15 (SOBRIETE) - BROWN- octinoxate and oxybenzone lipstick

**LBEL COULEUR LUXE ROUGE AMPLIFIER XP AMPLIFYING SPF 15 (FIANCEE) - PINK-
octinoxate and oxybenzone lipstick**

**LBEL COULEUR LUXE ROUGE AMPLIFIER XP AMPLIFYING SPF 15 (ROMANCE) -
PINK- octinoxate and oxybenzone lipstick**

**LBEL COULEUR LUXE ROUGE AMPLIFIER XP AMPLIFYING SPF 15 (ROSE FUCSIA) -
MAGENTA- octinoxate and oxybenzone lipstick**

**LBEL COULEUR LUXE ROUGE AMPLIFIER XP AMPLIFYING SPF 15 (MIEL
ECHANter) - ORANGE- octinoxate and oxybenzone lipstick**

Ventura Corporation LTD

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

L'BEL Couleur Luxe Rouge Amplifier XP amplifyig lipstick SPF 15

Drug Facts

Active Ingredients	Purpose
Octinoxate 4.7%,	Sunscreen
Oxybenzone 0.9 %	Sunscreen

Uses

- Helps prevent sunburn.

Warnings

- **Skin Cancer / Skin Aging Alert:** Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, **not** skin cancer or early skin aging.
- **For external use only.**
- **Do not use** on damaged or broken skin.
- **When using this product** keep out of eyes. Rinse with water to remove.
- **Stop use and ask a doctor if** rash occurs.
- **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply liberally and evenly 15 minutes before sun exposure.
- Reapply at least every 2 hours.
- Use a water resistant sunscreen if swimming or sweating.
- Children under 6 months of age: Ask a doctor.

Other information

- Protect the product in this container from excessive heat and direct sun.

Inactive ingredients

Isostearyl neopentanoate, diisopropyl dimer dilinoleate, mica, methyl hydrogenated rosinat, polyethylene, castor isostearate beeswax succinate, hydrogenated polycyclopentadiene, ozokerite, silica, copernicia cerifera (carnauba) wax, euphorbia cerifera (candelilla) wax, ethylhexyl palmitate, isododecane, hydrogenated polyisobutene, paraffin, polyglyceryl-3 diisostearate, glyceryl isostearate, isostearyl alcohol, dipalmitoyl hydroxyproline, ceramide 3, butyrospermum parkii (shea) butter, beta-sitosterol, propylparaben, dimethicone, luffa cylindrica seed oil, silica silylate, methylparaben, disteardimonium hectorite, fragrance, peg-40 hydrogenated castor oil, polysorbate 80, ppg-26-buteth-26, bht, trimethylsiloxysilicate, heder helix (ivy) leaf/stem extract, retinyl palmitate, tocopheryl acetate, bioflavonoids, allantoin, ascorbyl palmitate.

May contain: mica, bismuth oxychloride, red 7 lake, manganese violet, iron oxides, titanium dioxide, yellow 5 lake, red 21 lake, red 27 lake, red 6 lake, calcium sodium borosilicate, iron oxides, talc, blue 1 lake, carmine, c9-15 fluoroalcohol phosphate, lauroyl lysine.

PUERTO RICO: Distributed by Ventura Corporation, Ltd. San Juan, Puerto Rico 00926.

PRINCIPAL DISPLAY PANEL - 4 g Tube Box - (MARRON ILLIMITÉ) - BROWN

COULEUR LUXE ROUGE AMPLIFIER XP

amplifying lipstick

SPF 15

Net Weight 0.14 oz. (4 g)

L'BEL

Drug Facts (Continued)

- **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply liberally and evenly 15 minutes before sun exposure. ■ Reapply at least every 2 hours. ■ Use a water resistant sunscreen if swimming or sweating
- Children under 6 months of age: Ask a doctor. ▶

Drug Facts (Continued)

Other information

- Protect the product in this container from excessive heat and direct sun.

Inactive Ingredients Isostearyl neopentanoate, diisopropyl dimer dilinoleate, mica, methyl hydrogenated rosinat, polyethylene, castor isostearate beeswax succinate, hydrogenated polycyclopentadiene, ozokerite, silica, copernicia cerifera (carnauba) wax, euphorbia cerifera (candelilla) wax

Drug Facts (Continued)

ethylhexyl palmitate, isododecane, hydrogenated polyisobutene, paraffin, polyglyceryl-3 diisostearate, glyceryl isostearate, isostearyl alcohol, dipalmitoyl hydroxyproline, ceramide 3, butyrospermum parkii (shea) butter, beta-sitosterol, propylparaben, dimethicone, luffa cylindrica seed oil, silica silylate, methylparaben, disteardimonium hectorite, fragrance, peg-40 hydrogenated castor oil, polysorbate 80 ▶

Drug Facts (Continued)

ppg-26-buteth-26, bht, trimethylsiloxysilicate, heder helix (ivy) leaf/stem extract, retinyl palmitate, tocopheryl acetate, bioflavonoids, allantoin, ascorbyl palmitate. **May contain:** mica, bismuth oxychloride, red 7 lake, manganese violet, iron oxides, titanium dioxide, yellow 5 lake, red 21 lake, red 27 lake, red 6 lake, calcium sodium borosilicate, talc, blue 1 lake, carmine, C9-15 fluoroalcohol phosphate, lauroyl lysine.

COULEUR LUXE ROUGE AMPLIFIER XP
amplifying lipstick

SPF 15

Net Weight 0.14 oz. (4 g)

L'BEL

Drug Facts

Active Ingredients

Octinoxate 4.7 %	Sunscreen
Oxybenzone 0.9 %	Sunscreen

Purpose

Sunscreen
Sunscreen

Uses

- Helps prevent sunburn.

Warnings


- **Skin Cancer / Skin Aging Alert:** Spending time in the sun increases your risk of skin

Drug Facts (Continued)

cancer and early skin aging. This product has been shown only to help prevent sunburn, **not** skin cancer or early skin aging.

- **For external use only.**
- **Do not use on damaged or broken skin.**
- **When using this product keep out of eyes. Rinse with water to remove.**
- **Stop use and ask a doctor if rash occurs.**

US: Distributed by Ventura International
Ltd. DBA Belcorp USA, San Francisco, CA
94111 **PUERTO RICO:** Distributed by
Ventura Corporation, Ltd. San Juan,
Puerto Rico 00926. Made in Colombia.
www.lbel.com





PRINCIPAL DISPLAY PANEL - 4 g Tube Box - (CHOCOLAT MAJESTIC) - BROWN

COULEUR LUXE ROUGE AMPLIFIER XP

amplifying lipstick

SPF 15

Net Weight 0.14 oz. (4 g)

L'BEL

Drug Facts (Continued)

■ **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

Directions

■ Apply liberally and evenly 15 minutes before sun exposure. ■ Reapply at least every 2 hours. ■ Use a water resistant sunscreen if swimming or sweating. ■ Children under 6 months of age: Ask a doctor. ▶

Drug Facts (Continued)

Other information

■ Protect the product in this container from excessive heat and direct sun.

Inactive Ingredients Isostearyl neopentanoate, diisopropyl dimer dilinoleate, mica, methyl hydrogenated rosinat, polyethylene, castor isostearate beeswax succinate, hydrogenated polycyclopentadiene, ozokerite, silica, copernicia cerifera (carnauba) wax, euphorbia cerifera (candelilla) wax

Drug Facts (Continued)

ethylhexyl palmitate, isododecane, hydrogenated polyisobutene, paraffin, polyglyceryl-3 diisostearate, glyceryl isostearate, isostearyl alcohol, dipalmitoyl hydroxyproline, ceramide 3, butyrospermum parkii (shea) butter, beta-sitosterol, propylparaben, dimethicone, luffa cylindrica seed oil, silica silylate, methylparaben, disteardimonium hectorite, fragrance, peg-40 hydrogenated castor oil, polysorbate 80 ▶

Drug Facts (Continued)

ppg-26-buteth-26, bht, trimethylsiloxysilicate, heder helix (ivy) leaf/stem extract, retinyl palmitate, tocopheryl acetate, bioflavonoids, allantoin, ascorbyl palmitate. **May contain:** mica, bismuth oxychloride, red 7 lake, manganese violet, iron oxides, titanium dioxide, yellow 5 lake, red 21 lake, red 27 lake, red 6 lake, calcium sodium borosilicate, talc, blue 1 lake, carmine, C9-15 fluoroalcohol phosphate, lauroyl lysine.

COULEUR LUXE ROUGE AMPLIFIER XP
amplifying lipstick

SPF 15

Net Weight 0.14 oz. (4 g)

L'BEL

Drug Facts

Active Ingredients

Octinoxate 4.7 %	Sunscreen
Oxybenzone 0.9 %	Sunscreen

Purpose

Uses

- Helps prevent sunburn.

Warnings


- **Skin Cancer / Skin Aging Alert:** Spending time in the sun increases your risk of skin

Drug Facts (Continued)

cancer and early skin aging. This product has been shown only to help prevent sunburn, **not** skin cancer or early skin aging.

- **For external use only.**
- **Do not use on damaged or broken skin.**
- **When using this product keep out of eyes. Rinse with water to remove.**
- **Stop use and ask a doctor if rash occurs.**

US: Distributed by Ventura International
 Ltd. DBA Belcorp USA, San Francisco, CA
 94111 **PUERTO RICO:** Distributed by
 Ventura Corporation, Ltd. San Juan,
 Puerto Rico 00926. Made in Colombia.
www.lbel.com





PRINCIPAL DISPLAY PANEL - 4 g Tube Box - (CORAIL MAXIMUM) - ORANGE

COULEUR LUXE ROUGE AMPLIFIER XP

amplifying lipstick

SPF 15

Net Weight 0.14 oz. (4 g)

L'BEL

Drug Facts (Continued)

■ **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

Directions

■ Apply liberally and evenly 15 minutes before sun exposure. ■ Reapply at least every 2 hours. ■ Use a water resistant sunscreen if swimming or sweating. ■ Children under 6 months of age: Ask a doctor. ▶

Drug Facts (Continued)

Other information

■ Protect the product in this container from excessive heat and direct sun.

Inactive Ingredients Isostearyl neopentanoate, diisopropyl dimer dilinoleate, mica, methyl hydrogenated rosinat, polyethylene, castor isostearate beeswax succinate, hydrogenated polycyclopentadiene, ozokerite, silica, copernicia cerifera (carnauba) wax, euphorbia cerifera (candelilla) wax

Drug Facts (Continued)

ethylhexyl palmitate, isododecane, hydrogenated polyisobutene, paraffin, polyglyceryl-3 diisostearate, glyceryl isostearate, isostearyl alcohol, dipalmitoyl hydroxyproline, ceramide 3, butyrospermum parkii (shea) butter, beta-sitosterol, propylparaben, dimethicone, luffa cylindrica seed oil, silica silylate, methylparaben, disteardimonium hectorite, fragrance, peg-40 hydrogenated castor oil, polysorbate 80 ▶

Drug Facts (Continued)

ppg-26-buteth-26, bht, trimethylsiloxysilicate, heder helix (ivy) leaf/stem extract, retinyl palmitate, tocopheryl acetate, bioflavonoids, allantoin, ascorbyl palmitate. **May contain:** mica, bismuth oxychloride, red 7 lake, manganese violet, iron oxides, titanium dioxide, yellow 5 lake, red 21 lake, red 27 lake, red 6 lake, calcium sodium borosilicate, talc, blue 1 lake, carmine, C9-15 fluoroalcohol phosphate, lauroyl lysine.

COULEUR LUXE ROUGE AMPLIFIER XP
amplifying lipstick

SPF 15

Net Weight 0.14 oz. (4 g)

L'BEL

Drug Facts

Active Ingredients

Octinoxate 4.7 %	Sunscreen
Oxybenzone 0.9 %	Sunscreen

Purpose

Uses

- Helps prevent sunburn.

Warnings


- **Skin Cancer / Skin Aging Alert:** Spending time in the sun increases your risk of skin

Drug Facts (Continued)

cancer and early skin aging. This product has been shown only to help prevent sunburn, **not** skin cancer or early skin aging.

- **For external use only.**
- **Do not use on damaged or broken skin.**
- **When using this product keep out of eyes. Rinse with water to remove.**
- **Stop use and ask a doctor if rash occurs.**

US: Distributed by Ventura International
 Ltd. DBA Belcorp USA, San Francisco, CA
 94111 **PUERTO RICO:** Distributed by
 Ventura Corporation, Ltd. San Juan,
 Puerto Rico 00926. Made in Colombia.
www.lbel.com





PRINCIPAL DISPLAY PANEL - 4 g Tube Box - (FUCSIA SPLENDIDE) - MAGENTA
COULEUR LUXE ROUGE AMPLIFIER XP

amplifying lipstick
SPF 15

Net Weight 0.14 oz. (4 g)

L'BEL

Drug Facts (Continued)

■ **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

Directions

■ Apply liberally and evenly 15 minutes before sun exposure. ■ Reapply at least every 2 hours. ■ Use a water resistant sunscreen if swimming or sweating. ■ Children under 6 months of age: Ask a doctor. ▶

Drug Facts (Continued)

Other information

■ Protect the product in this container from excessive heat and direct sun.

Inactive Ingredients Isostearyl neopentanoate, diisopropyl dimer dilinoleate, mica, methyl hydrogenated rosinat, polyethylene, castor isostearate beeswax succinate, hydrogenated polycyclopentadiene, ozokerite, silica, copernicia cerifera (carnauba) wax, euphorbia cerifera (candelilla) wax

Drug Facts (Continued)

ethylhexyl palmitate, isododecane, hydrogenated polyisobutene, paraffin, polyglyceryl-3 diisostearate, glyceryl isostearate, isostearyl alcohol, dipalmitoyl hydroxyproline, ceramide 3, butyrospermum parkii (shea) butter, beta-sitosterol, propylparaben, dimethicone, luffa cylindrica seed oil, silica silylate, methylparaben, disteardimonium hectorite, fragrance, peg-40 hydrogenated castor oil, polysorbate 80 ▶

Drug Facts (Continued)

ppg-26-buteth-26, bht, trimethylsiloxysilicate, heder helix (ivy) leaf/stem extract, retinyl palmitate, tocopheryl acetate, bioflavonoids, allantoin, ascorbyl palmitate. **May contain:** mica, bismuth oxychloride, red 7 lake, manganese violet, iron oxides, titanium dioxide, yellow 5 lake, red 21 lake, red 27 lake, red 6 lake, calcium sodium borosilicate, talc, blue 1 lake, carmine, C9-15 fluoroalcohol phosphate, lauroyl lysine.

COULEUR LUXE ROUGE AMPLIFIER XP
amplifying lipstick

SPF 15

Net Weight 0.14 oz. (4 g)

L'BEL

Drug Facts

Active Ingredients

Octinoxate 4.7 %	Sunscreen
Oxybenzone 0.9 %	Sunscreen

Purpose

Uses

- Helps prevent sunburn.

Warnings


- **Skin Cancer / Skin Aging Alert:** Spending time in the sun increases your risk of skin

Drug Facts (Continued)

cancer and early skin aging. This product has been shown only to help prevent sunburn, **not** skin cancer or early skin aging.

- **For external use only.**
- **Do not use on damaged or broken skin.**
- **When using this product keep out of eyes. Rinse with water to remove.**
- **Stop use and ask a doctor if rash occurs.**

US: Distributed by Ventura International
 Ltd. DBA Belcorp USA, San Francisco, CA
 94111 **PUERTO RICO:** Distributed by
 Ventura Corporation, Ltd. San Juan,
 Puerto Rico 00926. Made in Colombia.
www.lbel.com





PRINCIPAL DISPLAY PANEL - 4 g Tube Box - (ROUGE PRODIGEUX) - RED

COULEUR LUXE ROUGE AMPLIFIER XP

amplifying lipstick

SPF 15

Net Weight 0.14 oz. (4 g)

L'BEL

Drug Facts (Continued)

■ **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

Directions

■ Apply liberally and evenly 15 minutes before sun exposure. ■ Reapply at least every 2 hours. ■ Use a water resistant sunscreen if swimming or sweating. ■ Children under 6 months of age: Ask a doctor. ▶

Drug Facts (Continued)

Other information

■ Protect the product in this container from excessive heat and direct sun.

Inactive Ingredients Isostearyl neopentanoate, diisopropyl dimer dilinoleate, mica, methyl hydrogenated rosinat, polyethylene, castor isostearate beeswax succinate, hydrogenated polycyclopentadiene, ozokerite, silica, copernicia cerifera (carnauba) wax, euphorbia cerifera (candelilla) wax

Drug Facts (Continued)

ethylhexyl palmitate, isododecane, hydrogenated polyisobutene, paraffin, polyglyceryl-3 diisostearate, glyceryl isostearate, isostearyl alcohol, dipalmitoyl hydroxyproline, ceramide 3, butyrospermum parkii (shea) butter, beta-sitosterol, propylparaben, dimethicone, luffa cylindrica seed oil, silica silylate, methylparaben, disteardimonium hectorite, fragrance, peg-40 hydrogenated castor oil, polysorbate 80 ▶

Drug Facts (Continued)

ppg-26-buteth-26, bht, trimethylsiloxysilicate, heder helix (ivy) leaf/stem extract, retinyl palmitate, tocopheryl acetate, bioflavonoids, allantoin, ascorbyl palmitate. **May contain:** mica, bismuth oxychloride, red 7 lake, manganese violet, iron oxides, titanium dioxide, yellow 5 lake, red 21 lake, red 27 lake, red 6 lake, calcium sodium borosilicate, talc, blue 1 lake, carmine, C9-15 fluoroalcohol phosphate, lauroyl lysine.

COULEUR LUXE ROUGE AMPLIFIER XP
amplifying lipstick

SPF 15

Net Weight 0.14 oz. (4 g)

L'BEL

Drug Facts

Active Ingredients

Octinoxate 4.7 %	Sunscreen
Oxybenzone 0.9 %	Sunscreen

Purpose

Uses

- Helps prevent sunburn.

Warnings


- **Skin Cancer / Skin Aging Alert:** Spending time in the sun increases your risk of skin

Drug Facts (Continued)

cancer and early skin aging. This product has been shown only to help prevent sunburn, **not** skin cancer or early skin aging.

- **For external use only.**
- **Do not use on damaged or broken skin.**
- **When using this product keep out of eyes. Rinse with water to remove.**
- **Stop use and ask a doctor if rash occurs.**

US: Distributed by Ventura International
 Ltd. DBA Belcorp USA, San Francisco, CA
 94111 **PUERTO RICO:** Distributed by
 Ventura Corporation, Ltd. San Juan,
 Puerto Rico 00926. Made in Colombia.
www.lbel.com





PRINCIPAL DISPLAY PANEL - 4 g Tube Box - (ROUGE GRANDOISE) - RED

COULEUR LUXE ROUGE AMPLIFIER XP

amplifying lipstick

SPF 15

Net Weight 0.14 oz. (4 g)

L'BEL

Drug Facts (Continued)

■ **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

Directions

■ Apply liberally and evenly 15 minutes before sun exposure. ■ Reapply at least every 2 hours. ■ Use a water resistant sunscreen if swimming or sweating. ■ Children under 6 months of age: Ask a doctor. ▶

Drug Facts (Continued)

Other information

■ Protect the product in this container from excessive heat and direct sun.

Inactive Ingredients Isostearyl neopentanoate, diisopropyl dimer dilinoleate, mica, methyl hydrogenated rosinat, polyethylene, castor isostearate beeswax succinate, hydrogenated polycyclopentadiene, ozokerite, silica, copernicia cerifera (carnauba) wax, euphorbia cerifera (candelilla) wax

Drug Facts (Continued)

ethylhexyl palmitate, isododecane, hydrogenated polyisobutene, paraffin, polyglyceryl-3 diisostearate, glyceryl isostearate, isostearyl alcohol, dipalmitoyl hydroxyproline, ceramide 3, butyrospermum parkii (shea) butter, beta-sitosterol, propylparaben, dimethicone, luffa cylindrica seed oil, silica silylate, methylparaben, disteardimonium hectorite, fragrance, peg-40 hydrogenated castor oil, polysorbate 80 ▶

Drug Facts (Continued)

ppg-26-buteth-26, bht, trimethylsiloxysilicate, heder helix (ivy) leaf/stem extract, retinyl palmitate, tocopheryl acetate, bioflavonoids, allantoin, ascorbyl palmitate. **May contain:** mica, bismuth oxychloride, red 7 lake, manganese violet, iron oxides, titanium dioxide, yellow 5 lake, red 21 lake, red 27 lake, red 6 lake, calcium sodium borosilicate, talc, blue 1 lake, carmine, C9-15 fluoroalcohol phosphate, lauroyl lysine.

COULEUR LUXE ROUGE AMPLIFIER XP
amplifying lipstick

SPF 15

Net Weight 0.14 oz. (4 g)

L'BEL

Drug Facts

Active Ingredients

Octinoxate 4.7 %	Sunscreen
Oxybenzone 0.9 %	Sunscreen

Purpose

Uses

- Helps prevent sunburn.

Warnings


- **Skin Cancer / Skin Aging Alert:** Spending time in the sun increases your risk of skin

Drug Facts (Continued)

cancer and early skin aging. This product has been shown only to help prevent sunburn, **not** skin cancer or early skin aging.

- **For external use only.**
- **Do not use on damaged or broken skin.**
- **When using this product keep out of eyes. Rinse with water to remove.**
- **Stop use and ask a doctor if rash occurs.**

US: Distributed by Ventura International
 Ltd. DBA Belcorp USA, San Francisco, CA
 94111 **PUERTO RICO:** Distributed by
 Ventura Corporation, Ltd. San Juan,
 Puerto Rico 00926. Made in Colombia.
www.lbel.com





PRINCIPAL DISPLAY PANEL - 4 g Tube Box - (ROSE CHAMPAGNE) - PINK

COULEUR LUXE ROUGE AMPLIFIER XP

amplifying lipstick

SPF 15

Net Weight 0.14 oz. (4 g)

L'BEL

Drug Facts (Continued)

■ **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

Directions

■ Apply liberally and evenly 15 minutes before sun exposure. ■ Reapply at least every 2 hours. ■ Use a water resistant sunscreen if swimming or sweating. ■ Children under 6 months of age: Ask a doctor. ▶

Drug Facts (Continued)

Other information

■ Protect the product in this container from excessive heat and direct sun.

Inactive Ingredients Isostearyl neopentanoate, diisopropyl dimer dilinoleate, mica, methyl hydrogenated rosinatate, polyethylene, castor isostearate beeswax succinate, hydrogenated polycyclopentadiene, ozokerite, silica, copernicia cerifera (carnauba) wax, euphorbia cerifera (candelilla) wax

Drug Facts (Continued)

ethylhexyl palmitate, isododecane, hydrogenated polyisobutene, paraffin, polyglyceryl-3 diisostearate, glyceryl isostearate, isostearyl alcohol, dipalmitoyl hydroxyproline, ceramide 3, butyrospermum parkii (shea) butter, beta-sitosterol, propylparaben, dimethicone, luffa cylindrica seed oil, silica silylate, methylparaben, disteardimonium hectorite, fragrance, peg-40 hydrogenated castor oil, polysorbate 80 ▶

Drug Facts (Continued)

ppg-26-buteth-26, bht, trimethylsiloxysilicate, heder helix (ivy) leaf/stem extract, retinyl palmitate, tocopheryl acetate, bioflavonoids, allantoin, ascorbyl palmitate. **May contain:** mica, bismuth oxychloride, red 7 lake, manganese violet, iron oxides, titanium dioxide, yellow 5 lake, red 21 lake, red 27 lake, red 6 lake, calcium sodium borosilicate, talc, blue 1 lake, carmine, C9-15 fluoroalcohol phosphate, lauroyl lysine.

COULEUR LUXE ROUGE AMPLIFIER XP
amplifying lipstick

SPF 15

Net Weight 0.14 oz. (4 g)

L'BEL

Drug Facts

Active Ingredients

Octinoxate 4.7 %	Sunscreen
Oxybenzone 0.9 %	Sunscreen

Purpose

Uses

- Helps prevent sunburn.

Warnings


- **Skin Cancer / Skin Aging Alert:** Spending time in the sun increases your risk of skin

Drug Facts (Continued)

cancer and early skin aging. This product has been shown only to help prevent sunburn, **not** skin cancer or early skin aging.

- **For external use only.**
- **Do not use on damaged or broken skin.**
- **When using this product keep out of eyes. Rinse with water to remove.**
- **Stop use and ask a doctor if rash occurs.**

US: Distributed by Ventura International
 Ltd. DBA Belcorp USA, San Francisco, CA
 94111 **PUERTO RICO:** Distributed by
 Ventura Corporation, Ltd. San Juan,
 Puerto Rico 00926. Made in Colombia.
www.lbel.com





PRINCIPAL DISPLAY PANEL - 4 g Tube Box - (ROSE D'AMOUR) - PINK

COULEUR LUXE ROUGE AMPLIFIER XP

amplifying lipstick

SPF 15

Net Weight 0.14 oz. (4 g)

L'BEL

Drug Facts (Continued)

- Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply liberally and evenly 15 minutes before sun exposure. ■ Reapply at least every 2 hours. ■ Use a water resistant sunscreen if swimming or sweating
- Children under 6 months of age: Ask a doctor. ▶

Drug Facts (Continued)

Other information

- Protect the product in this container from excessive heat and direct sun.

Inactive Ingredients Isostearyl neopentanoate, diisopropyl dimer dilinoleate, mica, methyl hydrogenated rosinat, polyethylene, castor isostearate beeswax succinate, hydrogenated polycyclopentadiene, ozokerite, silica, copernicia cerifera (carnauba) wax, euphorbia cerifera (candelilla) wax

Drug Facts (Continued)

ethylhexyl palmitate, isododecane, hydrogenated polyisobutene, paraffin, polyglyceryl-3 diisostearate, glyceryl isostearate, isostearyl alcohol, dipalmitoyl hydroxyproline, ceramide 3, butyrospermum parkii (shea) butter, beta-sitosterol, propylparaben, dimethicone, luffa cylindrica seed oil, silica silylate, methylparaben, disteardimonium hectorite, fragrance, peg-40 hydrogenated castor oil, polysorbate 80 ▶

Drug Facts (Continued)

ppg-26-buteth-26, bht, trimethylsiloxysilicate, heder helix (ivy) leaf/stem extract, retinyl palmitate, tocopheryl acetate, bioflavonoids, allantoin, ascorbyl palmitate. **May contain:** mica, bismuth oxychloride, red 7 lake, manganese violet, iron oxides, titanium dioxide, yellow 5 lake, red 21 lake, red 27 lake, red 6 lake, calcium sodium borosilicate, talc, blue 1 lake, carmine, C9-15 fluoroalcohol phosphate, lauroyl lysine.

COULEUR LUXE ROUGE AMPLIFIER XP
amplifying lipstick

SPF 15

Net Weight 0.14 oz. (4 g)

L'BEL

Drug Facts

Active Ingredients

Octinoxate 4.7 %	Sunscreen
Oxybenzone 0.9 %	Sunscreen

Purpose

Uses

- Helps prevent sunburn.

Warnings


- **Skin Cancer / Skin Aging Alert:** Spending time in the sun increases your risk of skin

Drug Facts (Continued)

cancer and early skin aging. This product has been shown only to help prevent sunburn, **not** skin cancer or early skin aging.

- **For external use only.**
- **Do not use on damaged or broken skin.**
- **When using this product keep out of eyes. Rinse with water to remove.**
- **Stop use and ask a doctor if rash occurs.**

US: Distributed by Ventura International
 Ltd. DBA Belcorp USA, San Francisco, CA
 94111 **PUERTO RICO:** Distributed by
 Ventura Corporation, Ltd. San Juan,
 Puerto Rico 00926. Made in Colombia.
www.lbel.com





PRINCIPAL DISPLAY PANEL - 4 g Tube Box - (ROUGE RUBI) - RED

COULEUR LUXE ROUGE AMPLIFIER XP

amplifying lipstick

SPF 15

Net Weight 0.14 oz. (4 g)

L'BEL

Drug Facts (Continued)

■ **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

Directions

■ Apply liberally and evenly 15 minutes before sun exposure. ■ Reapply at least every 2 hours. ■ Use a water resistant sunscreen if swimming or sweating. ■ Children under 6 months of age: Ask a doctor. ▶

Drug Facts (Continued)

Other information

■ Protect the product in this container from excessive heat and direct sun.

Inactive Ingredients Isostearyl neopentanoate, diisopropyl dimer dilinoleate, mica, methyl hydrogenated rosinat, polyethylene, castor isostearate beeswax succinate, hydrogenated polycyclopentadiene, ozokerite, silica, copernicia cerifera (carnauba) wax, euphorbia cerifera (candelilla) wax

Drug Facts (Continued)

ethylhexyl palmitate, isododecane, hydrogenated polyisobutene, paraffin, polyglyceryl-3 diisostearate, glyceryl isostearate, isostearyl alcohol, dipalmitoyl hydroxyproline, ceramide 3, butyrospermum parkii (shea) butter, beta-sitosterol, propylparaben, dimethicone, luffa cylindrica seed oil, silica silylate, methylparaben, disteardimonium hectorite, fragrance, peg-40 hydrogenated castor oil, polysorbate 80 ▶

Drug Facts (Continued)

ppg-26-buteth-26, bht, trimethylsiloxysilicate, heder helix (ivy) leaf/stem extract, retinyl palmitate, tocopheryl acetate, bioflavonoids, allantoin, ascorbyl palmitate. **May contain:** mica, bismuth oxychloride, red 7 lake, manganese violet, iron oxides, titanium dioxide, yellow 5 lake, red 21 lake, red 27 lake, red 6 lake, calcium sodium borosilicate, talc, blue 1 lake, carmine, C9-15 fluoroalcohol phosphate, lauroyl lysine.

COULEUR LUXE ROUGE AMPLIFIER XP
amplifying lipstick

SPF 15

Net Weight 0.14 oz. (4 g)

L'BEL

Drug Facts

Active Ingredients

Octinoxate 4.7 %	Sunscreen
Oxybenzone 0.9 %	Sunscreen

Purpose

Uses

- Helps prevent sunburn.

Warnings


- **Skin Cancer / Skin Aging Alert:** Spending time in the sun increases your risk of skin

Drug Facts (Continued)

cancer and early skin aging. This product has been shown only to help prevent sunburn, **not** skin cancer or early skin aging.

- **For external use only.**
- **Do not use on damaged or broken skin.**
- **When using this product keep out of eyes. Rinse with water to remove.**
- **Stop use and ask a doctor if rash occurs.**

US: Distributed by Ventura International
 Ltd. DBA Belcorp USA, San Francisco, CA
 94111 **PUERTO RICO:** Distributed by
 Ventura Corporation, Ltd. San Juan,
 Puerto Rico 00926. Made in Colombia.
www.lbel.com





PRINCIPAL DISPLAY PANEL - 4 g Tube Box - (SAUMON ESSENTIEL) - PINK
COULEUR LUXE ROUGE AMPLIFIER XP

amplifying lipstick
SPF 15

Net Weight 0.14 oz. (4 g)

L'BEL

Drug Facts (Continued)

■ **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

Directions

■ Apply liberally and evenly 15 minutes before sun exposure. ■ Reapply at least every 2 hours. ■ Use a water resistant sunscreen if swimming or sweating. ■ Children under 6 months of age: Ask a doctor. ▶

Drug Facts (Continued)

Other information

■ Protect the product in this container from excessive heat and direct sun.

Inactive Ingredients Isostearyl neopentanoate, diisopropyl dimer dilinoleate, mica, methyl hydrogenated rosinatate, polyethylene, castor isostearate beeswax succinate, hydrogenated polycyclopentadiene, ozokerite, silica, copernicia cerifera (carnauba) wax, euphorbia cerifera (candelilla) wax

Drug Facts (Continued)

ethylhexyl palmitate, isododecane, hydrogenated polyisobutene, paraffin, polyglyceryl-3 diisostearate, glyceryl isostearate, isostearyl alcohol, dipalmitoyl hydroxyproline, ceramide 3, butyrospermum parkii (shea) butter, beta-sitosterol, propylparaben, dimethicone, luffa cylindrica seed oil, silica silylate, methylparaben, disteardimonium hectorite, fragrance, peg-40 hydrogenated castor oil, polysorbate 80 ▶

Drug Facts (Continued)

ppg-26-buteth-26, bht, trimethylsiloxysilicate, heder helix (ivy) leaf/stem extract, retinyl palmitate, tocopheryl acetate, bioflavonoids, allantoin, ascorbyl palmitate. **May contain:** mica, bismuth oxychloride, red 7 lake, manganese violet, iron oxides, titanium dioxide, yellow 5 lake, red 21 lake, red 27 lake, red 6 lake, calcium sodium borosilicate, talc, blue 1 lake, carmine, C9-15 fluoroalcohol phosphate, lauroyl lysine.

COULEUR LUXE ROUGE AMPLIFIER XP
amplifying lipstick

SPF 15

Net Weight 0.14 oz. (4 g)

L'BEL

Drug Facts

Active Ingredients

Octinoxate 4.7 %	Sunscreen
Oxybenzone 0.9 %	Sunscreen

Purpose

Uses

- Helps prevent sunburn.

Warnings


- **Skin Cancer / Skin Aging Alert:** Spending time in the sun increases your risk of skin

Drug Facts (Continued)

cancer and early skin aging. This product has been shown only to help prevent sunburn, **not** skin cancer or early skin aging.

- **For external use only.**
- **Do not use on damaged or broken skin.**
- **When using this product keep out of eyes. Rinse with water to remove.**
- **Stop use and ask a doctor if rash occurs.**

US: Distributed by Ventura International
 Ltd. DBA Belcorp USA, San Francisco, CA
 94111 **PUERTO RICO:** Distributed by
 Ventura Corporation, Ltd. San Juan,
 Puerto Rico 00926. Made in Colombia.
www.lbel.com





PRINCIPAL DISPLAY PANEL - 4 g Tube Box - (BOURGOGNE VIF) - BROWN

COULEUR LUXE ROUGE AMPLIFIER XP

amplifying lipstick

SPF 15

Net Weight 0.14 oz. (4 g)

L'BEL

Drug Facts (Continued)

■ **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

Directions

■ Apply liberally and evenly 15 minutes before sun exposure. ■ Reapply at least every 2 hours. ■ Use a water resistant sunscreen if swimming or sweating. ■ Children under 6 months of age: Ask a doctor. ▶

Drug Facts (Continued)

Other information

■ Protect the product in this container from excessive heat and direct sun.

Inactive Ingredients Isostearyl neopentanoate, diisopropyl dimer dilinoleate, mica, methyl hydrogenated rosinat, polyethylene, castor isostearate beeswax succinate, hydrogenated polycyclopentadiene, ozokerite, silica, copernicia cerifera (carnauba) wax, euphorbia cerifera (candelilla) wax

Drug Facts (Continued)

ethylhexyl palmitate, isododecane, hydrogenated polyisobutene, paraffin, polyglyceryl-3 diisostearate, glyceryl isostearate, isostearyl alcohol, dipalmitoyl hydroxyproline, ceramide 3, butyrospermum parkii (shea) butter, beta-sitosterol, propylparaben, dimethicone, luffa cylindrica seed oil, silica silylate, methylparaben, disteardimonium hectorite, fragrance, peg-40 hydrogenated castor oil, polysorbate 80 ▶

Drug Facts (Continued)

ppg-26-buteth-26, bht, trimethylsiloxysilicate, heder helix (ivy) leaf/stem extract, retinyl palmitate, tocopheryl acetate, bioflavonoids, allantoin, ascorbyl palmitate. **May contain:** mica, bismuth oxychloride, red 7 lake, manganese violet, iron oxides, titanium dioxide, yellow 5 lake, red 21 lake, red 27 lake, red 6 lake, calcium sodium borosilicate, talc, blue 1 lake, carmine, C9-15 fluoroalcohol phosphate, lauroyl lysine.

COULEUR LUXE ROUGE AMPLIFIER XP
amplifying lipstick

SPF 15

Net Weight 0.14 oz. (4 g)

L'BEL

Drug Facts

Active Ingredients

Octinoxate 4.7 %	Sunscreen
Oxybenzone 0.9 %	Sunscreen

Purpose

Uses

- Helps prevent sunburn.

Warnings


- **Skin Cancer / Skin Aging Alert:** Spending time in the sun increases your risk of skin

Drug Facts (Continued)

cancer and early skin aging. This product has been shown only to help prevent sunburn, **not** skin cancer or early skin aging.

- **For external use only.**
- **Do not use on damaged or broken skin.**
- **When using this product keep out of eyes. Rinse with water to remove.**
- **Stop use and ask a doctor if rash occurs.**

US: Distributed by Ventura International
 Ltd. DBA Belcorp USA, San Francisco, CA
 94111 **PUERTO RICO:** Distributed by
 Ventura Corporation, Ltd. San Juan,
 Puerto Rico 00926. Made in Colombia.
www.lbel.com





PRINCIPAL DISPLAY PANEL - 4 g Tube Box - (VIOLET POURPRE) - PURPLE

COULEUR LUXE ROUGE AMPLIFIER XP

amplifying lipstick

SPF 15

Net Weight 0.14 oz. (4 g)

L'BEL

Drug Facts (Continued)

■ **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

Directions

■ Apply liberally and evenly 15 minutes before sun exposure. ■ Reapply at least every 2 hours. ■ Use a water resistant sunscreen if swimming or sweating. ■ Children under 6 months of age: Ask a doctor. ▶

Drug Facts (Continued)

Other information

■ Protect the product in this container from excessive heat and direct sun.

Inactive Ingredients Isostearyl neopentanoate, diisopropyl dimer dilinoleate, mica, methyl hydrogenated rosinat, polyethylene, castor isostearate beeswax succinate, hydrogenated polycyclopentadiene, ozokerite, silica, copernicia cerifera (carnauba) wax, euphorbia cerifera (candelilla) wax

Drug Facts (Continued)

ethylhexyl palmitate, isododecane, hydrogenated polyisobutene, paraffin, polyglyceryl-3 diisostearate, glyceryl isostearate, isostearyl alcohol, dipalmitoyl hydroxyproline, ceramide 3, butyrospermum parkii (shea) butter, beta-sitosterol, propylparaben, dimethicone, luffa cylindrica seed oil, silica silylate, methylparaben, disteardimonium hectorite, fragrance, peg-40 hydrogenated castor oil, polysorbate 80 ▶

Drug Facts (Continued)

ppg-26-buteth-26, bht, trimethylsiloxysilicate, heder helix (ivy) leaf/stem extract, retinyl palmitate, tocopheryl acetate, bioflavonoids, allantoin, ascorbyl palmitate. **May contain:** mica, bismuth oxychloride, red 7 lake, manganese violet, iron oxides, titanium dioxide, yellow 5 lake, red 21 lake, red 27 lake, red 6 lake, calcium sodium borosilicate, talc, blue 1 lake, carmine, C9-15 fluoroalcohol phosphate, lauroyl lysine.

COULEUR LUXE ROUGE AMPLIFIER XP
amplifying lipstick

SPF 15

Net Weight 0.14 oz. (4 g)

L'BEL

Drug Facts

Active Ingredients

Octinoxate 4.7 %	Sunscreen
Oxybenzone 0.9 %	Sunscreen

Purpose

Uses

- Helps prevent sunburn.

Warnings


- **Skin Cancer / Skin Aging Alert:** Spending time in the sun increases your risk of skin

Drug Facts (Continued)

cancer and early skin aging. This product has been shown only to help prevent sunburn, **not** skin cancer or early skin aging.

- **For external use only.**
- **Do not use on damaged or broken skin.**
- **When using this product keep out of eyes. Rinse with water to remove.**
- **Stop use and ask a doctor if rash occurs.**

US: Distributed by Ventura International
 Ltd. DBA Belcorp USA, San Francisco, CA
 94111 **PUERTO RICO:** Distributed by
 Ventura Corporation, Ltd. San Juan,
 Puerto Rico 00926. Made in Colombia.
www.lbel.com





**PRINCIPAL DISPLAY PANEL - 4 g Tube Box - (ORANGE DÉLIRANT) - ORANGE
COULEUR LUXE ROUGE AMPLIFIER XP**

amplifying lipstick
SPF 15

Net Weight 0.14 oz. (4 g)

L'BEL

Drug Facts (Continued)

■ **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

Directions

■ Apply liberally and evenly 15 minutes before sun exposure. ■ Reapply at least every 2 hours. ■ Use a water resistant sunscreen if swimming or sweating. ■ Children under 6 months of age: Ask a doctor. ▶

Drug Facts (Continued)

Other information

■ Protect the product in this container from excessive heat and direct sun.

Inactive Ingredients Isostearyl neopentanoate, diisopropyl dimer dilinoleate, mica, methyl hydrogenated rosinat, polyethylene, castor isostearate beeswax succinate, hydrogenated polycyclopentadiene, ozokerite, silica, copernicia cerifera (carnauba) wax, euphorbia cerifera (candelilla) wax

Drug Facts (Continued)

ethylhexyl palmitate, isododecane, hydrogenated polyisobutene, paraffin, polyglyceryl-3 diisostearate, glyceryl isostearate, isostearyl alcohol, dipalmitoyl hydroxyproline, ceramide 3, butyrospermum parkii (shea) butter, beta-sitosterol, propylparaben, dimethicone, luffa cylindrica seed oil, silica silylate, methylparaben, disteardimonium hectorite, fragrance, peg-40 hydrogenated castor oil, polysorbate 80 ▶

Drug Facts (Continued)

ppg-26-buteth-26, bht, trimethylsiloxysilicate, heder helix (ivy) leaf/stem extract, retinyl palmitate, tocopheryl acetate, bioflavonoids, allantoin, ascorbyl palmitate. **May contain:** mica, bismuth oxychloride, red 7 lake, manganese violet, iron oxides, titanium dioxide, yellow 5 lake, red 21 lake, red 27 lake, red 6 lake, calcium sodium borosilicate, talc, blue 1 lake, carmine, C9-15 fluoroalcohol phosphate, lauroyl lysine.

COULEUR LUXE ROUGE AMPLIFIER XP
amplifying lipstick

SPF 15

Net Weight 0.14 oz. (4 g)

L'BEL

Drug Facts

Active Ingredients

Octinoxate 4.7 %	Sunscreen
Oxybenzone 0.9 %	Sunscreen

Purpose

Uses

- Helps prevent sunburn.

Warnings


- **Skin Cancer / Skin Aging Alert:** Spending time in the sun increases your risk of skin

Drug Facts (Continued)

cancer and early skin aging. This product has been shown only to help prevent sunburn, **not** skin cancer or early skin aging.

- **For external use only.**
- **Do not use on damaged or broken skin.**
- **When using this product keep out of eyes. Rinse with water to remove.**
- **Stop use and ask a doctor if rash occurs.**

US: Distributed by Ventura International
 Ltd. DBA Belcorp USA, San Francisco, CA
 94111 **PUERTO RICO:** Distributed by
 Ventura Corporation, Ltd. San Juan,
 Puerto Rico 00926. Made in Colombia.
www.lbel.com





PRINCIPAL DISPLAY PANEL - 4 g Tube Box - (ROSE FEMME) - PINK

COULEUR LUXE ROUGE AMPLIFIER XP

amplifying lipstick

SPF 15

Net Weight 0.14 oz. (4 g)

L'BEL

Drug Facts (Continued)

- **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply liberally and evenly 15 minutes before sun exposure.
- Reapply at least every 2 hours.
- Use a water resistant sunscreen if swimming or sweating
- Children under 6 months of age: Ask a doctor. ▶

Drug Facts (Continued)

Other information

- Protect the product in this container from excessive heat and direct sun.

Inactive Ingredients Isostearyl neopentanoate, diisopropyl dimer dilinoleate, mica, methyl hydrogenated rosinatate, polyethylene, castor isostearate beeswax succinate, hydrogenated polycyclopentadiene, ozokerite, silica, copernicia cerifera (carnauba) wax, euphorbia cerifera (candelilla) wax

Drug Facts (Continued)

ethylhexyl palmitate, isododecane, hydrogenated polyisobutene, paraffin, polyglyceryl-3 diisostearate, glyceryl isostearate, isostearyl alcohol, dipalmitoyl hydroxyproline, ceramide 3, butyrospermum parkii (shea) butter, beta-sitosterol, propylparaben, dimethicone, luffa cylindrica seed oil, silica silylate, methylparaben, disteardimonium hectorite, fragrance, peg-40 hydrogenated castor oil, polysorbate 80 ▶

Drug Facts (Continued)

ppg-26-buteth-26, bht, trimethylsiloxysilicate, heder helix (ivy) leaf/stem extract, retinyl palmitate, tocopheryl acetate, bioflavonoids, allantoin, ascorbyl palmitate. **May contain:** mica, bismuth oxychloride, red 7 lake, manganese violet, iron oxides, titanium dioxide, yellow 5 lake, red 21 lake, red 27 lake, red 6 lake, calcium sodium borosilicate, talc, blue 1 lake, carmine, C9-15 fluoroalcohol phosphate, lauroyl lysine.

COULEUR LUXE ROUGE AMPLIFIER XP
amplifying lipstick

SPF 15

Net Weight 0.14 oz. (4 g)

L'BEL

Drug Facts

Active Ingredients

Octinoxate 4.7 %	Sunscreen
Oxybenzone 0.9 %	Sunscreen

Purpose

Uses

- Helps prevent sunburn.

Warnings


- **Skin Cancer / Skin Aging Alert:** Spending time in the sun increases your risk of skin

Drug Facts (Continued)

cancer and early skin aging. This product has been shown only to help prevent sunburn, **not** skin cancer or early skin aging.

- **For external use only.**
- **Do not use on damaged or broken skin.**
- **When using this product keep out of eyes. Rinse with water to remove.**
- **Stop use and ask a doctor if rash occurs.**

US: Distributed by Ventura International
 Ltd. DBA Belcorp USA, San Francisco, CA
 94111 **PUERTO RICO:** Distributed by
 Ventura Corporation, Ltd. San Juan,
 Puerto Rico 00926. Made in Colombia.
www.lbel.com





PRINCIPAL DISPLAY PANEL - 4 g Tube Box - (ROUGE INTENSE) - RED

COULEUR LUXE ROUGE AMPLIFIER XP

amplifying lipstick

SPF 15

Net Weight 0.14 oz. (4 g)

L'BEL

Drug Facts (Continued)

- Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply liberally and evenly 15 minutes before sun exposure. ■ Reapply at least every 2 hours. ■ Use a water resistant sunscreen if swimming or sweating
- Children under 6 months of age: Ask a doctor. ▶

Drug Facts (Continued)

Other information

- Protect the product in this container from excessive heat and direct sun.

Inactive Ingredients Isostearyl neopentanoate, diisopropyl dimer dilinoleate, mica, methyl hydrogenated rosinat, polyethylene, castor isostearate beeswax succinate, hydrogenated polycyclopentadiene, ozokerite, silica, copernicia cerifera (carnauba) wax, euphorbia cerifera (candelilla) wax

Drug Facts (Continued)

ethylhexyl palmitate, isododecane, hydrogenated polyisobutene, paraffin, polyglyceryl-3 diisostearate, glyceryl isostearate, isostearyl alcohol, dipalmitoyl hydroxyproline, ceramide 3, butyrospermum parkii (shea) butter, beta-sitosterol, propylparaben, dimethicone, luffa cylindrica seed oil, silica silylate, methylparaben, disteardimonium hectorite, fragrance, peg-40 hydrogenated castor oil, polysorbate 80 ▶

Drug Facts (Continued)

ppg-26-buteth-26, bht, trimethylsiloxysilicate, heder helix (ivy) leaf/stem extract, retinyl palmitate, tocopheryl acetate, bioflavonoids, allantoin, ascorbyl palmitate. **May contain:** mica, bismuth oxychloride, red 7 lake, manganese violet, iron oxides, titanium dioxide, yellow 5 lake, red 21 lake, red 27 lake, red 6 lake, calcium sodium borosilicate, talc, blue 1 lake, carmine, C9-15 fluoroalcohol phosphate, lauroyl lysine.

COULEUR LUXE ROUGE AMPLIFIER XP
amplifying lipstick

SPF 15

Net Weight 0.14 oz. (4 g)

L'BEL

Drug Facts

Active Ingredients

Octinoxate 4.7 %	Sunscreen
Oxybenzone 0.9 %	Sunscreen

Purpose

Uses

- Helps prevent sunburn.

Warnings


- **Skin Cancer / Skin Aging Alert:** Spending time in the sun increases your risk of skin

Drug Facts (Continued)

cancer and early skin aging. This product has been shown only to help prevent sunburn, **not** skin cancer or early skin aging.

- **For external use only.**
- **Do not use on damaged or broken skin.**
- **When using this product keep out of eyes. Rinse with water to remove.**
- **Stop use and ask a doctor if rash occurs.**

US: Distributed by Ventura International
 Ltd. DBA Belcorp USA, San Francisco, CA
 94111 **PUERTO RICO:** Distributed by
 Ventura Corporation, Ltd. San Juan,
 Puerto Rico 00926. Made in Colombia.
www.lbel.com





PRINCIPAL DISPLAY PANEL - 4 g Tube Box - (DORÉ CHOCOLAT) - BROWN

COULEUR LUXE ROUGE AMPLIFIER XP

amplifying lipstick

SPF 15

Net Weight 0.14 oz. (4 g)

L'BEL

Drug Facts (Continued)

■ **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

Directions

■ Apply liberally and evenly 15 minutes before sun exposure. ■ Reapply at least every 2 hours. ■ Use a water resistant sunscreen if swimming or sweating. ■ Children under 6 months of age: Ask a doctor. ▶

Drug Facts (Continued)

Other information

■ Protect the product in this container from excessive heat and direct sun.

Inactive Ingredients Isostearyl neopentanoate, diisopropyl dimer dilinoleate, mica, methyl hydrogenated rosinatate, polyethylene, castor isostearate beeswax succinate, hydrogenated polycyclopentadiene, ozokerite, silica, copernicia cerifera (carnauba) wax, euphorbia cerifera (candelilla) wax

Drug Facts (Continued)

ethylhexyl palmitate, isododecane, hydrogenated polyisobutene, paraffin, polyglyceryl-3 diisostearate, glyceryl isostearate, isostearyl alcohol, dipalmitoyl hydroxyproline, ceramide 3, butyrospermum parkii (shea) butter, beta-sitosterol, propylparaben, dimethicone, luffa cylindrica seed oil, silica silylate, methylparaben, disteardimonium hectorite, fragrance, peg-40 hydrogenated castor oil, polysorbate 80 ▶

Drug Facts (Continued)

ppg-26-buteth-26, bht, trimethylsiloxysilicate, heder helix (ivy) leaf/stem extract, retinyl palmitate, tocopheryl acetate, bioflavonoids, allantoin, ascorbyl palmitate. **May contain:** mica, bismuth oxychloride, red 7 lake, manganese violet, iron oxides, titanium dioxide, yellow 5 lake, red 21 lake, red 27 lake, red 6 lake, calcium sodium borosilicate, talc, blue 1 lake, carmine, C9-15 fluoroalcohol phosphate, lauroyl lysine.

COULEUR LUXE ROUGE AMPLIFIER XP
amplifying lipstick

SPF 15

Net Weight 0.14 oz. (4 g)

L'BEL

Drug Facts

Active Ingredients

Octinoxate 4.7 %	Sunscreen
Oxybenzone 0.9 %	Sunscreen

Purpose

Uses

- Helps prevent sunburn.

Warnings


- **Skin Cancer / Skin Aging Alert:** Spending time in the sun increases your risk of skin

Drug Facts (Continued)

cancer and early skin aging. This product has been shown only to help prevent sunburn, **not** skin cancer or early skin aging.

- **For external use only.**
- **Do not use on damaged or broken skin.**
- **When using this product keep out of eyes. Rinse with water to remove.**
- **Stop use and ask a doctor if rash occurs.**

US: Distributed by Ventura International
 Ltd. DBA Belcorp USA, San Francisco, CA
 94111 **PUERTO RICO:** Distributed by
 Ventura Corporation, Ltd. San Juan,
 Puerto Rico 00926. Made in Colombia.
www.lbel.com





PRINCIPAL DISPLAY PANEL - 4 g Tube Box - (FUCSIA DÉsir) - MAGENTA

COULEUR LUXE ROUGE AMPLIFIER XP

amplifying lipstick

SPF 15

Net Weight 0.14 oz. (4 g)

L'BEL

Drug Facts (Continued)

■ **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

Directions

■ Apply liberally and evenly 15 minutes before sun exposure. ■ Reapply at least every 2 hours. ■ Use a water resistant sunscreen if swimming or sweating. ■ Children under 6 months of age: Ask a doctor. ▶

Drug Facts (Continued)

Other information

■ Protect the product in this container from excessive heat and direct sun.

Inactive Ingredients Isostearyl neopentanoate, diisopropyl dimer dilinoleate, mica, methyl hydrogenated rosinat, polyethylene, castor isostearate beeswax succinate, hydrogenated polycyclopentadiene, ozokerite, silica, copernicia cerifera (carnauba) wax, euphorbia cerifera (candelilla) wax

Drug Facts (Continued)

ethylhexyl palmitate, isododecane, hydrogenated polyisobutene, paraffin, polyglyceryl-3 diisostearate, glyceryl isostearate, isostearyl alcohol, dipalmitoyl hydroxyproline, ceramide 3, butyrospermum parkii (shea) butter, beta-sitosterol, propylparaben, dimethicone, luffa cylindrica seed oil, silica silylate, methylparaben, disteardimonium hectorite, fragrance, peg-40 hydrogenated castor oil, polysorbate 80 ▶

Drug Facts (Continued)

ppg-26-buteth-26, bht, trimethylsiloxysilicate, heder helix (ivy) leaf/stem extract, retinyl palmitate, tocopheryl acetate, bioflavonoids, allantoin, ascorbyl palmitate. **May contain:** mica, bismuth oxychloride, red 7 lake, manganese violet, iron oxides, titanium dioxide, yellow 5 lake, red 21 lake, red 27 lake, red 6 lake, calcium sodium borosilicate, talc, blue 1 lake, carmine, C9-15 fluoroalcohol phosphate, lauroyl lysine.

COULEUR LUXE ROUGE AMPLIFIER XP
amplifying lipstick

SPF 15

Net Weight 0.14 oz. (4 g)

L'BEL

Drug Facts

Active Ingredients

Octinoxate 4.7 %	Sunscreen
Oxybenzone 0.9 %	Sunscreen

Purpose

Uses

- Helps prevent sunburn.

Warnings


- **Skin Cancer / Skin Aging Alert:** Spending time in the sun increases your risk of skin

Drug Facts (Continued)

cancer and early skin aging. This product has been shown only to help prevent sunburn, **not** skin cancer or early skin aging.

- **For external use only.**
- **Do not use on damaged or broken skin.**
- **When using this product keep out of eyes. Rinse with water to remove.**
- **Stop use and ask a doctor if rash occurs.**

US: Distributed by Ventura International
 Ltd. DBA Belcorp USA, San Francisco, CA
 94111 **PUERTO RICO:** Distributed by
 Ventura Corporation, Ltd. San Juan,
 Puerto Rico 00926. Made in Colombia.
www.lbel.com





PRINCIPAL DISPLAY PANEL - 4 g Tube Box - (MER DE ROSES) - PINK

COULEUR LUXE ROUGE AMPLIFIER XP

amplifying lipstick

SPF 15

Net Weight 0.14 oz. (4 g)

L'BEL

Drug Facts (Continued)

■ **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

Directions

■ Apply liberally and evenly 15 minutes before sun exposure. ■ Reapply at least every 2 hours. ■ Use a water resistant sunscreen if swimming or sweating. ■ Children under 6 months of age: Ask a doctor. ▶

Drug Facts (Continued)

Other information

■ Protect the product in this container from excessive heat and direct sun.

Inactive Ingredients Isostearyl neopentanoate, diisopropyl dimer dilinoleate, mica, methyl hydrogenated rosinat, polyethylene, castor isostearate beeswax succinate, hydrogenated polycyclopentadiene, ozokerite, silica, copernicia cerifera (carnauba) wax, euphorbia cerifera (candelilla) wax

Drug Facts (Continued)

ethylhexyl palmitate, isododecane, hydrogenated polyisobutene, paraffin, polyglyceryl-3 diisostearate, glyceryl isostearate, isostearyl alcohol, dipalmitoyl hydroxyproline, ceramide 3, butyrospermum parkii (shea) butter, beta-sitosterol, propylparaben, dimethicone, luffa cylindrica seed oil, silica silylate, methylparaben, disteardimonium hectorite, fragrance, peg-40 hydrogenated castor oil, polysorbate 80 ▶

Drug Facts (Continued)

ppg-26-buteth-26, bht, trimethylsiloxysilicate, heder helix (ivy) leaf/stem extract, retinyl palmitate, tocopheryl acetate, bioflavonoids, allantoin, ascorbyl palmitate. **May contain:** mica, bismuth oxychloride, red 7 lake, manganese violet, iron oxides, titanium dioxide, yellow 5 lake, red 21 lake, red 27 lake, red 6 lake, calcium sodium borosilicate, talc, blue 1 lake, carmine, C9-15 fluoroalcohol phosphate, lauroyl lysine.

COULEUR LUXE ROUGE AMPLIFIER XP
amplifying lipstick

SPF 15

Net Weight 0.14 oz. (4 g)

L'BEL

Drug Facts

Active Ingredients

Octinoxate 4.7 %	Sunscreen
Oxybenzone 0.9 %	Sunscreen

Purpose

Uses

- Helps prevent sunburn.

Warnings


- **Skin Cancer / Skin Aging Alert:** Spending time in the sun increases your risk of skin

Drug Facts (Continued)

cancer and early skin aging. This product has been shown only to help prevent sunburn, **not** skin cancer or early skin aging.

- **For external use only.**
- **Do not use on damaged or broken skin.**
- **When using this product keep out of eyes. Rinse with water to remove.**
- **Stop use and ask a doctor if rash occurs.**

US: Distributed by Ventura International
 Ltd. DBA Belcorp USA, San Francisco, CA
 94111 **PUERTO RICO:** Distributed by
 Ventura Corporation, Ltd. San Juan,
 Puerto Rico 00926. Made in Colombia.
www.lbel.com





PRINCIPAL DISPLAY PANEL - 4 g Tube Box - (ROUGE PROVOCATION) - RED

COULEUR LUXE ROUGE AMPLIFIER XP

amplifying lipstick

SPF 15

Net Weight 0.14 oz. (4 g)

L'BEL

Drug Facts (Continued)

■ **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

Directions

■ Apply liberally and evenly 15 minutes before sun exposure. ■ Reapply at least every 2 hours. ■ Use a water resistant sunscreen if swimming or sweating. ■ Children under 6 months of age: Ask a doctor. ▶

Drug Facts (Continued)

Other information

■ Protect the product in this container from excessive heat and direct sun.

Inactive Ingredients Isostearyl neopentanoate, diisopropyl dimer dilinoleate, mica, methyl hydrogenated rosinat, polyethylene, castor isostearate beeswax succinate, hydrogenated polycyclopentadiene, ozokerite, silica, copernicia cerifera (carnauba) wax, euphorbia cerifera (candelilla) wax

Drug Facts (Continued)

ethylhexyl palmitate, isododecane, hydrogenated polyisobutene, paraffin, polyglyceryl-3 diisostearate, glyceryl isostearate, isostearyl alcohol, dipalmitoyl hydroxyproline, ceramide 3, butyrospermum parkii (shea) butter, beta-sitosterol, propylparaben, dimethicone, luffa cylindrica seed oil, silica silylate, methylparaben, disteardimonium hectorite, fragrance, peg-40 hydrogenated castor oil, polysorbate 80 ▶

Drug Facts (Continued)

ppg-26-buteth-26, bht, trimethylsiloxysilicate, heder helix (ivy) leaf/stem extract, retinyl palmitate, tocopheryl acetate, bioflavonoids, allantoin, ascorbyl palmitate. **May contain:** mica, bismuth oxychloride, red 7 lake, manganese violet, iron oxides, titanium dioxide, yellow 5 lake, red 21 lake, red 27 lake, red 6 lake, calcium sodium borosilicate, talc, blue 1 lake, carmine, C9-15 fluoroalcohol phosphate, lauroyl lysine.

COULEUR LUXE ROUGE AMPLIFIER XP
amplifying lipstick

SPF 15

Net Weight 0.14 oz. (4 g)

L'BEL

Drug Facts

Active Ingredients

Octinoxate 4.7 %	Sunscreen
Oxybenzone 0.9 %	Sunscreen

Purpose

Uses

- Helps prevent sunburn.

Warnings


- **Skin Cancer / Skin Aging Alert:** Spending time in the sun increases your risk of skin

Drug Facts (Continued)

cancer and early skin aging. This product has been shown only to help prevent sunburn, **not** skin cancer or early skin aging.

- **For external use only.**
- **Do not use on damaged or broken skin.**
- **When using this product keep out of eyes. Rinse with water to remove.**
- **Stop use and ask a doctor if rash occurs.**

US: Distributed by Ventura International
 Ltd. DBA Belcorp USA, San Francisco, CA
 94111 **PUERTO RICO:** Distributed by
 Ventura Corporation, Ltd. San Juan,
 Puerto Rico 00926. Made in Colombia.
www.lbel.com





PRINCIPAL DISPLAY PANEL - 4 g Tube Box - (ROSE TENTATION) - PINK

COULEUR LUXE ROUGE AMPLIFIER XP

amplifying lipstick

SPF 15

Net Weight 0.14 oz. (4 g)

L'BEL

Drug Facts (Continued)

■ **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

Directions

■ Apply liberally and evenly 15 minutes before sun exposure. ■ Reapply at least every 2 hours. ■ Use a water resistant sunscreen if swimming or sweating. ■ Children under 6 months of age: Ask a doctor. ▶

Drug Facts (Continued)

Other information

■ Protect the product in this container from excessive heat and direct sun.

Inactive Ingredients Isostearyl neopentanoate, diisopropyl dimer dilinoleate, mica, methyl hydrogenated rosinat, polyethylene, castor isostearate beeswax succinate, hydrogenated polycyclopentadiene, ozokerite, silica, copernicia cerifera (carnauba) wax, euphorbia cerifera (candelilla) wax

Drug Facts (Continued)

ethylhexyl palmitate, isododecane, hydrogenated polyisobutene, paraffin, polyglyceryl-3 diisostearate, glyceryl isostearate, isostearyl alcohol, dipalmitoyl hydroxyproline, ceramide 3, butyrospermum parkii (shea) butter, beta-sitosterol, propylparaben, dimethicone, luffa cylindrica seed oil, silica silylate, methylparaben, disteardimonium hectorite, fragrance, peg-40 hydrogenated castor oil, polysorbate 80 ▶

Drug Facts (Continued)

ppg-26-buteth-26, bht, trimethylsiloxysilicate, heder helix (ivy) leaf/stem extract, retinyl palmitate, tocopheryl acetate, bioflavonoids, allantoin, ascorbyl palmitate. **May contain:** mica, bismuth oxychloride, red 7 lake, manganese violet, iron oxides, titanium dioxide, yellow 5 lake, red 21 lake, red 27 lake, red 6 lake, calcium sodium borosilicate, talc, blue 1 lake, carmine, C9-15 fluoroalcohol phosphate, lauroyl lysine.

COULEUR LUXE ROUGE AMPLIFIER XP
amplifying lipstick

SPF 15

Net Weight 0.14 oz. (4 g)

L'BEL

Drug Facts

Active Ingredients

Octinoxate 4.7 %	Sunscreen
Oxybenzone 0.9 %	Sunscreen

Purpose

Uses

- Helps prevent sunburn.

Warnings


- **Skin Cancer / Skin Aging Alert:** Spending time in the sun increases your risk of skin

Drug Facts (Continued)

cancer and early skin aging. This product has been shown only to help prevent sunburn, **not** skin cancer or early skin aging.

- **For external use only.**
- **Do not use on damaged or broken skin.**
- **When using this product keep out of eyes. Rinse with water to remove.**
- **Stop use and ask a doctor if rash occurs.**

US: Distributed by Ventura International
 Ltd. DBA Belcorp USA, San Francisco, CA
 94111 **PUERTO RICO:** Distributed by
 Ventura Corporation, Ltd. San Juan,
 Puerto Rico 00926. Made in Colombia.
www.lbel.com





PRINCIPAL DISPLAY PANEL - 4 g Tube Box - (ROSE DÉLICAT) - PINK

COULEUR LUXE ROUGE AMPLIFIER XP

amplifying lipstick

SPF 15

Net Weight 0.14 oz. (4 g)

L'BEL

Drug Facts (Continued)

■ **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

Directions

■ Apply liberally and evenly 15 minutes before sun exposure. ■ Reapply at least every 2 hours. ■ Use a water resistant sunscreen if swimming or sweating. ■ Children under 6 months of age: Ask a doctor. ▶

Drug Facts (Continued)

Other information

■ Protect the product in this container from excessive heat and direct sun.

Inactive Ingredients Isostearyl neopentanoate, diisopropyl dimer dilinoleate, mica, methyl hydrogenated rosinatate, polyethylene, castor isostearate beeswax succinate, hydrogenated polycyclopentadiene, ozokerite, silica, copernicia cerifera (carnauba) wax, euphorbia cerifera (candelilla) wax

Drug Facts (Continued)

ethylhexyl palmitate, isododecane, hydrogenated polyisobutene, paraffin, polyglyceryl-3 diisostearate, glyceryl isostearate, isostearyl alcohol, dipalmitoyl hydroxyproline, ceramide 3, butyrospermum parkii (shea) butter, beta-sitosterol, propylparaben, dimethicone, luffa cylindrica seed oil, silica silylate, methylparaben, disteardimonium hectorite, fragrance, peg-40 hydrogenated castor oil, polysorbate 80 ▶

Drug Facts (Continued)

ppg-26-buteth-26, bht, trimethylsiloxysilicate, heder helix (ivy) leaf/stem extract, retinyl palmitate, tocopheryl acetate, bioflavonoids, allantoin, ascorbyl palmitate. **May contain:** mica, bismuth oxychloride, red 7 lake, manganese violet, iron oxides, titanium dioxide, yellow 5 lake, red 21 lake, red 27 lake, red 6 lake, calcium sodium borosilicate, talc, blue 1 lake, carmine, C9-15 fluoroalcohol phosphate, lauroyl lysine.

COULEUR LUXE ROUGE AMPLIFIER XP
amplifying lipstick

SPF 15

Net Weight 0.14 oz. (4 g)

L'BEL

Drug Facts

Active Ingredients

Octinoxate 4.7 %	Sunscreen
Oxybenzone 0.9 %	Sunscreen

Purpose

Uses

- Helps prevent sunburn.

Warnings


- **Skin Cancer / Skin Aging Alert:** Spending time in the sun increases your risk of skin

Drug Facts (Continued)

cancer and early skin aging. This product has been shown only to help prevent sunburn, **not** skin cancer or early skin aging.

- **For external use only.**
- **Do not use on damaged or broken skin.**
- **When using this product keep out of eyes. Rinse with water to remove.**
- **Stop use and ask a doctor if rash occurs.**

US: Distributed by Ventura International
 Ltd. DBA Belcorp USA, San Francisco, CA
 94111 **PUERTO RICO:** Distributed by
 Ventura Corporation, Ltd. San Juan,
 Puerto Rico 00926. Made in Colombia.
www.lbel.com





PRINCIPAL DISPLAY PANEL - 4 g Tube Box - (CARMINE) - RED

COULEUR LUXE ROUGE AMPLIFIER XP

amplifying lipstick

SPF 15

Net Weight 0.14 oz. (4 g)

L'BEL

Drug Facts (Continued)

■ **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

Directions

■ Apply liberally and evenly 15 minutes before sun exposure. ■ Reapply at least every 2 hours. ■ Use a water resistant sunscreen if swimming or sweating. ■ Children under 6 months of age: Ask a doctor. ▶

Drug Facts (Continued)

Other information

■ Protect the product in this container from excessive heat and direct sun.

Inactive Ingredients Isostearyl neopentanoate, diisopropyl dimer dilinoleate, mica, methyl hydrogenated rosinatate, polyethylene, castor isostearate beeswax succinate, hydrogenated polycyclopentadiene, ozokerite, silica, copernicia cerifera (carnauba) wax, euphorbia cerifera (candelilla) wax

Drug Facts (Continued)

ethylhexyl palmitate, isododecane, hydrogenated polyisobutene, paraffin, polyglyceryl-3 diisostearate, glyceryl isostearate, isostearyl alcohol, dipalmitoyl hydroxyproline, ceramide 3, butyrospermum parkii (shea) butter, beta-sitosterol, propylparaben, dimethicone, luffa cylindrica seed oil, silica silylate, methylparaben, disteardimonium hectorite, fragrance, peg-40 hydrogenated castor oil, polysorbate 80 ▶

Drug Facts (Continued)

ppg-26-buteth-26, bht, trimethylsiloxysilicate, heder helix (ivy) leaf/stem extract, retinyl palmitate, tocopheryl acetate, bioflavonoids, allantoin, ascorbyl palmitate. **May contain:** mica, bismuth oxychloride, red 7 lake, manganese violet, iron oxides, titanium dioxide, yellow 5 lake, red 21 lake, red 27 lake, red 6 lake, calcium sodium borosilicate, talc, blue 1 lake, carmine, C9-15 fluoroalcohol phosphate, lauroyl lysine.

COULEUR LUXE ROUGE AMPLIFIER XP
amplifying lipstick

SPF 15

Net Weight 0.14 oz. (4 g)

L'BEL

Drug Facts

Active Ingredients

Octinoxate 4.7 %	Sunscreen
Oxybenzone 0.9 %	Sunscreen

Purpose

Uses

- Helps prevent sunburn.

Warnings


- **Skin Cancer / Skin Aging Alert:** Spending time in the sun increases your risk of skin

Drug Facts (Continued)

cancer and early skin aging. This product has been shown only to help prevent sunburn, **not** skin cancer or early skin aging.

- **For external use only.**
- **Do not use on damaged or broken skin.**
- **When using this product keep out of eyes. Rinse with water to remove.**
- **Stop use and ask a doctor if rash occurs.**

US: Distributed by Ventura International
 Ltd. DBA Belcorp USA, San Francisco, CA
 94111 **PUERTO RICO:** Distributed by
 Ventura Corporation, Ltd. San Juan,
 Puerto Rico 00926. Made in Colombia.
 www.lbel.com





PRINCIPAL DISPLAY PANEL - 4 g Tube Box - (NOBLESSE) - RED

COULEUR LUXE ROUGE AMPLIFIER XP

amplifying lipstick

SPF 15

Net Weight 0.14 oz. (4 g)

L'BEL

Drug Facts (Continued)

■ **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

Directions

■ Apply liberally and evenly 15 minutes before sun exposure. ■ Reapply at least every 2 hours. ■ Use a water resistant sunscreen if swimming or sweating. ■ Children under 6 months of age: Ask a doctor. ▶

Drug Facts (Continued)

Other information

■ Protect the product in this container from excessive heat and direct sun.

Inactive Ingredients Isostearyl neopentanoate, diisopropyl dimer dilinoleate, mica, methyl hydrogenated rosinat, polyethylene, castor isostearate beeswax succinate, hydrogenated polycyclopentadiene, ozokerite, silica, copernicia cerifera (carnauba) wax, euphorbia cerifera (candelilla) wax

Drug Facts (Continued)

ethylhexyl palmitate, isododecane, hydrogenated polyisobutene, paraffin, polyglyceryl-3 diisostearate, glyceryl isostearate, isostearyl alcohol, dipalmitoyl hydroxyproline, ceramide 3, butyrospermum parkii (shea) butter, beta-sitosterol, propylparaben, dimethicone, luffa cylindrica seed oil, silica silylate, methylparaben, disteardimonium hectorite, fragrance, peg-40 hydrogenated castor oil, polysorbate 80 ▶

Drug Facts (Continued)

ppg-26-buteth-26, bht, trimethylsiloxysilicate, heder helix (ivy) leaf/stem extract, retinyl palmitate, tocopheryl acetate, bioflavonoids, allantoin, ascorbyl palmitate. **May contain:** mica, bismuth oxychloride, red 7 lake, manganese violet, iron oxides, titanium dioxide, yellow 5 lake, red 21 lake, red 27 lake, red 6 lake, calcium sodium borosilicate, talc, blue 1 lake, carmine, C9-15 fluoroalcohol phosphate, lauroyl lysine.

COULEUR LUXE ROUGE AMPLIFIER XP
amplifying lipstick

SPF 15

Net Weight 0.14 oz. (4 g)

L'BEL

Drug Facts

Active Ingredients

Octinoxate 4.7 %	Sunscreen
Oxybenzone 0.9 %	Sunscreen

Purpose

Uses

- Helps prevent sunburn.

Warnings


- **Skin Cancer / Skin Aging Alert:** Spending time in the sun increases your risk of skin

Drug Facts (Continued)

cancer and early skin aging. This product has been shown only to help prevent sunburn, **not** skin cancer or early skin aging.

- **For external use only.**
- **Do not use on damaged or broken skin.**
- **When using this product keep out of eyes. Rinse with water to remove.**
- **Stop use and ask a doctor if rash occurs.**

US: Distributed by Ventura International
 Ltd. DBA Belcorp USA, San Francisco, CA
 94111 **PUERTO RICO:** Distributed by
 Ventura Corporation, Ltd. San Juan,
 Puerto Rico 00926. Made in Colombia.
www.lbel.com





PRINCIPAL DISPLAY PANEL - 4 g Tube Box - (MALBEC) - BROWN

COULEUR LUXE ROUGE AMPLIFIER XP

amplifying lipstick

SPF 15

Net Weight 0.14 oz. (4 g)

L'BEL

Drug Facts (Continued)

■ **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

Directions

■ Apply liberally and evenly 15 minutes before sun exposure. ■ Reapply at least every 2 hours. ■ Use a water resistant sunscreen if swimming or sweating. ■ Children under 6 months of age: Ask a doctor. ▶

Drug Facts (Continued)

Other information

■ Protect the product in this container from excessive heat and direct sun.

Inactive Ingredients Isostearyl neopentanoate, diisopropyl dimer dilinoleate, mica, methyl hydrogenated rosinat, polyethylene, castor isostearate beeswax succinate, hydrogenated polycyclopentadiene, ozokerite, silica, copernicia cerifera (carnauba) wax, euphorbia cerifera (candelilla) wax

Drug Facts (Continued)

ethylhexyl palmitate, isododecane, hydrogenated polyisobutene, paraffin, polyglyceryl-3 diisostearate, glyceryl isostearate, isostearyl alcohol, dipalmitoyl hydroxyproline, ceramide 3, butyrospermum parkii (shea) butter, beta-sitosterol, propylparaben, dimethicone, luffa cylindrica seed oil, silica silylate, methylparaben, disteardimonium hectorite, fragrance, peg-40 hydrogenated castor oil, polysorbate 80 ▶

Drug Facts (Continued)

ppg-26-buteth-26, bht, trimethylsiloxysilicate, heder helix (ivy) leaf/stem extract, retinyl palmitate, tocopheryl acetate, bioflavonoids, allantoin, ascorbyl palmitate. **May contain:** mica, bismuth oxychloride, red 7 lake, manganese violet, iron oxides, titanium dioxide, yellow 5 lake, red 21 lake, red 27 lake, red 6 lake, calcium sodium borosilicate, talc, blue 1 lake, carmine, C9-15 fluoroalcohol phosphate, lauroyl lysine.

COULEUR LUXE ROUGE AMPLIFIER XP
amplifying lipstick

SPF 15

Net Weight 0.14 oz. (4 g)

L'BEL

Drug Facts

Active Ingredients

Octinoxate 4.7 %	Sunscreen
Oxybenzone 0.9 %	Sunscreen

Purpose

Uses

- Helps prevent sunburn.

Warnings


- **Skin Cancer / Skin Aging Alert:** Spending time in the sun increases your risk of skin

Drug Facts (Continued)

cancer and early skin aging. This product has been shown only to help prevent sunburn, **not** skin cancer or early skin aging.

- **For external use only.**
- **Do not use on damaged or broken skin.**
- **When using this product keep out of eyes. Rinse with water to remove.**
- **Stop use and ask a doctor if rash occurs.**

US: Distributed by Ventura International
 Ltd. DBA Belcorp USA, San Francisco, CA
 94111 **PUERTO RICO:** Distributed by
 Ventura Corporation, Ltd. San Juan,
 Puerto Rico 00926. Made in Colombia.
www.lbel.com





PRINCIPAL DISPLAY PANEL - 4 g Tube Box - (AMANDIER) - BROWN

COULEUR LUXE ROUGE AMPLIFIER XP

amplifying lipstick

SPF 15

Net Weight 0.14 oz. (4 g)

L'BEL

Drug Facts (Continued)

■ **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

Directions

■ Apply liberally and evenly 15 minutes before sun exposure. ■ Reapply at least every 2 hours. ■ Use a water resistant sunscreen if swimming or sweating. ■ Children under 6 months of age: Ask a doctor. ▶

Drug Facts (Continued)

Other information

■ Protect the product in this container from excessive heat and direct sun.

Inactive Ingredients Isostearyl neopentanoate, diisopropyl dimer dilinoleate, mica, methyl hydrogenated rosinat, polyethylene, castor isostearate beeswax succinate, hydrogenated polycyclopentadiene, ozokerite, silica, copernicia cerifera (carnauba) wax, euphorbia cerifera (candelilla) wax

Drug Facts (Continued)

ethylhexyl palmitate, isododecane, hydrogenated polyisobutene, paraffin, polyglyceryl-3 diisostearate, glyceryl isostearate, isostearyl alcohol, dipalmitoyl hydroxyproline, ceramide 3, butyrospermum parkii (shea) butter, beta-sitosterol, propylparaben, dimethicone, luffa cylindrica seed oil, silica silylate, methylparaben, disteardimonium hectorite, fragrance, peg-40 hydrogenated castor oil, polysorbate 80 ▶

Drug Facts (Continued)

ppg-26-buteth-26, bht, trimethylsiloxysilicate, heder helix (ivy) leaf/stem extract, retinyl palmitate, tocopheryl acetate, bioflavonoids, allantoin, ascorbyl palmitate. **May contain:** mica, bismuth oxychloride, red 7 lake, manganese violet, iron oxides, titanium dioxide, yellow 5 lake, red 21 lake, red 27 lake, red 6 lake, calcium sodium borosilicate, talc, blue 1 lake, carmine, C9-15 fluoroalcohol phosphate, lauroyl lysine.

COULEUR LUXE ROUGE AMPLIFIER XP
amplifying lipstick

SPF 15

Net Weight 0.14 oz. (4 g)

L'BEL

Drug Facts

Active Ingredients

Octinoxate 4.7 %	Sunscreen
Oxybenzone 0.9 %	Sunscreen

Purpose

Uses

- Helps prevent sunburn.

Warnings


- **Skin Cancer / Skin Aging Alert:** Spending time in the sun increases your risk of skin

Drug Facts (Continued)

cancer and early skin aging. This product has been shown only to help prevent sunburn, **not** skin cancer or early skin aging.

- **For external use only.**
- **Do not use on damaged or broken skin.**
- **When using this product keep out of eyes. Rinse with water to remove.**
- **Stop use and ask a doctor if rash occurs.**

US: Distributed by Ventura International
 Ltd. DBA Belcorp USA, San Francisco, CA
 94111 **PUERTO RICO:** Distributed by
 Ventura Corporation, Ltd. San Juan,
 Puerto Rico 00926. Made in Colombia.
www.lbel.com





PRINCIPAL DISPLAY PANEL - 4 g Tube Box - (SOBRIETE) - BROWN

COULEUR LUXE ROUGE AMPLIFIER XP

amplifying lipstick

SPF 15

Net Weight 0.14 oz. (4 g)

L'BEL

Drug Facts (Continued)

- Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply liberally and evenly 15 minutes before sun exposure. ■ Reapply at least every 2 hours. ■ Use a water resistant sunscreen if swimming or sweating
- Children under 6 months of age: Ask a doctor. ▶

Drug Facts (Continued)

Other information

- Protect the product in this container from excessive heat and direct sun.

Inactive Ingredients Isostearyl neopentanoate, diisopropyl dimer dilinoleate, mica, methyl hydrogenated rosinat, polyethylene, castor isostearate beeswax succinate, hydrogenated polycyclopentadiene, ozokerite, silica, copernicia cerifera (carnauba) wax, euphorbia cerifera (candelilla) wax

Drug Facts (Continued)

ethylhexyl palmitate, isododecane, hydrogenated polyisobutene, paraffin, polyglyceryl-3 diisostearate, glyceryl isostearate, isostearyl alcohol, dipalmitoyl hydroxyproline, ceramide 3, butyrospermum parkii (shea) butter, beta-sitosterol, propylparaben, dimethicone, luffa cylindrica seed oil, silica silylate, methylparaben, disteardimonium hectorite, fragrance, peg-40 hydrogenated castor oil, polysorbate 80 ▶

Drug Facts (Continued)

ppg-26-buteth-26, bht, trimethylsiloxysilicate, heder helix (ivy) leaf/stem extract, retinyl palmitate, tocopheryl acetate, bioflavonoids, allantoin, ascorbyl palmitate. **May contain:** mica, bismuth oxychloride, red 7 lake, manganese violet, iron oxides, titanium dioxide, yellow 5 lake, red 21 lake, red 27 lake, red 6 lake, calcium sodium borosilicate, talc, blue 1 lake, carmine, C9-15 fluoroalcohol phosphate, lauroyl lysine.

COULEUR LUXE ROUGE AMPLIFIER XP
amplifying lipstick

SPF 15

Net Weight 0.14 oz. (4 g)

L'BEL

Drug Facts

Active Ingredients

Octinoxate 4.7 %	Sunscreen
Oxybenzone 0.9 %	Sunscreen

Purpose

Uses

- Helps prevent sunburn.

Warnings


- **Skin Cancer / Skin Aging Alert:** Spending time in the sun increases your risk of skin

Drug Facts (Continued)

cancer and early skin aging. This product has been shown only to help prevent sunburn, **not** skin cancer or early skin aging.

- **For external use only.**
- **Do not use on damaged or broken skin.**
- **When using this product keep out of eyes. Rinse with water to remove.**
- **Stop use and ask a doctor if rash occurs.**

US: Distributed by Ventura International
 Ltd. DBA Belcorp USA, San Francisco, CA
 94111 **PUERTO RICO:** Distributed by
 Ventura Corporation, Ltd. San Juan,
 Puerto Rico 00926. Made in Colombia.
www.lbel.com





PRINCIPAL DISPLAY PANEL - 4 g Tube Box - (FIANCEE) - PINK

COULEUR LUXE ROUGE AMPLIFIER XP

amplifying lipstick

SPF 15

Net Weight 0.14 oz. (4 g)

L'BEL

Drug Facts (Continued)

- Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply liberally and evenly 15 minutes before sun exposure. ■ Reapply at least every 2 hours. ■ Use a water resistant sunscreen if swimming or sweating
- Children under 6 months of age: Ask a doctor. ▶

Drug Facts (Continued)

Other information

- Protect the product in this container from excessive heat and direct sun.

Inactive Ingredients Isostearyl neopentanoate, diisopropyl dimer dilinoleate, mica, methyl hydrogenated rosinat, polyethylene, castor isostearate beeswax succinate, hydrogenated polycyclopentadiene, ozokerite, silica, copernicia cerifera (carnauba) wax, euphorbia cerifera (candelilla) wax

Drug Facts (Continued)

ethylhexyl palmitate, isododecane, hydrogenated polyisobutene, paraffin, polyglyceryl-3 diisostearate, glyceryl isostearate, isostearyl alcohol, dipalmitoyl hydroxyproline, ceramide 3, butyrospermum parkii (shea) butter, beta-sitosterol, propylparaben, dimethicone, luffa cylindrica seed oil, silica silylate, methylparaben, disteardimonium hectorite, fragrance, peg-40 hydrogenated castor oil, polysorbate 80 ▶

Drug Facts (Continued)

ppg-26-buteth-26, bht, trimethylsiloxysilicate, heder helix (ivy) leaf/stem extract, retinyl palmitate, tocopheryl acetate, bioflavonoids, allantoin, ascorbyl palmitate. **May contain:** mica, bismuth oxychloride, red 7 lake, manganese violet, iron oxides, titanium dioxide, yellow 5 lake, red 21 lake, red 27 lake, red 6 lake, calcium sodium borosilicate, talc, blue 1 lake, carmine, C9-15 fluoroalcohol phosphate, lauroyl lysine.

COULEUR LUXE ROUGE AMPLIFIER XP
amplifying lipstick

SPF 15

Net Weight 0.14 oz. (4 g)

L'BEL

Drug Facts

Active Ingredients

Octinoxate 4.7 %	Sunscreen
Oxybenzone 0.9 %	Sunscreen

Purpose

Uses

- Helps prevent sunburn.

Warnings


- **Skin Cancer / Skin Aging Alert:** Spending time in the sun increases your risk of skin

Drug Facts (Continued)

cancer and early skin aging. This product has been shown only to help prevent sunburn, **not** skin cancer or early skin aging.

- **For external use only.**
- **Do not use on damaged or broken skin.**
- **When using this product keep out of eyes. Rinse with water to remove.**
- **Stop use and ask a doctor if rash occurs.**

US: Distributed by Ventura International
 Ltd. DBA Belcorp USA, San Francisco, CA
 94111 **PUERTO RICO:** Distributed by
 Ventura Corporation, Ltd. San Juan,
 Puerto Rico 00926. Made in Colombia.
www.lbel.com





PRINCIPAL DISPLAY PANEL - 4 g Tube Box - (ROMANCE) - PINK

COULEUR LUXE ROUGE AMPLIFIER XP

amplifying lipstick

SPF 15

Net Weight 0.14 oz. (4 g)

L'BEL

Drug Facts (Continued)

■ **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

Directions

■ Apply liberally and evenly 15 minutes before sun exposure. ■ Reapply at least every 2 hours. ■ Use a water resistant sunscreen if swimming or sweating. ■ Children under 6 months of age: Ask a doctor. ▶

Drug Facts (Continued)

Other information

■ Protect the product in this container from excessive heat and direct sun.

Inactive Ingredients Isostearyl neopentanoate, diisopropyl dimer dilinoleate, mica, methyl hydrogenated rosinat, polyethylene, castor isostearate beeswax succinate, hydrogenated polycyclopentadiene, ozokerite, silica, copernicia cerifera (carnauba) wax, euphorbia cerifera (candelilla) wax

Drug Facts (Continued)

ethylhexyl palmitate, isododecane, hydrogenated polyisobutene, paraffin, polyglyceryl-3 diisostearate, glyceryl isostearate, isostearyl alcohol, dipalmitoyl hydroxyproline, ceramide 3, butyrospermum parkii (shea) butter, beta-sitosterol, propylparaben, dimethicone, luffa cylindrica seed oil, silica silylate, methylparaben, disteardimonium hectorite, fragrance, peg-40 hydrogenated castor oil, polysorbate 80 ▶

Drug Facts (Continued)

ppg-26-buteth-26, bht, trimethylsiloxysilicate, heder helix (ivy) leaf/stem extract, retinyl palmitate, tocopheryl acetate, bioflavonoids, allantoin, ascorbyl palmitate. **May contain:** mica, bismuth oxychloride, red 7 lake, manganese violet, iron oxides, titanium dioxide, yellow 5 lake, red 21 lake, red 27 lake, red 6 lake, calcium sodium borosilicate, talc, blue 1 lake, carmine, C9-15 fluoroalcohol phosphate, lauroyl lysine.

COULEUR LUXE ROUGE AMPLIFIER XP
amplifying lipstick

SPF 15

Net Weight 0.14 oz. (4 g)

L'BEL

Drug Facts

Active Ingredients

Octinoxate 4.7 %	Sunscreen
Oxybenzone 0.9 %	Sunscreen

Purpose

Uses

- Helps prevent sunburn.

Warnings


- **Skin Cancer / Skin Aging Alert:** Spending time in the sun increases your risk of skin

Drug Facts (Continued)

cancer and early skin aging. This product has been shown only to help prevent sunburn, **not** skin cancer or early skin aging.

- **For external use only.**
- **Do not use on damaged or broken skin.**
- **When using this product keep out of eyes. Rinse with water to remove.**
- **Stop use and ask a doctor if rash occurs.**

US: Distributed by Ventura International
 Ltd. DBA Belcorp USA, San Francisco, CA
 94111 **PUERTO RICO:** Distributed by
 Ventura Corporation, Ltd. San Juan,
 Puerto Rico 00926. Made in Colombia.
www.lbel.com





PRINCIPAL DISPLAY PANEL - 4 g Tube Box - (ROSE FUCSIA) - MAGENTA

COULEUR LUXE ROUGE AMPLIFIER XP

amplifying lipstick

SPF 15

Net Weight 0.14 oz. (4 g)

L'BEL

Drug Facts (Continued)

- **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply liberally and evenly 15 minutes before sun exposure.
- Reapply at least every 2 hours.
- Use a water resistant sunscreen if swimming or sweating
- Children under 6 months of age: Ask a doctor. ▶

Drug Facts (Continued)

Other information

- Protect the product in this container from excessive heat and direct sun.

Inactive Ingredients Isostearyl neopentanoate, diisopropyl dimer dilinoleate, mica, methyl hydrogenated rosinat, polyethylene, castor isostearate beeswax succinate, hydrogenated polycyclopentadiene, ozokerite, silica, copernicia cerifera (carnauba) wax, euphorbia cerifera (candelilla) wax

Drug Facts (Continued)

ethylhexyl palmitate, isododecane, hydrogenated polyisobutene, paraffin, polyglyceryl-3 diisostearate, glyceryl isostearate, isostearyl alcohol, dipalmitoyl hydroxyproline, ceramide 3, butyrospermum parkii (shea) butter, beta-sitosterol, propylparaben, dimethicone, luffa cylindrica seed oil, silica silylate, methylparaben, disteardimonium hectorite, fragrance, peg-40 hydrogenated castor oil, polysorbate 80 ▶

Drug Facts (Continued)

ppg-26-buteth-26, bht, trimethylsiloxysilicate, heder helix (ivy) leaf/stem extract, retinyl palmitate, tocopheryl acetate, bioflavonoids, allantoin, ascorbyl palmitate. **May contain:** mica, bismuth oxychloride, red 7 lake, manganese violet, iron oxides, titanium dioxide, yellow 5 lake, red 21 lake, red 27 lake, red 6 lake, calcium sodium borosilicate, talc, blue 1 lake, carmine, C9-15 fluoroalcohol phosphate, lauroyl lysine.

COULEUR LUXE ROUGE AMPLIFIER XP
amplifying lipstick

SPF 15

Net Weight 0.14 oz. (4 g)

L'BEL

Drug Facts

Active Ingredients

Octinoxate 4.7 %	Sunscreen
Oxybenzone 0.9 %	Sunscreen

Purpose

Uses

- Helps prevent sunburn.

Warnings


- **Skin Cancer / Skin Aging Alert:** Spending time in the sun increases your risk of skin

Drug Facts (Continued)

cancer and early skin aging. This product has been shown only to help prevent sunburn, **not** skin cancer or early skin aging.

- **For external use only.**
- **Do not use on damaged or broken skin.**
- **When using this product keep out of eyes. Rinse with water to remove.**
- **Stop use and ask a doctor if rash occurs.**

US: Distributed by Ventura International
 Ltd. DBA Belcorp USA, San Francisco, CA
 94111 **PUERTO RICO:** Distributed by
 Ventura Corporation, Ltd. San Juan,
 Puerto Rico 00926. Made in Colombia.
www.lbel.com





PRINCIPAL DISPLAY PANEL - 4 g Tube Box - (MIEL ECHANTER) - ORANGE

COULEUR LUXE ROUGE AMPLIFIER XP

amplifying lipstick

SPF 15

Net Weight 0.14 oz. (4 g)

L'BEL

Drug Facts (Continued)

- **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply liberally and evenly 15 minutes before sun exposure.
- Reapply at least every 2 hours.
- Use a water resistant sunscreen if swimming or sweating
- Children under 6 months of age: Ask a doctor. ▶

Drug Facts (Continued)

Other information

- Protect the product in this container from excessive heat and direct sun.

Inactive Ingredients Isostearyl neopentanoate, diisopropyl dimer dilinoleate, mica, methyl hydrogenated rosinat, polyethylene, castor isostearate beeswax succinate, hydrogenated polycyclopentadiene, ozokerite, silica, copernicia cerifera (carnauba) wax, euphorbia cerifera (candelilla) wax

Drug Facts (Continued)

ethylhexyl palmitate, isododecane, hydrogenated polyisobutene, paraffin, polyglyceryl-3 diisostearate, glyceryl isostearate, isostearyl alcohol, dipalmitoyl hydroxyproline, ceramide 3, butyrospermum parkii (shea) butter, beta-sitosterol, propylparaben, dimethicone, luffa cylindrica seed oil, silica silylate, methylparaben, disteardimonium hectorite, fragrance, peg-40 hydrogenated castor oil, polysorbate 80 ▶

Drug Facts (Continued)

ppg-26-buteth-26, bht, trimethylsiloxysilicate, heder helix (ivy) leaf/stem extract, retinyl palmitate, tocopheryl acetate, bioflavonoids, allantoin, ascorbyl palmitate. **May contain:** mica, bismuth oxychloride, red 7 lake, manganese violet, iron oxides, titanium dioxide, yellow 5 lake, red 21 lake, red 27 lake, red 6 lake, calcium sodium borosilicate, talc, blue 1 lake, carmine, C9-15 fluoroalcohol phosphate, lauroyl lysine.

COULEUR LUXE ROUGE AMPLIFIER XP
amplifying lipstick

SPF 15

Net Weight 0.14 oz. (4 g)

L'BEL

Drug Facts

Active Ingredients

Octinoxate 4.7 %	Sunscreen
Oxybenzone 0.9 %	Sunscreen

Purpose

Uses

- Helps prevent sunburn.

Warnings


- **Skin Cancer / Skin Aging Alert:** Spending time in the sun increases your risk of skin

Drug Facts (Continued)

cancer and early skin aging. This product has been shown only to help prevent sunburn, **not** skin cancer or early skin aging.

- **For external use only.**
- **Do not use on damaged or broken skin.**
- **When using this product keep out of eyes. Rinse with water to remove.**
- **Stop use and ask a doctor if rash occurs.**

US: Distributed by Ventura International
 Ltd. DBA Belcorp USA, San Francisco, CA
 94111 **PUERTO RICO:** Distributed by
 Ventura Corporation, Ltd. San Juan,
 Puerto Rico 00926. Made in Colombia.
 www.lbel.com





LBEL COULEUR LUXE ROUGE AMPLIFIER XP AMPLIFYING SPF 15 (MARRON ILLIMITE) - BROWN

octinoxate and oxybenzone lipstick

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:13537-410
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Octinoxate (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	0.047 g in 1 g
Oxybenzone (UNII: 95OOS7VE0Y) (Oxybenzone - UNII:95OOS7VE0Y)	Oxybenzone	0.009 g in 1 g

Inactive Ingredients

Ingredient Name	Strength
ISOSTEARYL NEOPENTANOATE (UNII: 411THY156Q)	
DIISOPROPYL DILINOLEATE (UNII: 5323S7S2LR)	

MICA (UNII: V8A1AW0880)
METHYL HYDROGENATED ROSINATE (UNII: 13DHA19W9N)
HIGH DENSITY POLYETHYLENE (UNII: UG00KM4WR7)
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)
CARNAUBA WAX (UNII: R12CBM0EIZ)
CANDELILLA WAX (UNII: WL0328HX19)
ETHYLHEXYL PALMITATE (UNII: 2865993309)
ISODODECANE (UNII: A8289P68Y2)
PARAFFIN (UNII: I9O0E3H2ZE)
POLYGLYCERYL-3 DIISOSTEARATE (UNII: 46P231IQV8)
GLYCERYL ISO STEARATE (UNII: HYE7O27HAO)
ISO STEARYL ALCOHOL (UNII: Q6130CQ44Y)
DIPALMITOYL HYDROXYPROLINE (UNII: E6AHA53N1H)
CERAMIDE 3 (UNII: 4370DF050B)
SHEA BUTTER (UNII: K49155WL9Y)
.BETA.-SITOSTEROL (UNII: S347WMO6M4)
PROPYLPARABEN (UNII: Z8IX2SC1OH)
DIMETHICONE (UNII: 92RU3N3Y1O)
LUFFA AEGYPTIACA SEED OIL (UNII: 1A281RJ859)
METHYLPARABEN (UNII: A2I8C7HI9T)
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)
POLYOXYL 40 HYDROGENATED CASTOR OIL (UNII: 7YC686GQ8F)
POLYSORBATE 80 (UNII: 6OZP39ZG8H)
PPG-26-BUTETH-26 (UNII: 2IIIK6TZ4P)
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)
HEDERA HELIX LEAF (UNII: ZP9XFG71A7)
VITAMIN A PALMITATE (UNII: 1D1K0N0VVC)
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)
ALLANTOIN (UNII: 344S277G0Z)
ASCORBYL PALMITATE (UNII: QN83US2B0N)
BISMUTH OXYCHLORIDE (UNII: 4ZR792I587)
D&C RED NO. 7 (UNII: ECW0LZ41X8)
ALUMINUM OXIDE (UNII: LM26O6933)
MANGANESE VIOLET (UNII: 72M48QQV8Q)
FERRIC OXIDE RED (UNII: 1K09F3G675)
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)
FD&C YELLOW NO. 5 (UNII: I753WB2F1M)
D&C RED NO. 21 (UNII: 08744Z6JNY)
D&C RED NO. 27 (UNII: 2LRS185U6K)
D&C RED NO. 6 (UNII: 481744AI4O)
TALC (UNII: 7SEV7J4R1U)
FD&C BLUE NO. 1 (UNII: HBR47K3TBD)
LAUROYL LYSINE (UNII: 113171Q70B)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:13537-410-02	1 in 1 BOX		
1	NDC:13537-410-01	4 g in 1 TUBE		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	01/27/2014	

LBEL COULEUR LUXE ROUGE AMPLIFIER XP AMPLIFYING SPF 15 (CHOCOLAT MAJESTIC) - BROWN

octinoxate and oxybenzone lipstick

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:13537-411
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Octinoxate (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	0.047 g in 1 g
Oxybenzone (UNII: 95OOS7VE0Y) (Oxybenzone - UNII:95OOS7VE0Y)	Oxybenzone	0.009 g in 1 g

Inactive Ingredients

Ingredient Name	Strength
ISOSTEARYL NEOPENTANOATE (UNII: 411THY156Q)	
DIISOPROPYL DILINOLEATE (UNII: 5323S7S2LR)	
MICA (UNII: V8A1AW0880)	
METHYL HYDROGENATED ROSINATE (UNII: 13DHA19W9N)	
HIGH DENSITY POLYETHYLENE (UNII: UG00KM4WR7)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
CARNAUBA WAX (UNII: R12CBM0EIZ)	
CANDELILLA WAX (UNII: WL0328HX19)	
ETHYLHEXYL PALMITATE (UNII: 2865993309)	
ISODODECANE (UNII: A8289P68Y2)	
PARAFFIN (UNII: I9O0E3H2ZE)	
POLYGLYCERYL-3 DIISOSTEARATE (UNII: 46P231IQV8)	
GLYCERYL ISOSTEARATE (UNII: HYE7O27HAO)	
ISOSTEARYL ALCOHOL (UNII: Q613OCQ44Y)	
DIPALMITOYL HYDROXYPROLINE (UNII: E6AHA53N1H)	
CERAMIDE 3 (UNII: 4370DF050B)	
SHEA BUTTER (UNII: K49155WL9Y)	
.BETA.-SITOSTEROL (UNII: S347WMO6M4)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
LUFFA AEGYPTIACA SEED OIL (UNII: 1A281RJ859)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
POLYOXYL 40 HYDROGENATED CASTOR OIL (UNII: 7YC686GQ8F)	

POLYSORBATE 80 (UNII: 6OZP39ZG8H)	
PPG-26-BUTETH-26 (UNII: 2II1K6TZ4P)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
HEDERA HELIX LEAF (UNII: ZP9XFG71A7)	
VITAMIN A PALMITATE (UNII: 1D1K0N0VVC)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
ALLANTOIN (UNII: 344S277G0Z)	
ASCORBYL PALMITATE (UNII: QN83US2B0N)	
BISMUTH OXYCHLORIDE (UNII: 4ZR792I587)	
D&C RED NO. 7 (UNII: ECW0LZ41X8)	
ALUMINUM OXIDE (UNII: LM26O6933)	
MANGANESE VIOLET (UNII: 72M48QQV8Q)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
FD&C YELLOW NO. 5 (UNII: I753WB2F1M)	
D&C RED NO. 21 (UNII: 08744Z6JNY)	
D&C RED NO. 27 (UNII: 2LRS185U6K)	
D&C RED NO. 6 (UNII: 481744A4O)	
TALC (UNII: 7SEV7J4R1U)	
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)	
LAUROYL LYSINE (UNII: 113171Q70B)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:13537-411-04	1 in 1 BOX		
1	NDC:13537-411-03	4 g in 1 TUBE		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	01/27/2014	

LBEL COULEUR LUXE ROUGE AMPLIFIER XP AMPLIFYING SPF 15 (CORAIL MAXIMUM) - ORANGE

octinoxate and oxybenzone lipstick

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:13537-412
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Octinoxate (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	0.047 g in 1 g
Oxybenzone (UNII: 95OOS7VE0Y) (Oxybenzone - UNII:95OOS7VE0Y)	Oxybenzone	0.009 g in 1 g

Inactive Ingredients

Ingredient Name	Strength
ISO STEARYL NEOPENTANOATE (UNII: 411THY156Q)	
DIISOPROPYL DILINOLEATE (UNII: 5323S7S2LR)	
MICA (UNII: V8A1AW0880)	
METHYL HYDROGENATED ROSINATE (UNII: 13DHA19W9N)	
HIGH DENSITY POLYETHYLENE (UNII: UG00KM4WR7)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
CARNAUBA WAX (UNII: R12CBM0EIZ)	
CANDELILLA WAX (UNII: WL0328HX19)	
ETHYLHEXYL PALMITATE (UNII: 2865993309)	
ISODODECANE (UNII: A8289P68Y2)	
PARAFFIN (UNII: I9O0E3H2ZE)	
POLYGLYCERYL-3 DIISOSTEARATE (UNII: 46P231IQV8)	
GLYCERYL ISOSTEARATE (UNII: HYE7O27HAO)	
ISOSTEARYL ALCOHOL (UNII: Q6130CQ44Y)	
DIPALMITOYL HYDROXYPROLINE (UNII: E6AHA53N1H)	
CERAMIDE 3 (UNII: 4370DF050B)	
SHEA BUTTER (UNII: K49155WL9Y)	
.BETA.-SITOSTEROL (UNII: S347WMO6M4)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
LUFFA AEGYPTIACA SEED OIL (UNII: 1A281RJ859)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
POLYOXYL 40 HYDROGENATED CASTOR OIL (UNII: 7YC686GQ8F)	
POLYSORBATE 80 (UNII: 6OZP39ZG8H)	
PPG-26-BUTETH-26 (UNII: 2IHK6TZ4P)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
HEDERA HELIX LEAF (UNII: ZP9XFG71A7)	
VITAMIN A PALMITATE (UNII: 1D1K0N0VVC)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
ALLANTOIN (UNII: 344S277G0Z)	
ASCORBYL PALMITATE (UNII: QN83US2B0N)	
BISMUTH OXYCHLORIDE (UNII: 4ZR792I587)	
D&C RED NO. 7 (UNII: ECW0LZ41X8)	
ALUMINUM OXIDE (UNII: LM26O6933)	
MANGANESE VIOLET (UNII: 72M48QQV8Q)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
FD&C YELLOW NO. 5 (UNII: I753WB2F1M)	
D&C RED NO. 21 (UNII: 08744Z6JNY)	
D&C RED NO. 27 (UNII: 2LRS185U6K)	
D&C RED NO. 6 (UNII: 481744AI4O)	
TALC (UNII: 7SEV7J4R1U)	
FD&C BLUE NO. 1 (UNII: HBR47K3TBD)	
LAUROYL LYSINE (UNII: 113171Q70B)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:13537-412-06	1 in 1 BOX		
1	NDC:13537-412-05	4 g in 1 TUBE		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	01/27/2014	

**LBEL COULEUR LUXE ROUGE AMPLIFIER XP AMPLIFYING SPF 15
(FUCSIA SPLENDIDE) - MAGENTA**

octinoxate and oxybenzone lipstick

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:13537-413
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Octinoxate (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	0.047 g in 1 g
Oxybenzone (UNII: 95OOS7VE0Y) (Oxybenzone - UNII:95OOS7VE0Y)	Oxybenzone	0.009 g in 1 g

Inactive Ingredients

Ingredient Name	Strength
ISOSTEARYL NEOPENTANOATE (UNII: 411THY156Q)	
DIISOPROPYL DILINOLEATE (UNII: 5323S7S2LR)	
MICA (UNII: V8A1AW0880)	
METHYL HYDROGENATED ROSINATE (UNII: 13DHA19W9N)	
HIGH DENSITY POLYETHYLENE (UNII: UG00KM4WR7)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
CARNAUBA WAX (UNII: R12CBM0EIZ)	
CANDELILLA WAX (UNII: WL0328HX19)	
ETHYLHEXYL PALMITATE (UNII: 2865993309)	
ISODODECANE (UNII: A8289P68Y2)	
PARAFFIN (UNII: I9O0E3H2ZE)	
POLYGLYCERYL-3 DIISOSTEARATE (UNII: 46P231IQV8)	
GLYCERYL ISOSTEARATE (UNII: HYE7O27HAO)	
ISOSTEARYL ALCOHOL (UNII: Q613OCQ44Y)	
DIPALMITOYL HYDROXYPROLINE (UNII: E6AHA53N1H)	
CERAMIDE 3 (UNII: 4370DF050B)	
SHEA BUTTER (UNII: K49155WL9Y)	
.BETA.-SITOSTEROL (UNII: S347WMO6M4)	

PROPYLPARABEN (UNII: Z8IX2SC1OH)
DIMETHICONE (UNII: 92RU3N3Y1O)
LUFFA AEGYPTIACA SEED OIL (UNII: 1A281RJ859)
METHYLPARABEN (UNII: A2I8C7HI9T)
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)
POLYOXYL 40 HYDROGENATED CASTOR OIL (UNII: 7YC686GQ8F)
POLYSORBATE 80 (UNII: 6OZP39ZG8H)
PPG-26-BUTETH-26 (UNII: 2IHK6TZ4P)
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)
HEDERA HELIX LEAF (UNII: ZP9XFG71A7)
VITAMIN A PALMITATE (UNII: 1D1K0N0VVC)
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)
ALLANTOIN (UNII: 344S277G0Z)
ASCORBYL PALMITATE (UNII: QN83US2B0N)
BISMUTH OXYCHLORIDE (UNII: 4ZR792I587)
D&C RED NO. 7 (UNII: ECW0LZ41X8)
ALUMINUM OXIDE (UNII: LM26O6933)
MANGANESE VIOLET (UNII: 72M48QQV8Q)
FERRIC OXIDE RED (UNII: 1K09F3G675)
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)
FD&C YELLOW NO. 5 (UNII: I753WB2F1M)
D&C RED NO. 21 (UNII: 08744Z6JNY)
D&C RED NO. 27 (UNII: 2LRS185U6K)
D&C RED NO. 6 (UNII: 481744AI4O)
TALC (UNII: 7SEV7J4R1U)
FD&C BLUE NO. 1 (UNII: HBR47K3TBD)
LAUROYL LYSINE (UNII: 113171Q70B)

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:13537-413-08	1 in 1 BOX		
1	NDC:13537-413-07	4 g in 1 TUBE		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	01/27/2014	

LBEL COULEUR LUXE ROUGE AMPLIFIER XP AMPLIFYING SPF 15 (ROUGE PRODIGEUX) - RED
 octinoxate and oxybenzone lipstick

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:13537-414
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Octinoxate (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	0.047 g in 1 g
Oxybenzone (UNII: 95OOS7VE0Y) (Oxybenzone - UNII:95OOS7VE0Y)	Oxybenzone	0.009 g in 1 g

Inactive Ingredients

Ingredient Name	Strength
ISO STEARYL NEOPENTANOATE (UNII: 411THY156Q)	
DIISOPROPYL DILINOLEATE (UNII: 5323S7S2LR)	
MICA (UNII: V8A1AW0880)	
METHYL HYDROGENATED ROSINATE (UNII: 13DHA19W9N)	
HIGH DENSITY POLYETHYLENE (UNII: UG00KM4WR7)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
CARNAUBA WAX (UNII: R12CBM0EIZ)	
CANDELILLA WAX (UNII: WL0328HX19)	
ETHYLHEXYL PALMITATE (UNII: 2865993309)	
ISODODECANE (UNII: A8289P68Y2)	
PARAFFIN (UNII: I9O0E3H2ZE)	
POLYGLYCERYL-3 DIISOSTEARATE (UNII: 46P231QV8)	
GLYCERYL ISOSTEARATE (UNII: HYE7O27HAO)	
ISO STEARYL ALCOHOL (UNII: Q613OCQ44Y)	
DIPALMITOYL HYDROXYPROLINE (UNII: E6AHA53N1H)	
CERAMIDE 3 (UNII: 4370DF050B)	
SHEA BUTTER (UNII: K49155WL9Y)	
.BETA.-SITOSTEROL (UNII: S347WMO6M4)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
LUFFA AEGYPTIACA SEED OIL (UNII: 1A281RJ859)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
POLYOXYL 40 HYDROGENATED CASTOR OIL (UNII: 7YC686GQ8F)	
POLYSORBATE 80 (UNII: 6OZP39ZG8H)	
PPG-26-BUTETH-26 (UNII: 2IIK6TZ4P)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
HEDERA HELIX LEAF (UNII: ZP9XFG71A7)	
VITAMIN A PALMITATE (UNII: 1D1K0N0VVC)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
ALLANTOIN (UNII: 344S277G0Z)	
ASCORBYL PALMITATE (UNII: QN83US2B0N)	
BISMUTH OXYCHLORIDE (UNII: 4ZR792I587)	
D&C RED NO. 7 (UNII: ECW0LZ41X8)	
ALUMINUM OXIDE (UNII: LM26O6933)	
MANGANESE VIOLET (UNII: 72M48QQV8Q)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
FD&C YELLOW NO. 5 (UNII: I753WB2F1M)	
D&C RED NO. 21 (UNII: 08744Z6JNY)	

D&C RED NO. 27 (UNII: 2LRS185U6K)	
D&C RED NO. 6 (UNII: 481744A14O)	
TALC (UNII: 7SEV7J4R1U)	
FD&C BLUE NO. 1 (UNII: HBR47K3TBD)	
LAUROYL LYSINE (UNII: 113171Q70B)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:13537-414-10	1 in 1 BOX		
1	NDC:13537-414-09	4 g in 1 TUBE		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	01/27/2014	

LBEL COULEUR LUXE ROUGE AMPLIFIER XP AMPLIFYING SPF 15 (ROUGE GRANDOISE) - RED

octinoxate and oxybenzone lipstick

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:13537-415
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Octinoxate (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	0.047 g in 1 g
Oxybenzone (UNII: 95OOS7VE0Y) (Oxybenzone - UNII:95OOS7VE0Y)	Oxybenzone	0.009 g in 1 g

Inactive Ingredients

Ingredient Name	Strength
ISOSTEARYL NEOPENTANOATE (UNII: 411THY156Q)	
DIISOPROPYL DILINOLEATE (UNII: 5323S7S2LR)	
MICA (UNII: V8A1AW0880)	
METHYL HYDROGENATED ROSINATE (UNII: 13DHA19W9N)	
HIGH DENSITY POLYETHYLENE (UNII: UG00KM4WR7)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
CARNAUBA WAX (UNII: R12CBM0EIZ)	
CANDELILLA WAX (UNII: WL0328HX19)	
ETHYLHEXYL PALMITATE (UNII: 2865993309)	
ISODODECANE (UNII: A8289P68Y2)	
PARAFFIN (UNII: I9O0E3H2ZE)	
POLYGLYCERYL-3 DIISOSTEARATE (UNII: 46P231IQV8)	

GLYCERYL ISOSTEARATE (UNII: HYE7O27HAO)
ISOSTEARYL ALCOHOL (UNII: Q613OCQ44Y)
DIPALMITOYL HYDROXYPROLINE (UNII: E6AHA53N1H)
CERAMIDE 3 (UNII: 4370DF050B)
SHEA BUTTER (UNII: K49155WL9Y)
.BETA.-SITOSTEROL (UNII: S347WMO6M4)
PROPYLPARABEN (UNII: Z8IX2SC1OH)
DIMETHICONE (UNII: 92RU3N3Y1O)
LUFFA AEGYPTIACA SEED OIL (UNII: 1A281RJ859)
METHYLPARABEN (UNII: A2I8C7HI9T)
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)
POLYOXYL 40 HYDROGENATED CASTOR OIL (UNII: 7YC686GQ8F)
POLYSORBATE 80 (UNII: 6OZP39ZG8H)
PPG-26-BUTETH-26 (UNII: 2IIIK6TZ4P)
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)
HEDERA HELIX LEAF (UNII: ZP9XFG71A7)
VITAMIN A PALMITATE (UNII: 1D1K0N0VVC)
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)
ALLANTOIN (UNII: 344S277G0Z)
ASCORBYL PALMITATE (UNII: QN83US2B0N)
BISMUTH OXYCHLORIDE (UNII: 4ZR792I587)
D&C RED NO. 7 (UNII: ECW0LZ41X8)
ALUMINUM OXIDE (UNII: LM26O6933)
MANGANESE VIOLET (UNII: 72M48QQV8Q)
FERRIC OXIDE RED (UNII: 1K09F3G675)
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)
FD&C YELLOW NO. 5 (UNII: I753WB2F1M)
D&C RED NO. 21 (UNII: 08744Z6JNY)
D&C RED NO. 27 (UNII: 2LRS185U6K)
D&C RED NO. 6 (UNII: 481744AI4O)
TALC (UNII: 7SEV7J4R1U)
FD&C BLUE NO. 1 (UNII: HBR47K3TBD)
LAUROYL LYSINE (UNII: 113171Q70B)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:13537-415-12	1 in 1 BOX		
1	NDC:13537-415-11	4 g in 1 TUBE		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	01/27/2014	

LBEL COULEUR LUXE ROUGE AMPLIFIER XP AMPLIFYING SPF 15 (ROSE CHAMPAGNE) - PINK

octinoxate and oxybenzone lipstick

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:13537-416
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Octinoxate (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	0.047 g in 1 g
Oxybenzone (UNII: 95OOS7VE0Y) (Oxybenzone - UNII:95OOS7VE0Y)	Oxybenzone	0.009 g in 1 g

Inactive Ingredients

Ingredient Name	Strength
ISO STEARYL NEOPENTANOATE (UNII: 411THY156Q)	
DIISOPROPYL DILINOLEATE (UNII: 5323S7S2LR)	
MICA (UNII: V8A1AW0880)	
METHYL HYDROGENATED ROSINATE (UNII: 13DHA19W9N)	
HIGH DENSITY POLYETHYLENE (UNII: UG00KM4WR7)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
CARNAUBA WAX (UNII: R12CBM0EIZ)	
CANDELILLA WAX (UNII: WL0328HX19)	
ETHYLHEXYL PALMITATE (UNII: 2865993309)	
ISODODECANE (UNII: A8289P68Y2)	
PARAFFIN (UNII: I9O0E3H2ZE)	
POLYGLYCERYL-3 DIISOSTEARATE (UNII: 46P231IQV8)	
GLYCERYL ISOSTEARATE (UNII: HYE7O27HAO)	
ISO STEARYL ALCOHOL (UNII: Q6130CQ44Y)	
DIPALMITOYL HYDROXYPROLINE (UNII: E6AHA53N1H)	
CERAMIDE 3 (UNII: 4370DF050B)	
SHEA BUTTER (UNII: K49155WL9Y)	
.BETA.-SITOSTEROL (UNII: S347WMO6M4)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
LUFFA AEGYPTIACA SEED OIL (UNII: 1A281RJ859)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
POLYOXYL 40 HYDROGENATED CASTOR OIL (UNII: 7YC686GQ8F)	
POLYSORBATE 80 (UNII: 6OZP39ZG8H)	
PPG-26-BUTETH-26 (UNII: 2IIIK6TZ4P)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
HEDERA HELIX LEAF (UNII: ZP9XFG71A7)	
VITAMIN A PALMITATE (UNII: 1D1K0N0VVC)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
ALLANTOIN (UNII: 344S277G0Z)	
ASCORBYL PALMITATE (UNII: QN83US2B0N)	
BISMUTH OXYCHLORIDE (UNII: 4ZR792I587)	

D&C RED NO. 7 (UNII: ECW0LZ41X8)
ALUMINUM OXIDE (UNII: LM26O6933)
MANGANESE VIOLET (UNII: 72M48QQV8Q)
FERRIC OXIDE RED (UNII: 1K09F3G675)
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)
FD&C YELLOW NO. 5 (UNII: I753WB2F1M)
D&C RED NO. 21 (UNII: 08744Z6JNY)
D&C RED NO. 27 (UNII: 2LRS185U6K)
D&C RED NO. 6 (UNII: 481744A4O)
TALC (UNII: 7SEV7J4R1U)
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)
LAUROYL LYSINE (UNII: 113171Q70B)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:13537-416-14	1 in 1 BOX		
1	NDC:13537-416-13	4 g in 1 TUBE		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	01/27/2014	

LBEL COULEUR LUXE ROUGE AMPLIFIER XP AMPLIFYING SPF 15 (ROSE DAMOUR) - PINK

octinoxate and oxybenzone lipstick

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:13537-417
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Octinoxate (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	0.047 g in 1 g
Oxybenzone (UNII: 95OOS7VE0Y) (Oxybenzone - UNII:95OOS7VE0Y)	Oxybenzone	0.009 g in 1 g

Inactive Ingredients

Ingredient Name	Strength
ISOSTEARYL NEOPENTANOATE (UNII: 411THY156Q)	
DIISOPROPYL DILINOLEATE (UNII: 5323S7S2LR)	
MICA (UNII: V8A1AW0880)	
METHYL HYDROGENATED ROSINATE (UNII: 13DHA19W9N)	
HIGH DENSITY POLYETHYLENE (UNII: UG00KM4WR7)	

SILICON DIOXIDE (UNII: ETJ7Z6XBU4)
CARNAUBA WAX (UNII: R12CBM0EIZ)
CANDELILLA WAX (UNII: WL0328HX19)
ETHYLHEXYL PALMITATE (UNII: 2865993309)
ISODODECANE (UNII: A8289P68Y2)
PARAFFIN (UNII: I9O0E3H2ZE)
POLYGLYCERYL-3 DIISOSTEARATE (UNII: 46P231IQV8)
GLYCERYL ISO STEARATE (UNII: HYE7O27HAO)
ISOSTEARYL ALCOHOL (UNII: Q6130CQ44Y)
DIPALMITOYL HYDROXYPROLINE (UNII: E6AHA53N1H)
CERAMIDE 3 (UNII: 4370DF050B)
SHEA BUTTER (UNII: K49155WL9Y)
.BETA.-SITOSTEROL (UNII: S347WMO6M4)
PROPYLPARABEN (UNII: Z8IX2SC1OH)
DIMETHICONE (UNII: 92RU3N3Y1O)
LUFFA AEGYPTIACA SEED OIL (UNII: 1A281RJ859)
METHYLPARABEN (UNII: A2I8C7HI9T)
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)
POLYOXYL 40 HYDROGENATED CASTOR OIL (UNII: 7YC686GQ8F)
POLYSORBATE 80 (UNII: 6OZP39ZG8H)
PPG-26-BUTETH-26 (UNII: 2IHK6TZ4P)
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)
HEDERA HELIX LEAF (UNII: ZP9XFG71A7)
VITAMIN A PALMITATE (UNII: 1D1K0N0VVC)
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)
ALLANTOIN (UNII: 344S277G0Z)
ASCORBYL PALMITATE (UNII: QN83US2B0N)
BISMUTH OXYCHLORIDE (UNII: 4ZR792I587)
D&C RED NO. 7 (UNII: ECW0LZ41X8)
ALUMINUM OXIDE (UNII: LM26O6933)
MANGANESE VIOLET (UNII: 72M48QQV8Q)
FERRIC OXIDE RED (UNII: 1K09F3G675)
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)
FD&C YELLOW NO. 5 (UNII: I753WB2F1M)
D&C RED NO. 21 (UNII: 08744Z6JNY)
D&C RED NO. 27 (UNII: 2LRS185U6K)
D&C RED NO. 6 (UNII: 481744AI4O)
TALC (UNII: 7SEV7J4R1U)
FD&C BLUE NO. 1 (UNII: HBR47K3TBD)
LAUROYL LYSINE (UNII: 113171Q70B)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:13537-417-16	1 in 1 BOX		
1	NDC:13537-417-15	4 g in 1 TUBE		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	01/27/2014	

LBEL COULEUR LUXE ROUGE AMPLIFIER XP AMPLIFYING SPF 15 (ROUGE RUBI) - RED

octinoxate and oxybenzone lipstick

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:13537-418
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Octinoxate (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	0.047 g in 1 g
Oxybenzone (UNII: 95OOS7VE0Y) (Oxybenzone - UNII:95OOS7VE0Y)	Oxybenzone	0.009 g in 1 g

Inactive Ingredients

Ingredient Name	Strength
ISO STEARYL NEOPENTANOATE (UNII: 411THY156Q)	
DIISOPROPYL DILINOLEATE (UNII: 5323S7S2LR)	
MICA (UNII: V8A1AW0880)	
METHYL HYDROGENATED ROSINATE (UNII: 13DHA19W9N)	
HIGH DENSITY POLYETHYLENE (UNII: UG00KM4WR7)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
CARNAUBA WAX (UNII: R12CBM0EIZ)	
CANDELILLA WAX (UNII: WL0328HX19)	
ETHYLHEXYL PALMITATE (UNII: 2865993309)	
ISODODECANE (UNII: A8289P68Y2)	
PARAFFIN (UNII: I9O0E3H2ZE)	
POLYGLYCERYL-3 DIISOSTEARATE (UNII: 46P231IQV8)	
GLYCERYL ISOSTEARATE (UNII: HYE7O27HAO)	
ISO STEARYL ALCOHOL (UNII: Q613OCQ44Y)	
DIPALMITOYL HYDROXYPROLINE (UNII: E6AHA53N1H)	
CERAMIDE 3 (UNII: 4370DF050B)	
SHEA BUTTER (UNII: K49155WL9Y)	
.BETA.-SITOSTEROL (UNII: S347WMO6M4)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
LUFFA AEGYPTIACA SEED OIL (UNII: 1A281RJ859)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
POLYOXYL 40 HYDROGENATED CASTOR OIL (UNII: 7YC686GQ8F)	
POLYSORBATE 80 (UNII: 6OZP39ZG8H)	
PPG-26-BUTETH-26 (UNII: 2IIIK6TZ4P)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	

HEDERA HELIX LEAF (UNII: ZP9XFG71A7)
VITAMIN A PALMITATE (UNII: 1D1K0N0VVC)
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)
ALLANTOIN (UNII: 344S277G0Z)
ASCORBYL PALMITATE (UNII: QN83US2B0N)
BISMUTH OXYCHLORIDE (UNII: 4ZR792I587)
D&C RED NO. 7 (UNII: ECW0LZ41X8)
ALUMINUM OXIDE (UNII: LM26O6933)
MANGANESE VIOLET (UNII: 72M48QQV8Q)
FERRIC OXIDE RED (UNII: 1K09F3G675)
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)
FD&C YELLOW NO. 5 (UNII: I753WB2F1M)
D&C RED NO. 21 (UNII: 08744Z6JNY)
D&C RED NO. 27 (UNII: 2LRS185U6K)
D&C RED NO. 6 (UNII: 481744AI4O)
TALC (UNII: 7SEV7J4R1U)
FD&C BLUE NO. 1 (UNII: HBR47K3TBD)
LAUROYL LYSINE (UNII: 113171Q70B)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:13537-418-18	1 in 1 BOX		
1	NDC:13537-418-17	4 g in 1 TUBE		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	01/27/2014	

LBEL COULEUR LUXE ROUGE AMPLIFIER XP AMPLIFYING SPF 15 (SAUMON ESSENTIEL) - PINK

octinoxate and oxybenzone lipstick

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:13537-419
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Octinoxate (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	0.047 g in 1 g
Oxybenzone (UNII: 95OOS7VE0Y) (Oxybenzone - UNII:95OOS7VE0Y)	Oxybenzone	0.009 g in 1 g

Inactive Ingredients

Ingredient Name	Strength
ISO STEARYL NEOPENTANOATE (UNII: 411THY156Q)	
DIISOPROPYL DILINOLEATE (UNII: 5323S7S2LR)	
MICA (UNII: V8A1AW0880)	
METHYL HYDROGENATED ROSINATE (UNII: 13DHA19W9N)	
HIGH DENSITY POLYETHYLENE (UNII: UG00KM4WR7)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
CARNAUBA WAX (UNII: R12CBM0EIZ)	
CANDELILLA WAX (UNII: WL0328HX19)	
ETHYLHEXYL PALMITATE (UNII: 2865993309)	
ISODODECANE (UNII: A8289P68Y2)	
PARAFFIN (UNII: I9O0E3H2ZE)	
POLYGLYCERYL-3 DIISOSTEARATE (UNII: 46P231IQV8)	
GLYCERYL ISOSTEARATE (UNII: HYE7O27HAO)	
ISO STEARYL ALCOHOL (UNII: Q613OCQ44Y)	
DIPALMITOYL HYDROXYPROLINE (UNII: E6AHA53N1H)	
CERAMIDE 3 (UNII: 4370DF050B)	
SHEA BUTTER (UNII: K49155WL9Y)	
.BETA.-SITOSTEROL (UNII: S347WMO6M4)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
LUFFA AEGYPTIACA SEED OIL (UNII: 1A281RJ859)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
POLYOXYL 40 HYDROGENATED CASTOR OIL (UNII: 7YC686GQ8F)	
POLYSORBATE 80 (UNII: 6OZP39ZG8H)	
PPG-26-BUTETH-26 (UNII: 2IIIK6TZ4P)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
HEDERA HELIX LEAF (UNII: ZP9XFG71A7)	
VITAMIN A PALMITATE (UNII: 1D1K0N0VVC)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
ALLANTOIN (UNII: 344S277G0Z)	
ASCORBYL PALMITATE (UNII: QN83US2B0N)	
BISMUTH OXYCHLORIDE (UNII: 4ZR792I587)	
D&C RED NO. 7 (UNII: ECW0LZ41X8)	
ALUMINUM OXIDE (UNII: LM26O6933)	
MANGANESE VIOLET (UNII: 72M48QQV8Q)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
FD&C YELLOW NO. 5 (UNII: I753WB2F1M)	
D&C RED NO. 21 (UNII: 08744Z6JNY)	
D&C RED NO. 27 (UNII: 2LRS185U6K)	
D&C RED NO. 6 (UNII: 481744A14O)	
TALC (UNII: 7SEV7J4R1U)	
FD&C BLUE NO. 1 (UNII: HBR47K3TBD)	
LAUROYL LYSINE (UNII: 113171Q70B)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:13537-419-20	1 in 1 BOX		
1	NDC:13537-419-19	4 g in 1 TUBE		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	01/27/2014	

LBEL COULEUR LUXE ROUGE AMPLIFIER XP AMPLIFYING SPF 15 (BOURGOGNE VIF) - BROWN

octinoxate and oxybenzone lipstick

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:13537-420
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
Octinoxate (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	0.047 g in 1 g
Oxybenzone (UNII: 95OOS7VE0Y) (Oxybenzone - UNII:95OOS7VE0Y)	Oxybenzone	0.009 g in 1 g

Inactive Ingredients	
Ingredient Name	Strength
ISO STEARYL NEOPENTANOATE (UNII: 411THY156Q)	
DIISOPROPYL DILINOLEATE (UNII: 5323S7S2LR)	
MICA (UNII: V8A1AW0880)	
METHYL HYDROGENATED ROSINATE (UNII: 13DHA19W9N)	
HIGH DENSITY POLYETHYLENE (UNII: UG00KM4WR7)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
CARNAUBA WAX (UNII: R12CBM0EIZ)	
CANDELILLA WAX (UNII: WL0328HX19)	
ETHYLHEXYL PALMITATE (UNII: 2865993309)	
ISODODECANE (UNII: A8289P68Y2)	
PARAFFIN (UNII: I9O0E3H2ZE)	
POLYGLYCERYL-3 DIISOSTEARATE (UNII: 46P231IQV8)	
GLYCERYL ISOSTEARATE (UNII: HYE7O27HAO)	
ISOSTEARYL ALCOHOL (UNII: Q613OCQ44Y)	
DIPALMITOYL HYDROXYPROLINE (UNII: E6AHA53N1H)	
CERAMIDE 3 (UNII: 4370DF050B)	
SHEA BUTTER (UNII: K49155WL9Y)	
.BETA.-SITOSTEROL (UNII: S347WMO6M4)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
DIMETHICONE (UNII: 92RU3N3Y1O)	

LUFFA AEGYPTIACA SEED OIL (UNII: 1A281RJ859)
METHYL PARABEN (UNII: A2I8C7HI9T)
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)
POLYOXYL 40 HYDROGENATED CASTOR OIL (UNII: 7YC686GQ8F)
POLYSORBATE 80 (UNII: 6OZP39ZG8H)
PPG-26-BUTETH-26 (UNII: 2IIIK6TZ4P)
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)
HEDERA HELIX LEAF (UNII: ZP9XFG71A7)
VITAMIN A PALMITATE (UNII: 1D1K0N0VVC)
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)
ALLANTOIN (UNII: 344S277G0Z)
ASCORBYL PALMITATE (UNII: QN83US2B0N)
BISMUTH OXYCHLORIDE (UNII: 4ZR792I587)
D&C RED NO. 7 (UNII: ECW0LZ41X8)
ALUMINUM OXIDE (UNII: LM26O6933)
MANGANESE VIOLET (UNII: 72M48QQV8Q)
FERRIC OXIDE RED (UNII: 1K09F3G675)
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)
FD&C YELLOW NO. 5 (UNII: I753WB2F1M)
D&C RED NO. 21 (UNII: 08744Z6JNY)
D&C RED NO. 27 (UNII: 2LRS185U6K)
D&C RED NO. 6 (UNII: 481744AI4O)
TALC (UNII: 7SEV7J4R1U)
FD&C BLUE NO. 1 (UNII: HBR47K3TBD)
LAUROYL LYSINE (UNII: 113171Q70B)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:13537-420-22	1 in 1 BOX		
1	NDC:13537-420-21	4 g in 1 TUBE		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	01/27/2014	

LBEL COULEUR LUXE ROUGE AMPLIFIER XP AMPLIFYING SPF 15 (VIOLET POURPRE) - PURPLE

octinoxate and oxybenzone lipstick

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:13537-115
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Octinoxate (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	0.047 g in 1 g
Oxybenzone (UNII: 95OOS7VE0Y) (Oxybenzone - UNII:95OOS7VE0Y)	Oxybenzone	0.009 g in 1 g

Inactive Ingredients

Ingredient Name	Strength
ISOSTEARYL NEOPENTANOATE (UNII: 411THY156Q)	
DIISOPROPYL DILINOLEATE (UNII: 5323S7S2LR)	
MICA (UNII: V8A1AW0880)	
METHYL HYDROGENATED ROSINATE (UNII: 13DHA19W9N)	
HIGH DENSITY POLYETHYLENE (UNII: UG00KM4WR7)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
CARNAUBA WAX (UNII: R12CBM0EIZ)	
CANDELILLA WAX (UNII: WL0328HX19)	
ETHYLHEXYL PALMITATE (UNII: 2865993309)	
ISODODECANE (UNII: A8289P68Y2)	
PARAFFIN (UNII: I9O0E3H2ZE)	
POLYGLYCERYL-3 DIISOSTEARATE (UNII: 46P231IQV8)	
GLYCERYL ISOSTEARATE (UNII: HYE7O27HAO)	
ISOSTEARYL ALCOHOL (UNII: Q613OCQ44Y)	
DIPALMITOYL HYDROXYPROLINE (UNII: E6AHA53N1H)	
CERAMIDE 3 (UNII: 4370DF050B)	
SHEA BUTTER (UNII: K49155WL9Y)	
.BETA.-SITOSTEROL (UNII: S347WMO6M4)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
LUFFA AEGYPTIACA SEED OIL (UNII: 1A281RJ859)	
METHYLPARABEN (UNII: A218C7HI9T)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
POLYOXYL 40 HYDROGENATED CASTOR OIL (UNII: 7YC686GQ8F)	
POLYSORBATE 80 (UNII: 6OZP39ZG8H)	
PPG-26-BUTETH-26 (UNII: 2IIK6TZ4P)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
HEDERA HELIX LEAF (UNII: ZP9XFG71A7)	
VITAMIN A PALMITATE (UNII: 1D1K0N0VVC)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
ALLANTOIN (UNII: 344S277G0Z)	
ASCORBYL PALMITATE (UNII: QN83US2B0N)	
BISMUTH OXYCHLORIDE (UNII: 4ZR792I587)	
D&C RED NO. 7 (UNII: ECW0LZ41X8)	
ALUMINUM OXIDE (UNII: LM26O6933)	
MANGANESE VIOLET (UNII: 72M48QQV8Q)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
FD&C YELLOW NO. 5 (UNII: I753WB2F1M)	
D&C RED NO. 21 (UNII: 08744Z6JNY)	
D&C RED NO. 27 (UNII: 2LRS185U6K)	
D&C RED NO. 6 (UNII: 481744AI4O)	

TALC (UNII: 7SEV7J4R1U)	
FD&C BLUE NO. 1 (UNII: HBR47K3TBD)	
LAUROYL LYSINE (UNII: 113171Q70B)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:13537-115-24	1 in 1 BOX		
1	NDC:13537-115-23	4 g in 1 TUBE		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	01/27/2014	

LBEL COULEUR LUXE ROUGE AMPLIFIER XP AMPLIFYING SPF 15 (ORANGE DELIRANT) - ORANGE

octinoxate and oxybenzone lipstick

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:13537-116
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Octinoxate (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	0.047 g in 1 g
Oxybenzone (UNII: 95OOS7VE0Y) (Oxybenzone - UNII:95OOS7VE0Y)	Oxybenzone	0.009 g in 1 g

Inactive Ingredients

Ingredient Name	Strength
ISOSTEARYL NEOPENTANOATE (UNII: 411THY156Q)	
DIISOPROPYL DILINOLEATE (UNII: 5323S7S2LR)	
MICA (UNII: V8A1AW0880)	
METHYL HYDROGENATED ROSINATE (UNII: 13DHA19W9N)	
HIGH DENSITY POLYETHYLENE (UNII: UG00KM4WR7)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
CARNAUBA WAX (UNII: R12CBM0EIZ)	
CANDELILLA WAX (UNII: WL0328HX19)	
ETHYLHEXYL PALMITATE (UNII: 2865993309)	
ISODODECANE (UNII: A8289P68Y2)	
PARAFFIN (UNII: I9O0E3H2ZE)	
POLYGLYCERYL-3 DIISOSTEARATE (UNII: 46P231IQV8)	
GLYCERYL ISOSTEARATE (UNII: HYE7O27HAO)	

ISOSTEARYL ALCOHOL (UNII: Q6130CQ44Y)
DIPALMITOYL HYDROXYPROLINE (UNII: E6AHA53N1H)
CERAMIDE 3 (UNII: 4370DF050B)
SHEA BUTTER (UNII: K49155WL9Y)
.BETA.-SITOSTEROL (UNII: S347WMO6M4)
PROPYLPARABEN (UNII: Z8IX2SC1OH)
DIMETHICONE (UNII: 92RU3N3Y1O)
LUFFA AEGYPTIACA SEED OIL (UNII: 1A281RJ859)
METHYLPARABEN (UNII: A2I8C7HI9T)
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)
POLYOXYL 40 HYDROGENATED CASTOR OIL (UNII: 7YC686GQ8F)
POLYSORBATE 80 (UNII: 6OZP39ZG8H)
PPG-26-BUTETH-26 (UNII: 2I1K6TZ4P)
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)
HEDERA HELIX LEAF (UNII: ZP9XFG71A7)
VITAMIN A PALMITATE (UNII: 1D1K0N0VVC)
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)
ALLANTOIN (UNII: 344S277G0Z)
ASCORBYL PALMITATE (UNII: QN83US2B0N)
BISMUTH OXYCHLORIDE (UNII: 4ZR792I587)
D&C RED NO. 7 (UNII: ECW0LZ41X8)
ALUMINUM OXIDE (UNII: LM26O6933)
MANGANESE VIOLET (UNII: 72M48QQV8Q)
FERRIC OXIDE RED (UNII: 1K09F3G675)
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)
FD&C YELLOW NO. 5 (UNII: I753WB2F1M)
D&C RED NO. 21 (UNII: 08744Z6JNY)
D&C RED NO. 27 (UNII: 2LRS185U6K)
D&C RED NO. 6 (UNII: 481744AI4O)
TALC (UNII: 7SEV7J4R1U)
FD&C BLUE NO. 1 (UNII: HBR47K3TBD)
LAUROYL LYSINE (UNII: 113171Q70B)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:13537-116-26	1 in 1 BOX		
1	NDC:13537-116-25	4 g in 1 TUBE		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	01/27/2014	

LBEL COULEUR LUXE ROUGE AMPLIFIER XP AMPLIFYING SPF 15 (ROSE FEMME) - PINK

octinoxate and oxybenzone lipstick

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:13537-117
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Octinoxate (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	0.047 g in 1 g
Oxybenzone (UNII: 95OOS7VE0Y) (Oxybenzone - UNII:95OOS7VE0Y)	Oxybenzone	0.009 g in 1 g

Inactive Ingredients

Ingredient Name	Strength
ISOSTEARYL NEOPENTANOATE (UNII: 411THY156Q)	
DIISOPROPYL DILINOLEATE (UNII: 5323S7S2LR)	
MICA (UNII: V8A1AW0880)	
METHYL HYDROGENATED ROSINATE (UNII: 13DHA19W9N)	
HIGH DENSITY POLYETHYLENE (UNII: UG00KM4WR7)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
CARNAUBA WAX (UNII: R12CBM0EIZ)	
CANDELILLA WAX (UNII: WL0328HX19)	
ETHYLHEXYL PALMITATE (UNII: 2865993309)	
ISODODECANE (UNII: A8289P68Y2)	
PARAFFIN (UNII: I9O0E3H2ZE)	
POLYGLYCERYL-3 DIISOSTEARATE (UNII: 46P231IQV8)	
GLYCERYL ISOSTEARATE (UNII: HYE7O27HAO)	
ISOSTEARYL ALCOHOL (UNII: Q613OCQ44Y)	
DIPALMITOYL HYDROXYPROLINE (UNII: E6AHA53N1H)	
CERAMIDE 3 (UNII: 4370DF050B)	
SHEA BUTTER (UNII: K49155WL9Y)	
.BETA.-SITOSTEROL (UNII: S347WMO6M4)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
LUFFA AEGYPTIACA SEED OIL (UNII: 1A281RJ859)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
POLYOXYL 40 HYDROGENATED CASTOR OIL (UNII: 7YC686GQ8F)	
POLYSORBATE 80 (UNII: 6OZP39ZG8H)	
PPG-26-BUTETH-26 (UNII: 2IIIK6TZ4P)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
HEDERA HELIX LEAF (UNII: ZP9XFG71A7)	
VITAMIN A PALMITATE (UNII: 1D1K0N0VVC)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
ALLANTOIN (UNII: 344S277G0Z)	
ASCORBYL PALMITATE (UNII: QN83US2B0N)	
BISMUTH OXYCHLORIDE (UNII: 4ZR792I587)	
D&C RED NO. 7 (UNII: ECW0LZ41X8)	
ALUMINUM OXIDE (UNII: LM26O6933)	

MANGANESE VIOLET (UNII: 72M48QQV8Q)
FERRIC OXIDE RED (UNII: 1K09F3G675)
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)
FD&C YELLOW NO. 5 (UNII: I753WB2F1M)
D&C RED NO. 21 (UNII: 08744Z6JNY)
D&C RED NO. 27 (UNII: 2LRS185U6K)
D&C RED NO. 6 (UNII: 481744A14O)
TALC (UNII: 7SEV7J4R1U)
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)
LAUROYL LYSINE (UNII: 113171Q70B)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:13537-117-28	1 in 1 BOX		
1	NDC:13537-117-27	4 g in 1 TUBE		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	01/27/2014	

LBEL COULEUR LUXE ROUGE AMPLIFIER XP AMPLIFYING SPF 15 (ROUGE INTENSE) - RED

octinoxate and oxybenzone lipstick

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:13537-118
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Octinoxate (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	0.047 g in 1 g
Oxybenzone (UNII: 95OOS7VE0Y) (Oxybenzone - UNII:95OOS7VE0Y)	Oxybenzone	0.009 g in 1 g

Inactive Ingredients

Ingredient Name	Strength
ISO STEARYL NEOPENTANOATE (UNII: 411THY156Q)	
DIISOPROPYL DILINOLEATE (UNII: 5323S7S2LR)	
MICA (UNII: V8A1AW0880)	
METHYL HYDROGENATED ROSINATE (UNII: 13DHA19W9N)	
HIGH DENSITY POLYETHYLENE (UNII: UG00KM4WR7)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
CARNAUBA WAX (UNII: R12CBM0EIZ)	

CANDELILLA WAX (UNII: WL0328HX19)
ETHYLHEXYL PALMITATE (UNII: 2865993309)
ISODODECANE (UNII: A8289P68Y2)
PARAFFIN (UNII: I9O0E3H2ZE)
POLYGLYCERYL-3 DIISOSTEARATE (UNII: 46P231IQV8)
GLYCERYL ISOSTEARATE (UNII: HYE7O27HAO)
ISOSTEARYL ALCOHOL (UNII: Q613OCQ44Y)
DIPALMITOYL HYDROXYPROLINE (UNII: E6AHA53N1H)
CERAMIDE 3 (UNII: 4370DF050B)
SHEA BUTTER (UNII: K49155WL9Y)
.BETA.-SITOSTEROL (UNII: S347WMO6M4)
PROPYLPARABEN (UNII: Z8IX2SC1OH)
DIMETHICONE (UNII: 92RU3N3Y1O)
LUFFA AEGYPTIACA SEED OIL (UNII: 1A281RJ859)
METHYLPARABEN (UNII: A2I8C7HI9T)
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)
POLYOXYL 40 HYDROGENATED CASTOR OIL (UNII: 7YC686GQ8F)
POLYSORBATE 80 (UNII: 6OZP39ZG8H)
PPG-26-BUTETH-26 (UNII: 2II1K6TZ4P)
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)
HEDERA HELIX LEAF (UNII: ZP9XFG71A7)
VITAMIN A PALMITATE (UNII: 1D1K0N0VVC)
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)
ALLANTOIN (UNII: 344S277G0Z)
ASCORBYL PALMITATE (UNII: QN83US2B0N)
BISMUTH OXYCHLORIDE (UNII: 4ZR792I587)
D&C RED NO. 7 (UNII: ECW0LZ41X8)
ALUMINUM OXIDE (UNII: LM26O6933)
MANGANESE VIOLET (UNII: 72M48QQV8Q)
FERRIC OXIDE RED (UNII: 1K09F3G675)
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)
FD&C YELLOW NO. 5 (UNII: I753WB2F1M)
D&C RED NO. 21 (UNII: 08744Z6JNY)
D&C RED NO. 27 (UNII: 2LRS185U6K)
D&C RED NO. 6 (UNII: 481744A14O)
TALC (UNII: 7SEV7J4R1U)
FD&C BLUE NO. 1 (UNII: HBR47K3TBD)
LAUROYL LYSINE (UNII: 113171Q70B)

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:13537-118-30	1 in 1 BOX		
1	NDC:13537-118-29	4 g in 1 TUBE		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	01/27/2014	

LBEL COULEUR LUXE ROUGE AMPLIFIER XP AMPLIFYING SPF 15 (DORE CHOCOLAT) - BROWN

octinoxate and oxybenzone lipstick

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:13537-119
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Octinoxate (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	0.047 g in 1 g
Oxybenzone (UNII: 95OOS7VE0Y) (Oxybenzone - UNII:95OOS7VE0Y)	Oxybenzone	0.009 g in 1 g

Inactive Ingredients

Ingredient Name	Strength
ISO STEARYL NEOPENTANOATE (UNII: 411THY156Q)	
DIISOPROPYL DILINOLEATE (UNII: 5323S7S2LR)	
MICA (UNII: V8A1AW0880)	
METHYL HYDROGENATED ROSINATE (UNII: 13DHA19W9N)	
HIGH DENSITY POLYETHYLENE (UNII: UG00KM4WR7)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
CARNAUBA WAX (UNII: R12CBM0EIZ)	
CANDELILLA WAX (UNII: WL0328HX19)	
ETHYLHEXYL PALMITATE (UNII: 2865993309)	
ISODODECANE (UNII: A8289P68Y2)	
PARAFFIN (UNII: I9O0E3H2ZE)	
POLYGLYCERYL-3 DIISOSTEARATE (UNII: 46P231IQV8)	
GLYCERYL ISOSTEARATE (UNII: HYE7O27HAO)	
ISOSTEARYL ALCOHOL (UNII: Q6130CQ44Y)	
DIPALMITOYL HYDROXYPROLINE (UNII: E6AHA53N1H)	
CERAMIDE 3 (UNII: 4370DF050B)	
SHEA BUTTER (UNII: K49155WL9Y)	
.BETA.-SITOSTEROL (UNII: S347WMO6M4)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
LUFFA AEGYPTIACA SEED OIL (UNII: 1A281RJ859)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
POLYOXYL 40 HYDROGENATED CASTOR OIL (UNII: 7YC686GQ8F)	
POLYSORBATE 80 (UNII: 6OZP39ZG8H)	
PPG-26-BUTETH-26 (UNII: 2IIIK6TZ4P)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
HEDERA HELIX LEAF (UNII: ZP9XFG71A7)	
VITAMIN A PALMITATE (UNII: 1D1K0N0VVC)	

.ALPHA.-TO COPHEROL ACETATE (UNII: 9E8X80D2L0)
ALLANTOIN (UNII: 344S277G0Z)
ASCORBYL PALMITATE (UNII: QN83US2B0N)
BISMUTH OXYCHLORIDE (UNII: 4ZR792I587)
D&C RED NO. 7 (UNII: ECW0LZ41X8)
ALUMINUM OXIDE (UNII: LM26O6933)
MANGANESE VIOLET (UNII: 72M48QQV8Q)
FERRIC OXIDE RED (UNII: 1K09F3G675)
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)
FD&C YELLOW NO. 5 (UNII: I753WB2F1M)
D&C RED NO. 21 (UNII: 08744Z6JNY)
D&C RED NO. 27 (UNII: 2LRS185U6K)
D&C RED NO. 6 (UNII: 481744A4O)
TALC (UNII: 7SEV7J4R1U)
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)
LAUROYL LYSINE (UNII: 113171Q70B)

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:13537-119-32	1 in 1 BOX		
1	NDC:13537-119-31	4 g in 1 TUBE		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	01/27/2014	

LBEL COULEUR LUXE ROUGE AMPLIFIER XP AMPLIFYING SPF 15 (FUCSIA DESIR) - MAGENTA

octinoxate and oxybenzone lipstick

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:13537-146
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
Octinoxate (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	0.047 g in 1 g
Oxybenzone (UNII: 95OOS7VE0Y) (Oxybenzone - UNII:95OOS7VE0Y)	Oxybenzone	0.009 g in 1 g

Inactive Ingredients	
Ingredient Name	Strength
ISOSTEARYL NEOPENTANOATE (UNII: 411THY156Q)	

DIISOPROPYL DILINOLEATE (UNII: 5323S7S2LR)
MICA (UNII: V8A1AW0880)
METHYL HYDROGENATED ROSINATE (UNII: 13DHA19W9N)
HIGH DENSITY POLYETHYLENE (UNII: UG00KM4WR7)
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)
CARNAUBA WAX (UNII: R12CBM0EIZ)
CANDELILLA WAX (UNII: WL0328HX19)
ETHYLHEXYL PALMITATE (UNII: 2865993309)
ISODODECANE (UNII: A8289P68Y2)
PARAFFIN (UNII: I9O0E3H2ZE)
POLYGLYCERYL-3 DIISOSTEARATE (UNII: 46P231IQV8)
GLYCERYL ISO STEARATE (UNII: HYE7O27HAO)
ISOSTEARYL ALCOHOL (UNII: Q6130CQ44Y)
DIPALMITOYL HYDROXYPROLINE (UNII: E6AHA53N1H)
CERAMIDE 3 (UNII: 4370DF050B)
SHEA BUTTER (UNII: K49155WL9Y)
.BETA.-SITOSTEROL (UNII: S347WMO6M4)
PROPYLPARABEN (UNII: Z8IX2SC1OH)
DIMETHICONE (UNII: 92RU3N3Y1O)
LUFFA AEGYPTIACA SEED OIL (UNII: 1A281RJ859)
METHYLPARABEN (UNII: A2I8C7HI9T)
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)
POLYOXYL 40 HYDROGENATED CASTOR OIL (UNII: 7YC686GQ8F)
POLYSORBATE 80 (UNII: 6OZP39ZG8H)
PPG-26-BUTETH-26 (UNII: 2IHK6TZ4P)
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)
HEDERA HELIX LEAF (UNII: ZP9XFG71A7)
VITAMIN A PALMITATE (UNII: 1D1K0N0VVC)
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)
ALLANTOIN (UNII: 344S277G0Z)
ASCORBYL PALMITATE (UNII: QN83US2B0N)
BISMUTH OXYCHLORIDE (UNII: 4ZR792I587)
D&C RED NO. 7 (UNII: ECW0LZ41X8)
ALUMINUM OXIDE (UNII: LM26O6933)
MANGANESE VIOLET (UNII: 72M48QQV8Q)
FERRIC OXIDE RED (UNII: 1K09F3G675)
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)
FD&C YELLOW NO. 5 (UNII: I753WB2F1M)
D&C RED NO. 21 (UNII: 08744Z6JNY)
D&C RED NO. 27 (UNII: 2LRS185U6K)
D&C RED NO. 6 (UNII: 481744AI4O)
TALC (UNII: 7SEV7J4R1U)
FD&C BLUE NO. 1 (UNII: HBR47K3TBD)
LAUROYL LYSINE (UNII: 113171Q70B)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:13537-146-34	1 in 1 BOX		

1	NDC:13537-146-33	4 g in 1 TUBE		
Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC MONOGRAPH FINAL	part352	01/27/2014		

LBEL COULEUR LUXE ROUGE AMPLIFIER XP AMPLIFYING SPF 15 (MER DE ROSES) - PINK

octinoxate and oxybenzone lipstick

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:13537-149
Route of Administration	TOPICAL		
Active Ingredient/Active Moiety			
	Ingredient Name	Basis of Strength	Strength
	Octinoxate (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	0.047 g in 1 g
	Oxybenzone (UNII: 95OOS7VE0Y) (Oxybenzone - UNII:95OOS7VE0Y)	Oxybenzone	0.009 g in 1 g
Inactive Ingredients			
	Ingredient Name	Strength	
	ISO STEARYL NEOPENTANOATE (UNII: 411THY156Q)		
	DIISOPROPYL DILINOLEATE (UNII: 5323S7S2LR)		
	MICA (UNII: V8A1AW0880)		
	METHYL HYDROGENATED ROSINATE (UNII: 13DHA19W9N)		
	HIGH DENSITY POLYETHYLENE (UNII: UG00KM4WR7)		
	SILICON DIOXIDE (UNII: ETJ7Z6XBU4)		
	CARNAUBA WAX (UNII: R12CBM0EIZ)		
	CANDELILLA WAX (UNII: WL0328HX19)		
	ETHYLHEXYL PALMITATE (UNII: 2865993309)		
	ISODODECANE (UNII: A8289P68Y2)		
	PARAFFIN (UNII: I9O0E3H2ZE)		
	POLYGLYCERYL-3 DIISOSTEARATE (UNII: 46P231IQV8)		
	GLYCERYL ISOSTEARATE (UNII: HYE7O27HAO)		
	ISO STEARYL ALCOHOL (UNII: Q613OCQ44Y)		
	DIPALMITOYL HYDROXYPROLINE (UNII: E6AHA53N1H)		
	CERAMIDE 3 (UNII: 4370DF050B)		
	SHEA BUTTER (UNII: K49155WL9Y)		
	.BETA.-SITOSTEROL (UNII: S347WMO6M4)		
	PROPYLPARABEN (UNII: Z8IX2SC1OH)		
	DIMETHICONE (UNII: 92RU3N3Y1O)		
	LUFFA AEGYPTIACA SEED OIL (UNII: 1A281RJ859)		
	METHYLPARABEN (UNII: A2I8C7HI9T)		

DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)
POLYOXYL 40 HYDROGENATED CASTOR OIL (UNII: 7YC686GQ8F)
POLYSORBATE 80 (UNII: 6OZP39ZG8H)
PPG-26-BUTETH-26 (UNII: 2I1K6TZ4P)
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)
HEDERA HELIX LEAF (UNII: ZP9XFG71A7)
VITAMIN A PALMITATE (UNII: 1D1K0N0VVC)
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)
ALLANTOIN (UNII: 344S277G0Z)
ASCORBYL PALMITATE (UNII: QN83US2B0N)
BISMUTH OXYCHLORIDE (UNII: 4ZR792I587)
D&C RED NO. 7 (UNII: ECW0LZ41X8)
ALUMINUM OXIDE (UNII: LM26O6933)
MANGANESE VIOLET (UNII: 72M48QQV8Q)
FERRIC OXIDE RED (UNII: 1K09F3G675)
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)
FD&C YELLOW NO. 5 (UNII: I753WB2F1M)
D&C RED NO. 21 (UNII: 08744Z6JNY)
D&C RED NO. 27 (UNII: 2LRS185U6K)
D&C RED NO. 6 (UNII: 481744AI4O)
TALC (UNII: 7SEV7J4R1U)
FD&C BLUE NO. 1 (UNII: HBR47K3TBD)
LAUROYL LYSINE (UNII: 113171Q70B)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:13537-149-36	1 in 1 BOX		
1	NDC:13537-149-35	4 g in 1 TUBE		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	01/27/2014	

LBEL COULEUR LUXE ROUGE AMPLIFIER XP AMPLIFYING SPF 15 (ROUGE PROVOCATION) - RED

octinoxate and oxybenzone lipstick

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:13537-151
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
-----------------	-------------------	----------

Octinoxate (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	0.047 g in 1 g
Oxybenzone (UNII: 95OOS7VE0Y) (Oxybenzone - UNII:95OOS7VE0Y)	Oxybenzone	0.009 g in 1 g

Inactive Ingredients

Ingredient Name	Strength
ISO STEARYL NEOPENTANOATE (UNII: 411THY156Q)	
DIISOPROPYL DILINOLEATE (UNII: 5323S7S2LR)	
MICA (UNII: V8A1AW0880)	
METHYL HYDROGENATED ROSINATE (UNII: 13DHA19W9N)	
HIGH DENSITY POLYETHYLENE (UNII: UG00KM4WR7)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
CARNAUBA WAX (UNII: R12CBM0EIZ)	
CANDELILLA WAX (UNII: WL0328HX19)	
ETHYLHEXYL PALMITATE (UNII: 2865993309)	
ISODODECANE (UNII: A8289P68Y2)	
PARAFFIN (UNII: I9O0E3H2ZE)	
POLYGLYCERYL-3 DIISOSTEARATE (UNII: 46P231IQV8)	
GLYCERYL ISOSTEARATE (UNII: HYE7O27HAO)	
ISO STEARYL ALCOHOL (UNII: Q6130CQ44Y)	
DIPALMITOYL HYDROXYPROLINE (UNII: E6AHA53N1H)	
CERAMIDE 3 (UNII: 4370DF050B)	
SHEA BUTTER (UNII: K49155WL9Y)	
.BETA.-SITOSTEROL (UNII: S347WMO6M4)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
LUFFA AEGYPTIACA SEED OIL (UNII: 1A281RJ859)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
POLYOXYL 40 HYDROGENATED CASTOR OIL (UNII: 7YC686GQ8F)	
POLYSORBATE 80 (UNII: 6OZP39ZG8H)	
PPG-26-BUTETH-26 (UNII: 2IIIK6TZ4P)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
HEDERA HELIX LEAF (UNII: ZP9XFG71A7)	
VITAMIN A PALMITATE (UNII: 1D1K0N0VVC)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
ALLANTOIN (UNII: 344S277G0Z)	
ASCORBYL PALMITATE (UNII: QN83US2B0N)	
BISMUTH OXYCHLORIDE (UNII: 4ZR792I587)	
D&C RED NO. 7 (UNII: ECW0LZ41X8)	
ALUMINUM OXIDE (UNII: LM26O6933)	
MANGANESE VIOLET (UNII: 72M48QQV8Q)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
FD&C YELLOW NO. 5 (UNII: I753WB2F1M)	
D&C RED NO. 21 (UNII: 08744Z6JNY)	
D&C RED NO. 27 (UNII: 2LRS185U6K)	
D&C RED NO. 6 (UNII: 481744AI4O)	
TALC (UNII: 7SEV7J4R1U)	
FD&C BLUE NO. 1 (UNII: HBR47K3TBD)	

LAUROYL LYSINE (UNII: 113171Q70B)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:13537-151-38	1 in 1 BOX		
1	NDC:13537-151-37	4 g in 1 TUBE		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	01/27/2014	

LBEL COULEUR LUXE ROUGE AMPLIFIER XP AMPLIFYING SPF 15 (ROSE TENTATION) - PINK

octinoxate and oxybenzone lipstick

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:13537-158
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Octinoxate (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	0.047 g in 1 g
Oxybenzone (UNII: 95OOS7VE0Y) (Oxybenzone - UNII:95OOS7VE0Y)	Oxybenzone	0.009 g in 1 g

Inactive Ingredients

Ingredient Name	Strength
ISO STEARYL NEOPENTANOATE (UNII: 411THY156Q)	
DIISOPROPYL DILINOLEATE (UNII: 5323S7S2LR)	
MICA (UNII: V8A1AW0880)	
METHYL HYDROGENATED ROSINATE (UNII: 13DHA19W9N)	
HIGH DENSITY POLYETHYLENE (UNII: UG00KM4WR7)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
CARNAUBA WAX (UNII: R12CBM0EIZ)	
CANDELILLA WAX (UNII: WL0328HX19)	
ETHYLHEXYL PALMITATE (UNII: 2865993309)	
ISODODECANE (UNII: A8289P68Y2)	
PARAFFIN (UNII: I9O0E3H2ZE)	
POLYGLYCERYL-3 DIISOSTEARATE (UNII: 46P231IQV8)	
GLYCERYL ISOSTEARATE (UNII: HYE7O27HAO)	
ISOSTEARYL ALCOHOL (UNII: Q613OCQ44Y)	
DIPALMITOYL HYDROXYPROLINE (UNII: E6AHA53N1H)	
CERAMIDE 3 (UNII: 4370DF050B)	

SHEA BUTTER (UNII: K49155WL9Y)
.BETA.-SITOSTEROL (UNII: S347WMO6M4)
PROPYLPARABEN (UNII: Z8IX2SC1OH)
DIMETHICONE (UNII: 92RU3N3Y1O)
LUFFA AEGYPTIACA SEED OIL (UNII: 1A281RJ859)
METHYLPARABEN (UNII: A2I8C7HI9T)
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)
POLYOXYL 40 HYDROGENATED CASTOR OIL (UNII: 7YC686GQ8F)
POLYSORBATE 80 (UNII: 6OZP39ZG8H)
PPG-26-BUTETH-26 (UNII: 2IIIK6TZ4P)
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)
HEDERA HELIX LEAF (UNII: ZP9XFG71A7)
VITAMIN A PALMITATE (UNII: 1D1K0N0VVC)
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)
ALLANTOIN (UNII: 344S277G0Z)
ASCORBYL PALMITATE (UNII: QN83US2B0N)
BISMUTH OXYCHLORIDE (UNII: 4ZR792I587)
D&C RED NO. 7 (UNII: ECW0LZ41X8)
ALUMINUM OXIDE (UNII: LM26O6933)
MANGANESE VIOLET (UNII: 72M48QQV8Q)
FERRIC OXIDE RED (UNII: 1K09F3G675)
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)
FD&C YELLOW NO. 5 (UNII: I753WB2F1M)
D&C RED NO. 21 (UNII: 08744Z6JNY)
D&C RED NO. 27 (UNII: 2LRS185U6K)
D&C RED NO. 6 (UNII: 481744A4O)
TALC (UNII: 7SEV7J4R1U)
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)
LAUROYL LYSINE (UNII: 113171Q70B)

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:13537-158-40	1 in 1 BOX		
1	NDC:13537-158-39	4 g in 1 TUBE		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	01/27/2014	

LBEL COULEUR LUXE ROUGE AMPLIFIER XP AMPLIFYING SPF 15 (ROSE DELICAT) - PINK
 octinoxate and oxybenzone lipstick

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:13537-159
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Octinoxate (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	0.047 g in 1 g
Oxybenzone (UNII: 95OOS7VE0Y) (Oxybenzone - UNII:95OOS7VE0Y)	Oxybenzone	0.009 g in 1 g

Inactive Ingredients

Ingredient Name	Strength
ISOSTEARYL NEOPENTANOATE (UNII: 411THY156Q)	
DIISOPROPYL DILINOLEATE (UNII: 5323S7S2LR)	
MICA (UNII: V8A1AW0880)	
METHYL HYDROGENATED ROSINATE (UNII: 13DHA19W9N)	
HIGH DENSITY POLYETHYLENE (UNII: UG00KM4WR7)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
CARNAUBA WAX (UNII: R12CBM0EIZ)	
CANDELILLA WAX (UNII: WL0328HX19)	
ETHYLHEXYL PALMITATE (UNII: 2865993309)	
ISODODECANE (UNII: A8289P68Y2)	
PARAFFIN (UNII: I9O0E3H2ZE)	
POLYGLYCERYL-3 DIISOSTEARATE (UNII: 46P231IQV8)	
GLYCERYL ISOSTEARATE (UNII: HYE7O27HAO)	
ISOSTEARYL ALCOHOL (UNII: Q613OCQ44Y)	
DIPALMITOYL HYDROXYPROLINE (UNII: E6AHA53N1H)	
CERAMIDE 3 (UNII: 4370DF050B)	
SHEA BUTTER (UNII: K49155WL9Y)	
.BETA.-SITOSTEROL (UNII: S347WMO6M4)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
LUFFA AEGYPTIACA SEED OIL (UNII: 1A281RJ859)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
POLYOXYL 40 HYDROGENATED CASTOR OIL (UNII: 7YC686GQ8F)	
POLYSORBATE 80 (UNII: 6OZP39ZG8H)	
PPG-26-BUTETH-26 (UNII: 2II1K6TZ4P)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
HEDERA HELIX LEAF (UNII: ZP9XFG71A7)	
VITAMIN A PALMITATE (UNII: 1D1K0N0VVC)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
ALLANTOIN (UNII: 344S277G0Z)	
ASCORBYL PALMITATE (UNII: QN83US2B0N)	
BISMUTH OXYCHLORIDE (UNII: 4ZR792I587)	
D&C RED NO. 7 (UNII: ECW0LZ41X8)	
ALUMINUM OXIDE (UNII: LM26O6933)	
MANGANESE VIOLET (UNII: 72M48QQV8Q)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	

TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
FD&C YELLOW NO. 5 (UNII: I753WB2F1M)	
D&C RED NO. 21 (UNII: 08744Z6JNY)	
D&C RED NO. 27 (UNII: 2LRS185U6K)	
D&C RED NO. 6 (UNII: 481744AI4O)	
TALC (UNII: 7SEV7J4R1U)	
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)	
LAUROYL LYSINE (UNII: 113171Q70B)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:13537-159-42	1 in 1 BOX		
1	NDC:13537-159-41	4 g in 1 TUBE		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	01/27/2014	

LBEL COULEUR LUXE ROUGE AMPLIFIER XP AMPLIFYING SPF 15 (CARMINE) - RED

octinoxate and oxybenzone lipstick

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:13537-160
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Octinoxate (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	0.047 g in 1 g
Oxybenzone (UNII: 95OOS7VE0Y) (Oxybenzone - UNII:95OOS7VE0Y)	Oxybenzone	0.009 g in 1 g

Inactive Ingredients

Ingredient Name	Strength
ISO STEARYL NEOPENTANOATE (UNII: 411THY156Q)	
DIISOPROPYL DILINOLEATE (UNII: 5323S7S2LR)	
MICA (UNII: V8A1AW0880)	
METHYL HYDROGENATED ROSINATE (UNII: 13DHA19W9N)	
HIGH DENSITY POLYETHYLENE (UNII: UG00KM4WR7)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
CARNAUBA WAX (UNII: R12CBM0EIZ)	
CANDELILLA WAX (UNII: WL0328HX19)	
ETHYLHEXYL PALMITATE (UNII: 2865993309)	

ISODODECANE (UNII: A8289P68Y2)	
PARAFFIN (UNII: I9O0E3H2ZE)	
POLYGLYCERYL-3 DIISOSTEARATE (UNII: 46P231IQV8)	
GLYCERYL ISOSTEARATE (UNII: HYE7O27HAO)	
ISOSTEARYL ALCOHOL (UNII: Q613OCQ44Y)	
DIPALMITOYL HYDROXYPROLINE (UNII: E6AHA53N1H)	
CERAMIDE 3 (UNII: 4370DF050B)	
SHEA BUTTER (UNII: K49155WL9Y)	
.BETA.-SITOSTEROL (UNII: S347WMO6M4)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
LUFFA AEGYPTIACA SEED OIL (UNII: 1A281RJ859)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
POLYOXYL 40 HYDROGENATED CASTOR OIL (UNII: 7YC686GQ8F)	
POLYSORBATE 80 (UNII: 6OZP39ZG8H)	
PPG-26-BUTETH-26 (UNII: 2I1K6TZ4P)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
HEDERA HELIX LEAF (UNII: ZP9XFG71A7)	
VITAMIN A PALMITATE (UNII: 1D1K0N0VVC)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
ALLANTOIN (UNII: 344S277G0Z)	
ASCORBYL PALMITATE (UNII: QN83US2B0N)	
BISMUTH OXYCHLORIDE (UNII: 4ZR792I587)	
D&C RED NO. 7 (UNII: ECW0LZ41X8)	
ALUMINUM OXIDE (UNII: LM26O6933)	
MANGANESE VIOLET (UNII: 72M48QQV8Q)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
FD&C YELLOW NO. 5 (UNII: I753WB2F1M)	
D&C RED NO. 21 (UNII: 08744Z6JNY)	
D&C RED NO. 27 (UNII: 2LRS185U6K)	
D&C RED NO. 6 (UNII: 481744A14O)	
TALC (UNII: 7SEV7J4R1U)	
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)	
LAUROYL LYSINE (UNII: 113171Q70B)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:13537-160-42	1 in 1 BOX		
1	NDC:13537-160-41	4 g in 1 TUBE		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	01/27/2014	

LBEL COULEUR LUXE ROUGE AMPLIFIER XP AMPLIFYING SPF 15 (NOBLESSE) - RED

octinoxate and oxybenzone lipstick

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:13537-161
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Octinoxate (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	0.047 g in 1 g
Oxybenzone (UNII: 95OOS7VE0Y) (Oxybenzone - UNII:95OOS7VE0Y)	Oxybenzone	0.009 g in 1 g

Inactive Ingredients

Ingredient Name	Strength
ISO STEARYL NEOPENTANOATE (UNII: 411THY156Q)	
DIISOPROPYL DILINOLEATE (UNII: 5323S7S2LR)	
MICA (UNII: V8A1AW0880)	
METHYL HYDROGENATED ROSINATE (UNII: 13DHA19W9N)	
HIGH DENSITY POLYETHYLENE (UNII: UG00KM4WR7)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
CARNAUBA WAX (UNII: R12CBM0EIZ)	
CANDELILLA WAX (UNII: WL0328HX19)	
ETHYLHEXYL PALMITATE (UNII: 2865993309)	
ISODODECANE (UNII: A8289P68Y2)	
PARAFFIN (UNII: I9O0E3H2ZE)	
POLYGLYCERYL-3 DIISOSTEARATE (UNII: 46P231IQV8)	
GLYCERYL ISOSTEARATE (UNII: HYE7O27HAO)	
ISO STEARYL ALCOHOL (UNII: Q613OCQ44Y)	
DIPALMITOYL HYDROXYPROLINE (UNII: E6AHA53N1H)	
CERAMIDE 3 (UNII: 4370DF050B)	
SHEA BUTTER (UNII: K49155WL9Y)	
.BETA.-SITOSTEROL (UNII: S347WMO6M4)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
LUFFA AEGYPTIACA SEED OIL (UNII: 1A281RJ859)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
POLYOXYL 40 HYDROGENATED CASTOR OIL (UNII: 7YC686GQ8F)	
POLYSORBATE 80 (UNII: 6OZP39ZG8H)	
PPG-26-BUTETH-26 (UNII: 2IIIK6TZ4P)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
HEDERA HELIX LEAF (UNII: ZP9XFG71A7)	
VITAMIN A PALMITATE (UNII: 1D1K0N0VVC)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
ALLANTOIN (UNII: 344S277G0Z)	

ASCORBYL PALMITATE (UNII: QN83US2B0N)
BISMUTH OXYCHLORIDE (UNII: 4ZR792I587)
D&C RED NO. 7 (UNII: ECW0LZ41X8)
ALUMINUM OXIDE (UNII: LM26O6933)
MANGANESE VIOLET (UNII: 72M48QQV8Q)
FERRIC OXIDE RED (UNII: 1K09F3G675)
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)
FD&C YELLOW NO. 5 (UNII: I753WB2F1M)
D&C RED NO. 21 (UNII: 08744Z6JNY)
D&C RED NO. 27 (UNII: 2LRS185U6K)
D&C RED NO. 6 (UNII: 481744AI4O)
TALC (UNII: 7SEV7J4R1U)
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)
LAUROYL LYSINE (UNII: 113171Q70B)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:13537-161-42	1 in 1 BOX		
1	NDC:13537-161-41	4 g in 1 TUBE		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	01/27/2014	

LBEL COULEUR LUXE ROUGE AMPLIFIER XP AMPLIFYING SPF 15 (MALBEC) - BROWN

octinoxate and oxybenzone lipstick

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:13537-162
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Octinoxate (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	0.047 g in 1 g
Oxybenzone (UNII: 95OOS7VE0Y) (Oxybenzone - UNII:95OOS7VE0Y)	Oxybenzone	0.009 g in 1 g

Inactive Ingredients

Ingredient Name	Strength
ISOSTEARYL NEOPENTANOATE (UNII: 411THY156Q)	
DIISOPROPYL DILINOLEATE (UNII: 5323S7S2LR)	
MICA (UNII: V8A1AW0880)	

METHYL HYDROGENATED ROSINATE (UNII: 13DHA19W9N)
HIGH DENSITY POLYETHYLENE (UNII: UG00KM4WR7)
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)
CARNAUBA WAX (UNII: R12CBM0EIZ)
CANDELILLA WAX (UNII: WL0328HX19)
ETHYLHEXYL PALMITATE (UNII: 2865993309)
ISODODECANE (UNII: A8289P68Y2)
PARAFFIN (UNII: I9O0E3H2ZE)
POLYGLYCERYL-3 DIISOSTEARATE (UNII: 46P231IQV8)
GLYCERYL ISOSTEARATE (UNII: HYE7O27HAO)
ISOSTEARYL ALCOHOL (UNII: Q613OCQ44Y)
DIPALMITOYL HYDROXYPROLINE (UNII: E6AHA53N1H)
CERAMIDE 3 (UNII: 4370DF050B)
SHEA BUTTER (UNII: K49155WL9Y)
.BETA.-SITOSTEROL (UNII: S347WMO6M4)
PROPYLPARABEN (UNII: Z8IX2SC1OH)
DIMETHICONE (UNII: 92RU3N3Y1O)
LUFFA AEGYPTIACA SEED OIL (UNII: 1A281RJ859)
METHYLPARABEN (UNII: A2I8C7HI9T)
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)
POLYOXYL 40 HYDROGENATED CASTOR OIL (UNII: 7YC686GQ8F)
POLYSORBATE 80 (UNII: 6OZP39ZG8H)
PPG-26-BUTETH-26 (UNII: 2II1K6TZ4P)
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)
HEDERA HELIX LEAF (UNII: ZP9XFG71A7)
VITAMIN A PALMITATE (UNII: 1D1K0N0VVC)
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)
ALLANTOIN (UNII: 344S277G0Z)
ASCORBYL PALMITATE (UNII: QN83US2B0N)
BISMUTH OXYCHLORIDE (UNII: 4ZR792I587)
D&C RED NO. 7 (UNII: ECW0LZ41X8)
ALUMINUM OXIDE (UNII: LM26O6933)
MANGANESE VIOLET (UNII: 72M48QQV8Q)
FERRIC OXIDE RED (UNII: 1K09F3G675)
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)
FD&C YELLOW NO. 5 (UNII: I753WB2F1M)
D&C RED NO. 21 (UNII: 08744Z6JNY)
D&C RED NO. 27 (UNII: 2LRS185U6K)
D&C RED NO. 6 (UNII: 481744AI4O)
TALC (UNII: 7SEV7J4R1U)
FD&C BLUE NO. 1 (UNII: HBR47K3TBD)
LAUROYL LYSINE (UNII: 113171Q70B)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:13537-162-42	1 in 1 BOX		
1	NDC:13537-162-41	4 g in 1 TUBE		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	01/27/2014	

LBEL COULEUR LUXE ROUGE AMPLIFIER XP AMPLIFYING SPF 15 (AMANDIER) - BROWN

octinoxate and oxybenzone lipstick

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:13537-163
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Octinoxate (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	0.047 g in 1 g
Oxybenzone (UNII: 95OOS7VE0Y) (Oxybenzone - UNII:95OOS7VE0Y)	Oxybenzone	0.009 g in 1 g

Inactive Ingredients

Ingredient Name	Strength
ISO STEARYL NEOPENTANOATE (UNII: 411THY156Q)	
DIISOPROPYL DILINOLEATE (UNII: 5323S7S2LR)	
MICA (UNII: V8A1AW0880)	
METHYL HYDROGENATED ROSINATE (UNII: 13DHA19W9N)	
HIGH DENSITY POLYETHYLENE (UNII: UG00KM4WR7)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
CARNAUBA WAX (UNII: R12CBM0EIZ)	
CANDELILLA WAX (UNII: WL0328HX19)	
ETHYLHEXYL PALMITATE (UNII: 2865993309)	
ISODODECANE (UNII: A8289P68Y2)	
PARAFFIN (UNII: I9O0E3H2ZE)	
POLYGLYCERYL-3 DIISOSTEARATE (UNII: 46P231IQV8)	
GLYCERYL ISOSTEARATE (UNII: HYE7O27HAO)	
ISOSTEARYL ALCOHOL (UNII: Q613OCQ44Y)	
DIPALMITOYL HYDROXYPROLINE (UNII: E6AHA53N1H)	
CERAMIDE 3 (UNII: 4370DF050B)	
SHEA BUTTER (UNII: K49155WL9Y)	
.BETA.-SITOSTEROL (UNII: S347WMO6M4)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
LUFFA AEGYPTIACA SEED OIL (UNII: 1A281RJ859)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
POLYOXYL 40 HYDROGENATED CASTOR OIL (UNII: 7YC686GQ8F)	
POLYSORBATE 80 (UNII: 6OZP39ZG8H)	

PPG-26-BUTETH-26 (UNII: 2II1K6TZ4P)
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)
HEDERA HELIX LEAF (UNII: ZP9XFG71A7)
VITAMIN A PALMITATE (UNII: 1D1K0N0VVC)
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)
ALLANTOIN (UNII: 344S277G0Z)
ASCORBYL PALMITATE (UNII: QN83US2B0N)
BISMUTH OXYCHLORIDE (UNII: 4ZR792I587)
D&C RED NO. 7 (UNII: ECW0LZ41X8)
ALUMINUM OXIDE (UNII: LM26O6933)
MANGANESE VIOLET (UNII: 72M48QQV8Q)
FERRIC OXIDE RED (UNII: 1K09F3G675)
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)
FD&C YELLOW NO. 5 (UNII: I753WB2F1M)
D&C RED NO. 21 (UNII: 08744Z6JNY)
D&C RED NO. 27 (UNII: 2LRS185U6K)
D&C RED NO. 6 (UNII: 481744A4O)
TALC (UNII: 7SEV7J4R1U)
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)
LAUROYL LYSINE (UNII: 113171Q70B)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:13537-163-42	1 in 1 BOX		
1	NDC:13537-163-41	4 g in 1 TUBE		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	01/27/2014	

LBEL COULEUR LUXE ROUGE AMPLIFIER XP AMPLIFYING SPF 15 (SOBRIETE) - BROWN

octinoxate and oxybenzone lipstick

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:13537-164
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Octinoxate (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	0.047 g in 1 g
Oxybenzone (UNII: 95OOS7VE0Y) (Oxybenzone - UNII:95OOS7VE0Y)	Oxybenzone	0.009 g in 1 g

Inactive Ingredients

Ingredient Name	Strength
ISO STEARYL NEOPENTANOATE (UNII: 411THY156Q)	
DIISOPROPYL DILINOLEATE (UNII: 5323S7S2LR)	
MICA (UNII: V8A1AW0880)	
METHYL HYDROGENATED ROSINATE (UNII: 13DHA19W9N)	
HIGH DENSITY POLYETHYLENE (UNII: UG00KM4WR7)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
CARNAUBA WAX (UNII: R12CBM0EIZ)	
CANDELILLA WAX (UNII: WL0328HX19)	
ETHYLHEXYL PALMITATE (UNII: 2865993309)	
ISODODECANE (UNII: A8289P68Y2)	
PARAFFIN (UNII: I9O0E3H2ZE)	
POLYGLYCERYL-3 DIISOSTEARATE (UNII: 46P231IQV8)	
GLYCERYL ISOSTEARATE (UNII: HYE7O27HAO)	
ISO STEARYL ALCOHOL (UNII: Q613OCQ44Y)	
DIPALMITOYL HYDROXYPROLINE (UNII: E6AHA53N1H)	
CERAMIDE 3 (UNII: 4370DF050B)	
SHEA BUTTER (UNII: K49155WL9Y)	
.BETA.-SITOSTEROL (UNII: S347WMO6M4)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
LUFFA AEGYPTIACA SEED OIL (UNII: 1A281RJ859)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
POLYOXYL 40 HYDROGENATED CASTOR OIL (UNII: 7YC686GQ8F)	
POLYSORBATE 80 (UNII: 6OZP39ZG8H)	
PPG-26-BUTETH-26 (UNII: 2IIIK6TZ4P)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
HEDERA HELIX LEAF (UNII: ZP9XFG71A7)	
VITAMIN A PALMITATE (UNII: 1D1K0N0VVC)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
ALLANTOIN (UNII: 344S277G0Z)	
ASCORBYL PALMITATE (UNII: QN83US2B0N)	
BISMUTH OXYCHLORIDE (UNII: 4ZR792I587)	
D&C RED NO. 7 (UNII: ECW0LZ41X8)	
ALUMINUM OXIDE (UNII: LM26O6933)	
MANGANESE VIOLET (UNII: 72M48QQV8Q)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
FD&C YELLOW NO. 5 (UNII: I753WB2F1M)	
D&C RED NO. 21 (UNII: 08744Z6JNY)	
D&C RED NO. 27 (UNII: 2LRS185U6K)	
D&C RED NO. 6 (UNII: 481744AI4O)	
TALC (UNII: 7SEV7J4R1U)	
FD&C BLUE NO. 1 (UNII: HBR47K3TBD)	
LAUROYL LYSINE (UNII: 113171Q70B)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:13537-164-42	1 in 1 BOX		
1	NDC:13537-164-41	4 g in 1 TUBE		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	01/27/2014	

LBEL COULEUR LUXE ROUGE AMPLIFIER XP AMPLIFYING SPF 15 (FIANCEE) - PINK

octinoxate and oxybenzone lipstick

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:13537-165
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Octinoxate (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	0.047 g in 1 g
Oxybenzone (UNII: 95OOS7VE0Y) (Oxybenzone - UNII:95OOS7VE0Y)	Oxybenzone	0.009 g in 1 g

Inactive Ingredients

Ingredient Name	Strength
ISOSTEARYL NEOPENTANOATE (UNII: 411THY156Q)	
DIISOPROPYL DILINOLEATE (UNII: 5323S7S2LR)	
MICA (UNII: V8A1AW0880)	
METHYL HYDROGENATED ROSINATE (UNII: 13DHA19W9N)	
HIGH DENSITY POLYETHYLENE (UNII: UG00KM4WR7)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
CARNAUBA WAX (UNII: R12CBM0EIZ)	
CANDELILLA WAX (UNII: WL0328HX19)	
ETHYLHEXYL PALMITATE (UNII: 2865993309)	
ISODODECANE (UNII: A8289P68Y2)	
PARAFFIN (UNII: I9O0E3H2ZE)	
POLYGLYCERYL-3 DIISOSTEARATE (UNII: 46P231IQV8)	
GLYCERYL ISOSTEARATE (UNII: HYE7O27HAO)	
ISOSTEARYL ALCOHOL (UNII: Q613OCQ44Y)	
DIPALMITOYL HYDROXYPROLINE (UNII: E6AHA53N1H)	
CERAMIDE 3 (UNII: 4370DF050B)	
SHEA BUTTER (UNII: K49155WL9Y)	
.BETA.-SITOSTEROL (UNII: S347WMO6M4)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	

DIMETHICONE (UNII: 92RU3N3Y1O)
LUFFA AEGYPTIACA SEED OIL (UNII: 1A281RJ859)
METHYL PARABEN (UNII: A2I8C7HI9T)
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)
POLYOXYL 40 HYDROGENATED CASTOR OIL (UNII: 7YC686GQ8F)
POLYSORBATE 80 (UNII: 6OZP39ZG8H)
PPG-26-BUTETH-26 (UNII: 2IIIK6TZ4P)
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)
HEDERA HELIX LEAF (UNII: ZP9XFG71A7)
VITAMIN A PALMITATE (UNII: 1D1K0N0VVC)
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)
ALLANTOIN (UNII: 344S277G0Z)
ASCORBYL PALMITATE (UNII: QN83US2B0N)
BISMUTH OXYCHLORIDE (UNII: 4ZR792I587)
D&C RED NO. 7 (UNII: ECW0LZ41X8)
ALUMINUM OXIDE (UNII: LM26O6933)
MANGANESE VIOLET (UNII: 72M48QQV8Q)
FERRIC OXIDE RED (UNII: 1K09F3G675)
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)
FD&C YELLOW NO. 5 (UNII: I753WB2F1M)
D&C RED NO. 21 (UNII: 08744Z6JNY)
D&C RED NO. 27 (UNII: 2LRS185U6K)
D&C RED NO. 6 (UNII: 481744AI4O)
TALC (UNII: 7SEV7J4R1U)
FD&C BLUE NO. 1 (UNII: HBR47K3TBD)
LAUROYL LYSINE (UNII: 113171Q70B)

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:13537-165-42	1 in 1 BOX		
1	NDC:13537-165-41	4 g in 1 TUBE		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	01/27/2014	

LBEL COULEUR LUXE ROUGE AMPLIFIER XP AMPLIFYING SPF 15 (ROMANCE) - PINK
 octinoxate and oxybenzone lipstick

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:13537-166
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Octinoxate (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	0.047 g in 1g
Oxybenzone (UNII: 95OOS7VE0Y) (Oxybenzone - UNII:95OOS7VE0Y)	Oxybenzone	0.009 g in 1g

Inactive Ingredients

Ingredient Name	Strength
ISOSTEARYL NEOPENTANOATE (UNII: 411THY156Q)	
DIISOPROPYL DILINOLEATE (UNII: 5323S7S2LR)	
MICA (UNII: V8A1AW0880)	
METHYL HYDROGENATED ROSINATE (UNII: 13DHA19W9N)	
HIGH DENSITY POLYETHYLENE (UNII: UG00KM4WR7)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
CARNAUBA WAX (UNII: R12CBM0EIZ)	
CANDELILLA WAX (UNII: WL0328HX19)	
ETHYLHEXYL PALMITATE (UNII: 2865993309)	
ISODODECANE (UNII: A8289P68Y2)	
PARAFFIN (UNII: I9O0E3H2ZE)	
POLYGLYCERYL-3 DIISOSTEARATE (UNII: 46P231IQV8)	
GLYCERYL ISOSTEARATE (UNII: HYE7O27HAO)	
ISOSTEARYL ALCOHOL (UNII: Q613OCQ44Y)	
DIPALMITOYL HYDROXYPROLINE (UNII: E6AHA53N1H)	
CERAMIDE 3 (UNII: 4370DF050B)	
SHEA BUTTER (UNII: K49155WL9Y)	
.BETA.-SITOSTEROL (UNII: S347WMO6M4)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
LUFFA AEGYPTIACA SEED OIL (UNII: 1A281RJ859)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
POLYOXYL 40 HYDROGENATED CASTOR OIL (UNII: 7YC686GQ8F)	
POLYSORBATE 80 (UNII: 6OZP39ZG8H)	
PPG-26-BUTETH-26 (UNII: 2IIIK6TZ4P)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
HEDERA HELIX LEAF (UNII: ZP9XFG71A7)	
VITAMIN A PALMITATE (UNII: 1D1K0N0VVC)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
ALLANTOIN (UNII: 344S277G0Z)	
ASCORBYL PALMITATE (UNII: QN83US2B0N)	
BISMUTH OXYCHLORIDE (UNII: 4ZR792I587)	
D&C RED NO. 7 (UNII: ECW0LZ41X8)	
ALUMINUM OXIDE (UNII: LM26O6933)	
MANGANESE VIOLET (UNII: 72M48QQV8Q)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
FD&C YELLOW NO. 5 (UNII: I753WB2F1M)	
D&C RED NO. 21 (UNII: 08744Z6JNY)	
D&C RED NO. 27 (UNII: 2LRS185U6K)	

D&C RED NO. 6 (UNII: 481744A140)

TALC (UNII: 7SEV7J4R1U)

FD&C BLUE NO. 1 (UNII: HBR47K3TBD)

LAUROYL LYSINE (UNII: 113171Q70B)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:13537-166-42	1 in 1 BOX		
1	NDC:13537-166-41	4 g in 1 TUBE		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	01/27/2014	

LBEL COULEUR LUXE ROUGE AMPLIFIER XP AMPLIFYING SPF 15 (ROSE FUCSIA) - MAGENTA

octinoxate and oxybenzone lipstick

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:13537-167
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Octinoxate (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	0.047 g in 1 g
Oxybenzone (UNII: 95OOS7VE0Y) (Oxybenzone - UNII:95OOS7VE0Y)	Oxybenzone	0.009 g in 1 g

Inactive Ingredients

Ingredient Name	Strength
ISOSTEARYL NEOPENTANOATE (UNII: 411THY156Q)	
DIISOPROPYL DILINOLEATE (UNII: 5323S7S2LR)	
MICA (UNII: V8A1AW0880)	
METHYL HYDROGENATED ROSINATE (UNII: 13DHA19W9N)	
HIGH DENSITY POLYETHYLENE (UNII: UG00KM4WR7)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
CARNAUBA WAX (UNII: R12CBM0EIZ)	
CANDELILLA WAX (UNII: WL0328HX19)	
ETHYLHEXYL PALMITATE (UNII: 2865993309)	
ISODODECANE (UNII: A8289P68Y2)	
PARAFFIN (UNII: I9O0E3H2ZE)	
POLYGLYCERYL-3 DIISOSTEARATE (UNII: 46P231IQV8)	
GLYCERYL ISOSTEARATE (UNII: HYE7O27HAO)	

ISOSTEARYL ALCOHOL (UNII: Q6130CQ44Y)
DIPALMITOYL HYDROXYPROLINE (UNII: E6AHA53N1H)
CERAMIDE 3 (UNII: 4370DF050B)
SHEA BUTTER (UNII: K49155WL9Y)
.BETA.-SITOSTEROL (UNII: S347WMO6M4)
PROPYLPARABEN (UNII: Z8IX2SC1OH)
DIMETHICONE (UNII: 92RU3N3Y1O)
LUFFA AEGYPTIACA SEED OIL (UNII: 1A281RJ859)
METHYLPARABEN (UNII: A2I8C7HI9T)
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)
POLYOXYL 40 HYDROGENATED CASTOR OIL (UNII: 7YC686GQ8F)
POLYSORBATE 80 (UNII: 6OZP39ZG8H)
PPG-26-BUTETH-26 (UNII: 2IIIK6TZ4P)
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)
HEDERA HELIX LEAF (UNII: ZP9XFG71A7)
VITAMIN A PALMITATE (UNII: 1D1K0N0VVC)
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)
ALLANTOIN (UNII: 344S277G0Z)
ASCORBYL PALMITATE (UNII: QN83US2B0N)
BISMUTH OXYCHLORIDE (UNII: 4ZR792I587)
D&C RED NO. 7 (UNII: ECW0LZ41X8)
ALUMINUM OXIDE (UNII: LM26O6933)
MANGANESE VIOLET (UNII: 72M48QQV8Q)
FERRIC OXIDE RED (UNII: 1K09F3G675)
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)
FD&C YELLOW NO. 5 (UNII: I753WB2F1M)
D&C RED NO. 21 (UNII: 08744Z6JNY)
D&C RED NO. 27 (UNII: 2LRS185U6K)
D&C RED NO. 6 (UNII: 481744A14O)
TALC (UNII: 7SEV7J4R1U)
FD&C BLUE NO. 1 (UNII: HBR47K3TBD)
LAUROYL LYSINE (UNII: 113171Q70B)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:13537-167-42	1 in 1 BOX		
1	NDC:13537-167-41	4 g in 1 TUBE		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	01/27/2014	

LBEL COULEUR LUXE ROUGE AMPLIFIER XP AMPLIFYING SPF 15 (MIEL ECHANter) - ORANGE

octinoxate and oxybenzone lipstick

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:13537-168
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Octinoxate (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	0.047 g in 1 g
Oxybenzone (UNII: 95OOS7VE0Y) (Oxybenzone - UNII:95OOS7VE0Y)	Oxybenzone	0.009 g in 1 g

Inactive Ingredients

Ingredient Name	Strength
ISOSTEARYL NEOPENTANOATE (UNII: 411THY156Q)	
DIISOPROPYL DILINOLEATE (UNII: 5323S7S2LR)	
MICA (UNII: V8A1AW0880)	
METHYL HYDROGENATED ROSINATE (UNII: 13DHA19W9N)	
HIGH DENSITY POLYETHYLENE (UNII: UG00KM4WR7)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
CARNAUBA WAX (UNII: R12CBM0EIZ)	
CANDELILLA WAX (UNII: WL0328HX19)	
ETHYLHEXYL PALMITATE (UNII: 2865993309)	
ISODODECANE (UNII: A8289P68Y2)	
PARAFFIN (UNII: I9O0E3H2ZE)	
POLYGLYCERYL-3 DIISOSTEARATE (UNII: 46P231IQV8)	
GLYCERYL ISOSTEARATE (UNII: HYE7O27HAO)	
ISOSTEARYL ALCOHOL (UNII: Q613OCQ44Y)	
DIPALMITOYL HYDROXYPROLINE (UNII: E6AHA53N1H)	
CERAMIDE 3 (UNII: 4370DF050B)	
SHEA BUTTER (UNII: K49155WL9Y)	
.BETA.-SITOSTEROL (UNII: S347WMO6M4)	
PROPYLPARABEN (UNII: Z8IX2SC10H)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
LUFFA AEGYPTIACA SEED OIL (UNII: 1A281RJ859)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
POLYOXYL 40 HYDROGENATED CASTOR OIL (UNII: 7YC686GQ8F)	
POLYSORBATE 80 (UNII: 6OZP39ZG8H)	
PPG-26-BUTETH-26 (UNII: 2IIK6TZ4P)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
HEDERA HELIX LEAF (UNII: ZP9XFG71A7)	
VITAMIN A PALMITATE (UNII: 1D1K0N0VVC)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
ALLANTOIN (UNII: 344S277G0Z)	
ASCORBYL PALMITATE (UNII: QN83US2B0N)	
BISMUTH OXYCHLORIDE (UNII: 4ZR792I587)	
D&C RED NO. 7 (UNII: ECW0LZ41X8)	
ALUMINUM OXIDE (UNII: LM26O6933)	

MANGANESE VIOLET (UNII: 72M48QQV8Q)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
FD&C YELLOW NO. 5 (UNII: I753WB2F1M)	
D&C RED NO. 21 (UNII: 08744Z6JNY)	
D&C RED NO. 27 (UNII: 2LRS185U6K)	
D&C RED NO. 6 (UNII: 481744AI4O)	
TALC (UNII: 7SEV7J4R1U)	
FD&C BLUE NO. 1 (UNII: HBR47K3TBD)	
LAUROYL LYSINE (UNII: 113171Q70B)	

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:13537-168-42	1 in 1 BOX		
1	NDC:13537-168-41	4 g in 1 TUBE		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	01/27/2014	

Labeler - Ventura Corporation LTD (602751344)

Establishment			
Name	Address	ID/FEI	Business Operations
Bel Star S.A. (Colombia)		880160197	MANUFACTURE(13537-410, 13537-411, 13537-412, 13537-413, 13537-414, 13537-415, 13537-416, 13537-417, 13537-418, 13537-419, 13537-420, 13537-115, 13537-116, 13537-117, 13537-118, 13537-119, 13537-146, 13537-149, 13537-151, 13537-158, 13537-159, 13537-160, 13537-161, 13537-162, 13537-163, 13537-164, 13537-165, 13537-166, 13537-167, 13537-168)