

ESSENTIAL SUNSCREEN SPF50- essential sunscreen spf50 lotion Milbar Laboratories

Essential Sunscreen SPF50

Directions

Apply liberally and evenly to dry skin 15 minutes before sun exposure and as often as needed. **Reapply:** • After 80 minutes of swimming or sweating • Immediately after towel drying • At least every two hours • Children under 6 months of age, consult your physician.

Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF of 15 or higher and other sun protection measures including: Limit time in the sun, especially from 10 a.m.–2 p.m. Wear long-sleeved shirts, pants, hats, and sunglasses.

Warnings

For external use only

When using this product • Keep out of eyes. Rinse with water to remove. • Stop use and ask a doctor if rash or irritation develops and lasts. • If swallowed, get medical help or contact a Poison Control Center right away.

Inactive Ingredients

Water (Aqua), Cyclopentasiloxane, Dimethicone, PEG-10 Dimethicone, Pentylene Glycol, Stearyl Alcohol, Phenyl Trimethicone, Isododecane, PEG-40 Stearate, Hydroxyethyl Acrylate/Sodium Acryloyldimethyl Taurate Copolymer, Citric Acid, Squalane, Ceteareth-20, Dimethicone Crosspolymer, Chlorphenesin, Cetearyl Alcohol, Xanthan Gum, 1,2-Hexanediol, Tocopherol Acetate, Caprylyl Glycol, Potassium Sorbate

Use

• Helps prevent sunburn • If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

This hybrid sunscreen creates a physical and chemical barrier to reflect and absorb the sun's harmful UV rays. Wear SPF and Reapply SPF every 80 mins.

- Paraben and PABA Free
- Dermatologist Tested
- Non-comedogenic
- All Skin Types

Principal Display

WEAR SPF™



ESSENTIAL SUNSCREEN

Broad Spectrum SPF 50
UVA/UVB Protection

NET WT. 3.4 FL. OZ. / 100ml

This hybrid sunscreen creates a physical and chemical barrier to reflect and absorb the sun's harmful UV rays. WearSPF and ReapplySPF every 80 mins.

- Paraben and PABA Free
- Dermatologist Tested
- Non-comedogenic
- All Skin Types

Drug Facts	
Active ingredients	Purpose
Zinc Oxide 10.5%, Octinoxate 7.5%	Sunscreen
Use	
<ul style="list-style-type: none"> • Helps prevent sunburn • If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun 	
Warnings	
For external use only	
<p>When using this product • Keep out of eyes. Rinse with water to remove. • Stop use and ask a doctor if rash or irritation develops and lasts. • If swallowed, get medical help or contact a Poison Control Center right away.</p>	
Directions	
<p>Apply liberally and evenly to dry skin 15 minutes before sun exposure and as often as needed. Reapply: • After 80 minutes of swimming or sweating • Immediately after towel drying • At least every two hours • Children under 6 months of age, consult your physician.</p> <p>Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF of 15 or higher and other sun protection measures including: Limit time in the sun, especially from 10 a.m.–2 p.m. Wear long-sleeved shirts, pants, hats, and sunglasses.</p>	
Other Information	
<ul style="list-style-type: none"> • Protect this product from excessive heat and direct sun. 	
Inactive Ingredients	
<p>Water (Aqua), Cyclopentasiloxane, Dimethicone, PEG-10 Dimethicone, Pentylene Glycol, Stearyl Alcohol, Phenyl Trimethicone, Isododecane, PEG-40 Stearate, Hydroxyethyl Acrylate/Sodium Acryloyldimethyl Taurate Copolymer, Citric Acid, Squalane, Ceteareth-20, Dimethicone Crosspolymer, Chlorphenesin, Cetearyl Alcohol, Xanthan Gum, 1,2-Hexanediol, Tocopherol Acetate, Caprylyl Glycol, Potassium Sorbate</p>	
Questions or Comments?	
1-800-552-5060 (Mon–Fri 8am–5pm EST) / info@wearspf.com	

Distributed by: WearSPF, LLC
20 Commerce Street
East Haven, CT 06512
info@wearspf.com / wearspf.com
Made in the USA



ESSENTIAL SUNSCREEN SPF50

essential sunscreen spf50 lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:57577-571
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	11.508 g in 100 mL
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	8.22 g in 100 mL

Inactive Ingredients

Ingredient Name	Strength
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
CHLORPHENESIN (UNII: I670DAL4SZ)	
XANTHAN GUM (UNII: TTV12P4NEE)	
SQUALANE (UNII: GW89575KF9)	
ISODODECANE (UNII: A8289P68Y2)	
POLYOXYL 20 CETOSTEARYL ETHER (UNII: YRC528SWUY)	
HYDROXYETHYL ACRYLATE/SODIUM ACRYLOYLDIMETHYL TAURATE COPOLYMER (100000 MPA.S AT 1.5%) (UNII: 86FQE96TZ4)	
1,2-HEXANEDIOL (UNII: TR046Y3K1G)	
WATER (UNII: 059QF0KO0R)	
PENTYLENE GLYCOL (UNII: 50C1307PZG)	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
CETOSTEARYL ALCOHOL (UNII: 2DMT128M1S)	
PEG-40 MONOSTEARATE (UNII: ECU18C66Q7)	
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
PHENYL TRIMETHICONE (UNII: DR0K5NOJ4R)	
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)	
STEARYL ALCOHOL (UNII: 2KR89I4H1Y)	
DIMETHICONE CROSSPOLYMER (UNII: UF7620L1W6)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
PEG-10 DIMETHICONE (220 CST) (UNII: 287GF3Y3WC)	

Product Characteristics

Color	white (Thick Lotion)	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:57577-571-01	100 mL in 1 TUBE; Type 0: Not a Combination Product	07/29/2024	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	07/29/2024	

Labeler - Milbar Laboratories (055359970)

Establishment

Name	Address	ID/FEI	Business Operations
Milbar Labs, Inc.		195556790	manufacture(57577-571)

Revised: 7/2024

Milbar Laboratories