

# ANTIOXIDANT MINERAL SUNSCREEN SPF30- antioxidant mineral sunscreen spf30 lotion Milbar Laboratories

## Antioxidant Mineral Sunscreen SPF30

### Directions

Apply liberally and evenly to dry skin 15 minutes before sun exposure and as often as needed. **Reapply:** • After 80 minutes of swimming or sweating • Immediately after towel drying • At least every two hours • Children under 6 months of age, consult your physician.

**Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF of 15 or higher and other sun protection measures including: Limit time in the sun, especially from 10 a.m.–2 p.m. Wear long-sleeved shirts, pants, hats, and sunglasses.

## Warnings

### Warnings

**For external use only • When using this product:** Keep out of eyes. Rinse with water to remove. • Stop use and ask a doctor if rash or irritation develops and lasts. • If swallowed, get medical help or contact a Poison Control Center right away.

### Inactive Ingredients

Water (Aqua), Isononyl Isononanoate, Caprylic/Capric Triglyceride, Dimethicone, Hexylene Glycol, Butyloctyl Salicylate, Cetyl PEG/PPG-10/1 Dimethicone, Argania Spinosa Kernel Extract, Hydroxyethyl Acrylate/Sodium Acryloyldimethyl Taurate Copolymer, Polyglyceryl-4 Isostearate, Tocopheryl Acetate, Polyhydroxystearic Acid, Squalane, Polyglyceryl-3-poyricinoleate, Phenoxyethanol, Lecithin, Sodium Chloride, Isostearic Acid, Hexyl Laurate, Ethylhexylglycerin, Bisabolol, Caprylyl Glycol, Polysorbate 60, Chlorphenesin, Disodium EDTA

### Use

• Helps prevent sunburn • If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun • Retains SPF up to 80 minutes of activity in water.

## Purpose

This mineral sunscreen uses a physical barrier of zinc oxide to reflect the sun's harmful UV rays. Wear SPF and Reapply SPF every 80 minutes.

- Paraben and PABA Free
- Dermatologist Tested
- Non-comedogenic
- All Skin Types

## Principal Display

# WEAR SPF™



## MINERAL SUNSCREEN

**Broad Spectrum  
UVA/UVB  
SPF 30 Protection**

water resistant  
(80 mins)

NET WT. 3.4 FL. OZ. / 100ml

This mineral sunscreen uses a physical barrier of zinc oxide to reflect the sun's harmful UV rays. Wear SPF and Reapply SPF every 80 minutes.

- Paraben and PABA Free
- Dermatologist Tested
- Non-comedogenic
- All Skin Types

### Drug Facts

Active ingredients	Purpose
Zinc Oxide 17.5%	Sunscreen

### Use

• Helps prevent sunburn • If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun • Retains SPF up to 80 minutes of activity in water.

### Warnings

**For external use only • When using this product:** Keep out of eyes. Rinse with water to remove. • Stop use and ask a doctor if rash or irritation develops and lasts. • If swallowed, get medical help or contact a Poison Control Center right away.

### Directions

Apply liberally and evenly to dry skin 15 minutes before sun exposure and as often as needed. **Reapply:** • After 80 minutes of swimming or sweating • Immediately after towel drying • At least every two hours • Children under 6 months of age, consult your physician.

**Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF of 15 or higher and other sun protection measures including: Limit time in the sun, especially from 10 a.m.–2 p.m. Wear long-sleeved shirts, pants, hats, and sunglasses.

### Other Information

• Protect this product from excessive heat and direct sun.

### Inactive Ingredients

Water (Aqua), Isononyl Isononanoate, Caprylic/Capric Triglyceride, Dimethicone, Hexylene Glycol, Butyloctyl Salicylate, Cetyl PEG/PPG-10/1 Dimethicone, Argania Spinosa Kernel Extract, Hydroxyethyl Acrylate/Sodium Acryloyldimethyl Taurate Copolymer, Polyglyceryl-4 Isostearate, Tocopheryl Acetate, Polyhydroxystearic Acid, Squalane, Polyglyceryl-3-poyricinoleate, Phenoxylethanol, Lecithin, Sodium Chloride, Isostearic Acid, Hexyl Laurate, Ethylhexylglycerin, Bisabolol, Caprylyl Glycol, Polysorbate 60, Chlorphenesin, Disodium EDTA

### Questions or Comments?

1-800-552-5060 (Mon–Fri 8am–5pm EST) / [info@wearspf.com](mailto:info@wearspf.com)

Distributed by: WearSPF, LLC  
20 Commerce Street  
East Haven, CT 06512  
[info@wearspf.com](mailto:info@wearspf.com) / [wearspf.com](http://wearspf.com)  
Made in the USA



## ANTIOXIDANT MINERAL SUNSCREEN SPF30

antioxidant mineral sunscreen spf30 lotion

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:57577-681
<b>Route of Administration</b>	TOPICAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
<b>ZINC OXIDE</b> (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	20.055 g in 100 mL

**Inactive Ingredients**

Ingredient Name	Strength
<b>POLYHYDROXYSTEARIC ACID (2300 MW)</b> (UNII: YXH47AOU0F)	
<b>ISOSTEARIC ACID</b> (UNII: X33R8U0062)	
<b>HEXYL LAURATE</b> (UNII: 4CG9F9W01Q)	
<b>MEDIUM-CHAIN TRIGLYCERIDES</b> (UNII: C9H2L21V7U)	
<b>LEVOMENOL</b> (UNII: 24WE03BX2T)	
<b>POLYSORBATE 60</b> (UNII: CAL22UVI4M)	
<b>EDETATE DISODIUM</b> (UNII: 7FLD91C86K)	
<b>CHLORPHENESIN</b> (UNII: I670DAL4SZ)	
<b>POLYGLYCERYL-3 RICINOLEATE</b> (UNII: MZQ63P0N0W)	
<b>HEXYLENE GLYCOL</b> (UNII: KEH0A3F75J)	
<b>POLYGLYCERYL-4 ISOSTEARATE</b> (UNII: 820DPX33S7)	
<b>ISONONYL ISONONANOATE</b> (UNII: S4V5BS6GCX)	
<b>CETYL PEG/PPG-10/1 DIMETHICONE (HLB 2)</b> (UNII: V2W71V8T0X)	
<b>HYDROXYETHYL ACRYLATE/SODIUM ACRYLOYLDIMETHYL TAURATE COPOLYMER (45000 MPA.S AT 1%)</b> (UNII: 86FQE96TZ4)	
<b>ARGAN OIL</b> (UNII: 4V59G5UW9X)	
<b>SQUALANE</b> (UNII: GW89575KF9)	
<b>SODIUM CHLORIDE</b> (UNII: 451W47IQ8X)	
<b>.ALPHA.-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)	
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	
<b>LECITHIN, SOYBEAN</b> (UNII: 1DI56QDM62)	
<b>ETHYLHEXYLGLYCERIN</b> (UNII: 147D247K3P)	
<b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>BUTYLOCTYL SALICYLATE</b> (UNII: 2EH13UN8D3)	

**Product Characteristics**

<b>Color</b>	white (Lotion)	<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>		<b>Imprint Code</b>	
<b>Contains</b>			

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:57577-681-01	100 mL in 1 TUBE; Type 0: Not a Combination Product	07/29/2024	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	07/29/2024	

**Labeler** - Milbar Laboratories (055359970)

## Establishment

Name	Address	ID/FEI	Business Operations
Milbar Labs		195556790	manufacture(57577-681)

Revised: 7/2024

Milbar Laboratories