

TREATONIC TATTOO NUMBING CREAM- lidocaine cream
Orange Lab, Inc

Treatonic Lidocaine Numbing Cream

Drug Facts

Active ingredient	Purpose
Lidocaine 4%.....	Topical Analgesic

Purpose

Uses For the temporary relief of pain and itching, associated with minor skin irritations, minor burns, sunburn, minor cuts, scrapes, insect bites.

Warnings

Warning (For external use only)
Do not use this product if ■ Pregnant or breastfeeding, ask a health professional before use.
■ If there is any allergic reaction to this product. ■ In case of accidental overdose, get medical help, or contact the poison control center immediately.

When using this product

When using this product
■ Only take the recommended daily dosage unless otherwise instructed by a doctor. ■ Some individuals may experience allergic reactions to the ingredients contained in this product. ►

Stop use and ask a doctor if

Stop using and ask a doctor ■ If discomfort persists for 7 days. ■ The symptoms being treated do not subside or if redness irritation swelling, pain, or other symptoms develop or increase.

Keep out of reach of children

Keep out of reach of children
Avoid contact with eyes. In case of accidental ingestion, seek medical attention immediately.

other information (storage)

Other information Store at 59° - 86°F(15°-30°C). Avoid direct sunlight.

Inactive Ingredients

Inactive ingredients DI Water, Dimethyl Isosorbide, Ethylhexyl Palmitate, Hydrogenated Polydecene, Propylene Glycol, Arnica Montana Flower Extract, Helianthus Annuus (Sunflower) Seed Oil, Emu Oil, Phenoxyethanol, Sodium Polyacrylate, Trideceth-6, Menthol, Acrylates/C10-30 Alkyl Acrylate Crosspolymer, Allantoin, Tocopheryl Acetate, Ethylhexylglycerin, Tetrasodium EDTA.

Directions for use

Directions ■ For adults: Cleanse the affected area with mild soap and warm water, and rinse thoroughly. Gently dry the area with toilet tissue or a soft cloth before applying the product.
 ■ Apply up to 4 times a day. ■ For children under 12 years of age: Consult a doctor.

Questions ? Contact us.

Customer care Contact us for solutions at service@treatonic.com

dosage and admin

Directions ■ For adults: Cleanse the affected area with mild soap and warm water, and rinse thoroughly. Gently dry the area with toilet tissue or a soft cloth before applying the product.
 ■ Apply up to 4 times a day. ■ For children under 12 years of age: Consult a doctor.

Indications and usage

Uses For the temporary relief of pain and itching, associated with minor skin irritations, minor burns, sunburn, minor cuts, scrapes, insect bites.

Label Images

<p>DRUG FACTS</p> <table border="1"> <tr> <td>Active Ingredient Lidocaine 4%</td> <td>Purpose Topical Anesthetic</td> </tr> </table> <p>Uses For the temporary relief of pain and itching, associated with minor skin irritations, minor burns, sunburn, minor cuts, scrapes, insect bites.</p> <p>Warning (For external use only) Do not use this product if ■ Pregnant or breastfeeding, ask a health professional before use. ■ If there is any allergic reaction to this product. ■ In case of accidental overdose, get medical help, or contact the poison control center immediately.</p> <p>When using this product ■ Only take the recommended daily dosage unless otherwise instructed by a doctor. ■ Some individuals may experience allergic reactions to the ingredients contained in this product.</p>	Active Ingredient Lidocaine 4%	Purpose Topical Anesthetic	 <p>TREATONIC Tattoo NUMBING CREAM</p> <p>LONG LASTING & MAXIMUM STRENGTH NUMBING WITH EMU OIL AND ARNICA</p> <p>Net Wt. 1.7 oz / 50 ml</p>	<p>DRUG FACTS (Continued)</p> <p>Stop using and ask a doctor ■ If discomfort persists for 7 days. ■ The symptoms being treated do not subside or if redness, irritation, swelling, pain, or other symptoms develop or increase.</p> <p>Keep out of reach of children Avoid contact with eyes. In case of accidental ingestion, seek medical attention immediately.</p> <p>Directions ■ For adults: Cleanse the affected area with mild soap and warm water, and rinse thoroughly. Gently dry the area with toilet tissue or a soft cloth before applying the product. ■ Apply up to 4 times a day. ■ For children under 12 years of age: Consult a doctor.</p> <p>Other information Store at 59°-86°F (15°-30°C). Avoid direct sunlight.</p> <p>Inactive ingredients DI Water, Dimethyl Isosorbide, Ethylhexyl Palmitate, Hydrogenated Polydecene, Propylene Glycol, Arnica Montana Flower Extract, Helianthus Annuus (Sunflower) Seed Oil, Emu Oil, Phenoxyethanol, Sodium Polyacrylate, Trideceth-6, Menthol, Acrylates/C10-30 Alkyl Acrylate Crosspolymer, Allantoin, Tocopheryl Acetate, Ethylhexylglycerin, Tetrasodium EDTA.</p> <p>Customer care Contact us for solutions at service@treatonic.com</p>
Active Ingredient Lidocaine 4%	Purpose Topical Anesthetic			

Correct Use Steps Before Tattooing:

- Cleanse, Rinse, and dry the affected area with warm water.
- Apply a thick numbing cream onto the treated area. (A thick layer of cream must be applied to ensure enhanced numbness)
- Wrap the treated area tightly with plastic wrap and remain for 45-50 minutes. (Please note that the duration of numbness will increase with longer wrapping time)
- Wipe away any excess cream, and wait for another 15 minutes to reach peak numbness.
- Begin your tattooing process.

Notes:
Due to the difference in temperature and skin type, the duration of the numbness effect will be different. It's recommended to test in a small area first to ensure the best numbness effect.

Customer Care:
For any questions, please contact us for a quick and satisfactory solution : service@treatonic.com

Distributed By:
100 KARMA INC
BROOKLYN, NY 11223
Made in USA

DRUG FACTS

Active ingredient Purpose
Lidocaine 4% Topical Anesthetic

Use For the temporary relief of pain and itching, associated with minor skin irritations, minor burns, sunburn, minor cuts, scrapes, insect bites.

Warning (For external use only)
Do not use this product if ■ Pregnant or breastfeeding, ask a health professional before use. ■ If there is any allergic reaction to this product. ■ In case of accidental overdose, get medical help, or contact the poison control center immediately.

When using this product
■ Only take the recommended daily dosage unless otherwise instructed by a doctor. ■ Some individuals may experience allergic reactions to the ingredients contained in this product.

DRUG FACTS (Continued)

Stop using and ask a doctor ■ If discomfort persists for 7 days. ■ The symptoms being treated do not subside or if redness, irritation, swelling, pain, or other symptoms develop or increase.

Keep out of reach of children
Avoid contact with eyes. In case of accidental ingestion, seek medical attention immediately.

Other Information Store at 59°- 86°F (15°-30°C).
Avoid direct sunlight.

Inactive Ingredients DI Water, Dimethyl Isosorbide, Ethylhexyl Palmitate, Hydrogenated Polydecene, Propylene Glycol, Arnica Montana Flower Extract, Heliopsis Annuus (Sunflower) Seed Oil, Emu Oil, Phenoxethanol, Sodium Polyacrylate, Trideceth-6, Menthol, Acrylates/C10-30 Alkyl Acrylate Crosspolymer, Allantoin, Tocopheryl Acetate, Ethylhexyl Stearate, Tetrasodium EDTA.

Directions ■ For adults: Cleanse the affected area with mild soap and warm water, and rinse thoroughly. Gently dry the area with toilet tissue or a soft cloth before applying the product. ■ Apply up to 4 times a day. ■ For children under 12 years of age: Consult a doctor.

1 97644 86758 5

TREATONIC TATTOO NUMBING CREAM

lidocaine cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:71331-118
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LIDOCAINE (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE	4 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
ARNICA MONTANA FLOWER (UNII: OZ0E5Y15PZ)	
ALLANTOIN (UNII: 344S277G0Z)	
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	
WATER (UNII: 059QF0KO0R)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
EMU OIL (UNII: 344821WD61)	
TRIDECETH-6 (UNII: 3T5PCR2H0C)	
ACRYLATES/C10-30 ALKYL ACRYLATE CROSSPOLYMER (60000 MPA.S) (UNII: 8Z5ZAL5H3V)	

HYDROGENATED POLYDECENE (1500 CST) (UNII: 4YI0729529)	
SUNFLOWER OIL UNSAPONIFIABLES (UNII: T7ZE2WA4MB)	
ETHYLHEXYL PALMITATE (UNII: 2865993309)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
SODIUM POLYACRYLATE (8000 MW) (UNII: 285CYO341L)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
DIMETHYL ISOSORBIDE (UNII: SA6A6V432S)	
EDETATE SODIUM (UNII: MP1J8420LU)	
MENTHOL (UNII: L7T10EIP3A)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:71331-118-04	50 g in 1 PACKAGE; Type 0: Not a Combination Product	07/31/2024	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	07/31/2024	

Labeler - Orange Lab, Inc (004862271)

Revised: 7/2024

Orange Lab, Inc