

## **SORE THROAT- phenol glycerin spray**

### **Walgreens**

-----

### **Drug Facts**

#### **Active ingredient**

Glycerin 33%

Phenol 1.5%

#### **Purpose**

Oral demulcent

Oral Anesthetic/Analgesic

#### **Uses**

for the temporarily relief of

- occasional minor irritation, pain, sore mouth, and sore throat
- minor discomfort and protection of irritated area in sore mouth and sore throat

#### **Warnings**

**Sore throat warning:** Severe or persistent sore throat or sore throat accompanied by high fever, headache, nausea, and vomiting may be serious. Consult a doctor promptly. Do not use more than 2 days.

#### **When using this product,**

do not exceed recommended dose.

#### **Stop use and ask a dentist or doctor if**

- sore throat is severe, or lasts for more than 2 days
- sore mouth symptoms do not improve in 7 days
- irritation, pain or redness persists or worsens
- fever, headache, rash, swelling, nausea or vomiting develops

#### **If pregnant or breast-feeding,**

ask a health professional before use.

#### **Keep out of reach of children.**

if more than used for minor mouth or throat pain is accidentally swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

**Directions**

- adults and children 2 years of age and older:
  - apply to affected area (one spray)
  - allow to remain in place for at least 15 seconds, then spit out
  - use every 2 hours as directed by a doctor or dentist
- children under 12 years of age should be supervised in the use of this product
- children under 6 years of age: consult a doctor or dentist

**Other information**

- store between 20-25°C (68-77°F). Do not refrigerate.

**Inactive ingredients**

FD&C blue # 1, FD&C red #40, flavor, purified water, saccharin sodium, sucralose

**Questions or comments?**

Call **1-877-753-3935** Monday-Friday 9AM-5PM EST

**Principal Display Panel**

Compare to the active ingredients in Chloraseptic® Max Strength Sore Throat Spray††

**SORE THROAT SPRAY****Oral Relief**

**GLYCERIN 33% / ORAL DEMULCENT**

**PHENOL 1.5% / ORAL ANESTHETIC / ANALGESIC**

Maximum Strength

**Fast Acting**

- **Numbs throat in seconds**
- **for ages 2 years & older**

Berry Flavored

FL OZ (mL)

††This product is not manufactured or distributed by Prestige Consumer Healthcare, Inc, distributor of Chloraseptic® Max Strength Sore Throat Spray.

**TAMPER EVIDENT: Do not use if imprinted shrink band is broken or missing.**  
**For Lot and Expiration Date, see bottom of bottle. Keep cap on when not in use.**

DISTRIBUTED BY: WALGREENS CO., DEERFIELD, IL 60015

**Package Label**

**Drug Facts****Active ingredients**

Glycerin 33%.....Oral demulcent  
Phenol 1.5%.....Oral anesthetic/analgesic

**Purposes**

**Uses** for the temporary relief of ■ occasional minor irritation, pain, sore mouth, and sore throat ■ minor discomfort and protection of irritated areas in sore mouth and sore throat

**Warnings**

**Sore throat warning:** Severe or persistent sore throat or sore throat accompanied by high fever, headache, nausea, and vomiting may be serious. Consult a doctor promptly. Do not use more than 2 days.

**When using this product,** do not exceed recommended dose.

**Stop use and ask a dentist or doctor if** ■ sore throat is severe, or lasts for more than 2 days ■ sore mouth symptoms do not improve in 7 days ■ irritation, pain or redness persists or worsens ■ fever, headache, rash, swelling, nausea or vomiting develops

**If pregnant or breast-feeding,** ask a health professional before use.

**Keep out of reach of children.** If more than used for minor mouth or throat pain is accidentally swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

**Directions** ■ adults and children 2 years of age and older: ■ apply to affected area (one spray) ■ allow to remain in place for at least 15 seconds, then spit out ■ use every 2 hours or as directed by a dentist or doctor ■ children under 12 years of age should be supervised in the use of this product ■ children under 2 years of age: consult a dentist or doctor

**Other information** ■ store between 20-25°C (68-77°F). Do not refrigerate.

**Inactive ingredients** FD&C blue no. 1, FD&C red no. 40, flavor, purified water, saccharin sodium, sucralose

**Questions or comments?**

Call 1-877-753-3935 Monday-Friday 9AM-5PM EST



Our pharmacists recommend the Walgreens brand. We invite you to compare to national brands.  
This product is not manufactured or distributed by Prestige Consumer Healthcare, Inc.,  
distributor of Chloraseptic® Max Strength Sore Throat Spray.  
PLD-4897B SED01023

**Walgreens**

Compare to the active ingredients in  
Chloraseptic® Max Strength  
Sore Throat Spray

**SORE THROAT SPRAY****Oral Relief**

GLYCERIN 33% / ORAL DEMULCENT  
PHENOL 1.5% / ORAL ANESTHETIC / ANALGESIC

**Maximum Strength****Fast Acting**

- Numbs throat in seconds
- For ages 2 years & older

**4 FL OZ (118 mL)****Berry  
flavored**

**TAMPER EVIDENT:** Do not use if imprinted shrink band  
is broken or missing. For Lot and Expiration Date,  
see bottom of bottle. Keep cap on when not in use.



how2recycle.info  
DISTRIBUTED BY: WALGREEN CO., DEERFIELD, IL 60015  
100% SATISFACTION GUARANTEED walgreens.com  
©2025 Walgreen Co. PRODUCT OF CANADA  
W3ORG0425-F NDC 0363-8910-04

**WALGREENS Sore Throat Spray Berry Flavor****SORE THROAT**

phenol glycerin spray

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:0363-8910
<b>Route of Administration</b>	ORAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
<b>PHENOL</b> (UNII: 339NCG44TV) (PHENOL - UNII:339NCG44TV)	PHENOL	1.5 mg in 100 mL
<b>GLYCERIN</b> (UNII: PDC6A3C0OX) (GLYCERIN - UNII:PDC6A3C0OX)	GLYCERIN	33 mg in 100 mL

**Inactive Ingredients**

Ingredient Name	Strength
<b>FD&amp;C BLUE NO. 1</b> (UNII: H3R47K3TBD)	
<b>FD&amp;C RED NO. 40</b> (UNII: WZB9127XOA)	

<b>SUCRALOSE</b> (UNII: 96K6UQ3ZD4)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>SACCHARIN SODIUM</b> (UNII: SB8ZUX40TY)	

Product Characteristics

Color	purple	Score	
Shape		Size	
Flavor	BERRY	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0363-8910-04	118 mL in 1 BOTTLE, SPRAY; Type 0: Not a Combination Product	04/18/2025	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M022	04/18/2025	

Labeler - Walgreens (008965063)