

NAUSEACALM- anamirta cocculus seed, ipecac, strychnos nux-vomica seed, tobacco leaf, kerosene pellet

Boiron

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

NauseaCalm Pellets

Active ingredients **

Cocculus indicus 4C HPUS (0.09 mg) (contains less than 10^{-10} mg picrotoxinin)

Ipecacuanha 4C HPUS (0.09 mg) (contains less than 10^{-10} mg emetine alkaloids)

Nux Vomica 4C HPUS (0.09 mg) (contains less than 10^{-10} mg strychnine alkaloids)

Petroleum 4C HPUS (0.09 mg) (contains less than 10^{-11} mg aromatic hydrocarbons)

Tabacum 4C HPUS (0.09 mg) (contains less than 10^{-10} mg nicotine alkaloids)

The letters "HPUS" indicate that the components in this product are officially monographed in the Homeopathic Pharmacopoeia of the United States.

Purpose*

Relieves Nausea, Vomiting, Upset Stomach, Indigestion, Dizziness

Uses*

- for relief of nausea and vomiting associated with:
- upset stomach
- overindulgence in food or drink
- stomach flu

- for relief of nausea, vomiting, or dizziness associated with motion sickness

Ask a doctor before use if nausea or vomiting is accompanied by

- diarrhea
- severe headache
- fever
- severe abdominal pain or cramping

Stop use and ask a doctor if symptoms persist for more than 2 days or worsen.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of accidental overdose, get medical help or contact a Poison Control Center right away.

- Adults and children 2 years of age and older: At the onset of symptoms, dissolve 5 pellets under the tongue. Repeat if necessary until symptoms improve, up to 3 times per day.
- Children under 2 years of age: Ask a doctor.

lactose, sucrose

1-800-264-7661

Made in France

Distributed by Boiron, Inc. Newtown Square, PA 19073

- do not use if glued carton end flaps are open or if pellet dispenser seal is broken
- contains 0.25 g of sugar per dose

MULTI-SYMP TOM NAUSEA RELIEF*

2 PORTABLE TUBES

APPROX. 80 PELLETS EACH

TOTAL 160 PELLETS

*CLAIMS BASED ON TRADITIONAL HOMEOPATHIC PRACTICE, NOT ACCEPTED MEDICAL EVIDENCE. NOT FDA EVALUATED.

*C,K,CK, and X are homeopathic dilutions: see BoironUSA.com/info for details.

<p>Drug Facts</p> <p>Active ingredients** (in each pellet)</p> <p>Cocculus Indicus 4C HPUS (0.09 mg) (contains less than 10⁻⁹ mg picrotoxin)</p> <p>Ipecacuanha 4C HPUS (0.09 mg) (contains less than 10⁻⁹ mg emetine alkaloids)</p> <p>Nuxvomica 4C HPUS (0.09 mg) (contains less than 10⁻⁹ mg strychnine alkaloids)</p> <p>Petroleum 4C HPUS (0.09 mg) (contains less than 10⁻⁹ mg aromatic hydrocarbons)</p> <p>Tabacum 4C HPUS (0.09 mg) (contains less than 10⁻⁹ mg nicotine alkaloids)</p> <p>The letters "HPUS" indicate that the components in this product are officially monographed in the Homeopathic Pharmacopoeia of the United States.</p> <p>Purpose*</p> <p>Relieves Nausea, Vomiting, Upset Stomach, Indigestion, Dizziness</p> <p>Uses*</p> <ul style="list-style-type: none">■ for relief of nausea and vomiting associated with:<ul style="list-style-type: none">■ upset stomach■ overindulgence in food or drink■ stomach flu■ for relief of nausea, vomiting, or dizziness associated with motion sickness <p>Warnings</p> <p>Ask a doctor before use if nausea or vomiting is accompanied by:<ul style="list-style-type: none">■ diarrhea■ severe headache■ fever■ severe abdominal pain or cramping<p>Stop use and ask a doctor if symptoms persist for more than 2 days or worsen.</p><p>If pregnant or breast-feeding, ask a health professional before use.</p><p>Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.</p></p>	<p>Drug Facts (continued)</p> <p>Directions</p> <ul style="list-style-type: none">■ Adults and children 2 years of age and older: At the onset of symptoms, dissolve 5 pellets under the tongue. Repeat if necessary until symptoms improve, up to 3 times per day.■ Children under 2 years of age: Ask a doctor. <p>Other information</p> <ul style="list-style-type: none">■ do not use if glued carton end flaps are open or if pellet dispenser seal is broken.■ contains 0.25 g of sugar per dose <p>Inactive ingredients</p> <p>lactose, sucrose</p> <p>Questions or comments?</p> <p>1-800-264-7661</p>	<p>NDC 0220-9245-42</p> <p>MULTI-SYMP TOM NAUSEA RELIEF*</p> <p>Help Your Body the Natural Way</p> <p>NauseaCalm[®] ON THE GO</p> <p>HOMEOPATHIC MEDICINE</p> <ul style="list-style-type: none">■ Upset Stomach & Vomiting*■ Meltaway Pellets <p>2 PORTABLE TUBES APPROX. 80 PELLETS EACH TOTAL 160 PELLETS</p> <p>BOIRON[®] World Leader in Homeopathic Medicines</p>
--	---	---



Drug Facts

Active Ingredients
 Cocculus indicus 4C HPUS
 Ipecacuanha 4C HPUS
 Nux vomica 4C HPUS
 (contains less than 10⁻¹⁹ mg
 strychnine alkaloids)
 Petroleum 4C HPUS
 Tabacum 4C HPUS

Purpose
 Relieves Nausea,
 Vomiting, Upset
 Stomach,
 Indigestion,
 Dizziness

The letters "HPUS" indicate that the components in this product are officially monographed in the Homeopathic Pharmacopoeia of the United States.

Uses ■ for relief of nausea and vomiting associated with:
 ■ upset stomach ■ overindulgence in food or drink
 ■ stomach flu ■ for relief of nausea, vomiting, or dizziness associated with motion sickness

Warnings

Ask a doctor before use if nausea or vomiting is accompanied by ■ diarrhea ■ severe headache
 ■ fever ■ severe abdominal pain or cramping

Stop use and ask a doctor if symptoms persist for more than 2 days or worsen. If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions ■ Adults and children 2 years of age and older: At the onset of symptoms, dissolve 5 pellets under the tongue. Repeat if necessary until symptoms improve, up to 3 times per day.
 ■ Children under 2 years of age: Ask a doctor.

Other information contains 0.25 g of sugar per dose

Inactive ingredients lactose, sucrose

NAUSEACALM

anamirta cocculus seed, ipecac, strychnos nux-vomica seed, tobacco leaf, kerosene pellet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0220-9245
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TOBACCO LEAF (UNII: 6YR2608RSU) (TOBACCO LEAF - UNII:6YR2608RSU)	TOBACCO LEAF	4 [hp_C]
KEROSENE (UNII: 1C89KCC04E) (KEROSENE - UNII:1C89KCC04E)	KEROSENE	4 [hp_C]

IPECAC (UNII: 62I3C8233L) (IPECAC - UNII:62I3C8233L)	IPECAC	4 [hp_C]
STRYCHNOS NUX-VOMICA SEED (UNII: 269XH13919) (STRYCHNOS NUX-VOMICA SEED - UNII:269XH13919)	STRYCHNOS NUX-VOMICA SEED	4 [hp_C]
ANAMIRTA COCCULUS SEED (UNII: 810258W28U) (ANAMIRTA COCCULUS SEED - UNII:810258W28U)	ANAMIRTA COCCULUS SEED	4 [hp_C]

Inactive Ingredients

Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	
LACTOSE, UNSPECIFIED FORM (UNII: J2B2A4N98G)	

Product Characteristics

Color	white	Score	
Shape	ROUND	Size	4mm
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0220-9245-42	2 in 1 BOX	07/31/2024	
1	NDC:0220-9245-41	80 in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		07/31/2024	

Labeler - Boiron (282560473)

Registrant - Boiron, Inc. (014892269)

Establishment

Name	Address	ID/FEI	Business Operations
Boiron		282560473	manufacture(0220-9245)