

ZYRTEC-D ALLERGY PLUS CONGESTION- cetirizine hydrochloride and pseudoephedrine hydrochloride tablet, film coated, extended release
Kenvue Brands LLC

ZYRTEC-D

Allergy Plus Congestion

Drug Facts

Active ingredients (in each extended release tablet)	Purpose
Cetirizine HCl 5 mg	Antihistamine
Pseudoephedrine HCl 120 mg	Nasal decongestant

Uses

- temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
 - runny nose
 - sneezing
 - itchy, watery eyes
 - itching of the nose or throat
 - nasal congestion
- reduces swelling of nasal passages
- temporarily relieves sinus congestion and pressure
- temporarily restores freer breathing through the nose

Warnings

Do not use

- if you have ever had an allergic reaction to this product or any of its ingredients or to an antihistamine containing hydroxyzine.
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- heart disease
- thyroid disease
- diabetes
- glaucoma
- high blood pressure
- trouble urinating due to an enlarged prostate gland
- liver or kidney disease. Your doctor should determine if you need a different dose.

Ask a doctor or pharmacist before use if you are taking tranquilizers or sedatives.

When using this product

- **do not use more than directed**
- drowsiness may occur
- avoid alcoholic drinks
- alcohol, sedatives, and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery

Stop use and ask a doctor if

- an allergic reaction to this product occurs. Seek medical help right away.
- you get nervous, dizzy, or sleepless
- symptoms do not improve within 7 days or are accompanied by fever

If pregnant or breast-feeding:

- if breast-feeding: not recommended
- if pregnant: ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

Directions

- do not break or chew tablet; swallow tablet whole

adults and children 12 years and over	take 1 tablet every 12 hours; do not take more than 2 tablets in 24 hours.
adults 65 years and over	ask a doctor
children under 12 years of age	ask a doctor
consumers with liver or kidney disease	ask a doctor

Other information

- store between 20° to 25°C (68° to 77°F)
- **do not use if carton is opened or if blister unit is broken**

Inactive ingredients

colloidal silicon dioxide, croscarmellose sodium, hypromellose, lactose monohydrate, magnesium stearate, microcrystalline cellulose, polyethylene glycol, titanium dioxide

Questions?

call **1-800-343-7805** (toll-free) or **215-273-8755** (collect)

PRINCIPAL DISPLAY PANEL

Original Prescription Strength

NDC 50580-728-24

ZYRTEC-D[®]

Cetirizine HCl **5 mg**/antihistamine

Pseudoephedrine HCl **120 mg**/nasal decongestant

Extended Release Tablets

ALLERGY + CONGESTION

**INDOOR + OUTDOOR
ALLERGIES**

**12
HOUR
RELIEF OF**

- *Sneezing*
- *Itchy, Watery Eyes*
- *Runny Nose*
- *Itchy Throat or Nose*
- *Sinus Pressure*
- *Nasal Congestion*

(Actual Size)

**24
EXTENDED
RELEASE TABLETS**

cetirizine hydrochloride and pseudoephedrine hydrochloride tablet, film coated, extended release

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:50580-728
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
CETIRIZINE HYDROCHLORIDE (UNII: 64O047KTOA) (CETIRIZINE - UNII:YO7261ME24)	CETIRIZINE HYDROCHLORIDE	5 mg
PSEUDOEPHEDRINE HYDROCHLORIDE (UNII: 6V9V2RYJ8N) (PSEUDOEPHEDRINE - UNII:7CUC9DDI9F)	PSEUDOEPHEDRINE HYDROCHLORIDE	120 mg

Inactive Ingredients

Ingredient Name	Strength
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
CROSCARMELLOSE SODIUM (UNII: M28OL1HH48)	
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)	
LACTOSE MONOHYDRATE (UNII: EWQ57Q8I5X)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	

Product Characteristics

Color	white (White to off white)	Score	no score
Shape	ROUND (Biconvex)	Size	10mm
Flavor		Imprint Code	Zyrtec;D
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:50580-728-12	2 in 1 CARTON	01/01/2008	
1		6 in 1 BLISTER PACK; Type 0: Not a Combination Product		
2	NDC:50580-728-24	4 in 1 CARTON	01/01/2008	
2		6 in 1 BLISTER PACK; Type 0: Not a Combination Product		
3	NDC:50580-728-25	4 in 1 CARTON	01/01/2008	
3		6 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
NDA	NDA021150	01/01/2008	

Labeler - Kenvue Brands LLC (118772437)

Revised: 6/2025

Kenvue Brands LLC