

LORATADINE - loratadine tablet
Camber Consumer Care Inc

Loratadine Tablets, 10 mg

ACTIVE INGREDIENT(S)

Loratadine 10 mg

PURPOSE

Antihistamine

USE(S)

temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

- runny nose
- itchy, watery eyes
- sneezing
- itching of the nose or throat

WARNINGS

Do not use if you have ever had an allergic reaction to this product or any of its ingredients.

ASK A DOCTOR BEFORE USE IF

you have liver or kidney disease. Your doctor should determine if you need a different dose.

WHEN USING THIS PRODUCT

do not take more than directed. Taking more than directed may cause drowsiness.

STOP USE AND ASK A DOCTOR IF

an allergic reaction to this product occurs. Seek medical help right away.

IF PREGNANT OR BREAST-FEEDING

ask a health professional before use.

KEEP OUT OF REACH OF CHILDREN

In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

DIRECTIONS

adults and children 6 years and over	1 tablet daily; not more than 1 tablet in 24 hours
children under 6 years of age	ask a doctor
consumers with liver or kidney disease	ask a doctor

OTHER INFORMATION

- Tamper-evident: do not use if foil seal under cap, printed with "SEALED for YOUR PROTECTION" is missing, open or broken

STORAGE

- store between 20° to 25°C (68° to 77°F)

INACTIVE INGREDIENTS

Lactose monohydrate, magnesium stearate, sodium starch glycolate and starch maize pregelatinized

QUESTIONS OR COMMENTS

Contact 1-888-588-1418 Mon-Fri 8:00 AM EST to 5:00 PM EST

PRINCIPAL DISPLAY PANEL

Loratadine 10 mg 100-count Carton Label



Loratadine 10 mg 100-count Container Label

CAMBER NDC 69230-328-01

NON-DROWSY*
Allergy Relief
 Loratadine Tablets USP, 10 mg
 Antihistamine
 Indoor & Outdoor Allergies
 24 Hour Relief of:
 • Sneezing • Itchy, Watery Eyes
 • Runny Nose • Itchy Throat or Nose

100 Tablets

24 HOUR

Important: Read the directions and warnings before use.
 Do not use if foil seal under cap, printed with "SEALED for YOUR PROTECTION" is missing, open or broken

Drug Facts

Active ingredient (in each tablet) Purpose
 Loratadine USP (10mg) Antihistamine

Uses Temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
 ■ runny nose ■ itchy, watery eyes
 ■ sneezing ■ itching of the nose or throat

Warnings
 Do not use if you have ever had an allergic reaction to this product or any of its ingredients.
 Ask a doctor before use if you have liver or kidney disease. Your doctor should determine if you need a different dose.
 When using this product do not take more than directed. Taking more than directed may cause drowsiness.
 Stop use and ask a doctor if an allergic reaction to this product occurs. Seek medical help right away.
 If pregnant or breast-feeding, ask a health professional before use.
 Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

Other information
 ■ Longer-acting. Do not use if foil seal under cap, printed with "SEALED for YOUR PROTECTION" is missing, open or broken
 ■ Store between 20° to 25°C (68° to 77°F)

Inactive ingredients
 lactose monohydrate, magnesium stearate, sodium starch glycolate and starch maize prepolysized

Questions?
 contact 1-888-988-1418 Mon-Fri 8:00 AM EST to 5:00 PM EST

Distributed by: Camber Consumer Care Inc. 200600004012
 Piquette, NJ 08854, USA 200600001716

(CONTINUED ON BACK OF LABEL)

MADE IN INDIA

LOT

EXP

PERFECT

Inside (adhesive side)

Drug Facts (continued)

Directions

adults and children 16 years and over	1 tablet daily, not more than 1 tablet in 24 hours
children under 6 years of age	ask a doctor
consumers with liver or kidney disease	ask a doctor

Other information
 ■ Longer-acting. Do not use if foil seal under cap, printed with "SEALED for YOUR PROTECTION" is missing, open or broken
 ■ Store between 20° to 25°C (68° to 77°F)

Inactive ingredients
 lactose monohydrate, magnesium stearate, sodium starch glycolate and starch maize prepolysized

Questions?
 contact 1-888-988-1418 Mon-Fri 8:00 AM EST to 5:00 PM EST

Loratadine 10 mg 300-count Container Label

CAMBER
NDC 69230-328-03
**Compare to the active ingredient in Claritin®

NON-DROWSY*
Allergy Relief
Loratadine Tablets USP, 10 mg
Antihistamine
Indoor & Outdoor Allergies
24 Hour Relief of:
• Sneezing • Itchy, Watery Eyes
• Runny Nose • Itchy Throat or Nose
300 Tablets

Actual Size

Important: Read the directions and warnings before use.
Do not use if foil seal under cap, printed with "SEALED for YOUR PROTECTION" is missing, open or broken

Drug Facts
Active ingredient (in each tablet) Loratadine USP, 10mg Antihistamine
Purpose Antihistamine
Uses temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
■ runny nose ■ itchy, watery eyes
■ sneezing ■ itching of the nose or throat
Warnings Do not use if you have ever had an allergic reaction to this product or any of its ingredients.
Ask a doctor before use if you have liver or kidney disease. Your doctor should determine if you need a different dose.
When using this product do not take more than directed. Taking more than directed may cause drowsiness.

(CONTINUED ON BACK OF LABEL)

3 69230 32803 3
N 3

Distributed by: Camber Consumer Care Inc.
Piscataway, NJ 08854, USA
20000000014
700000003177

MADE IN INDIA
LOT
EXP
PEEL HERE

Inside (adhesive side)

Drug Facts (continued)
Stop use and ask a doctor if an allergic reaction to this product occurs. Seek medical help right away.
If pregnant or breast-feeding, ask a health professional before use.
Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

Directions
adults and children 16 years and over 1 tablet daily, not more than 1 tablet in 24 hours
children under 6 years of age ask a doctor
consumers with liver or kidney disease ask a doctor

Other information
■ longer-evident: do not use if foil seal under cap, printed with "SEALED for YOUR PROTECTION" is missing, open or broken
■ store between 20° to 25°C (68° to 77°F)

Inactive ingredients
hexane monohydrate, magnesium stearate, sodium starch glycolate and starch maize pregelatinized

Questions?
*Loratadine tablets are not manufactured or distributed by Bayer Healthcare, LLC, owner of Claritin® trademark.
contact 1-888-688-1418; Mon-Fri 8:00 AM EST to 5:00 PM EST

LORATADINE

loratadine tablet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69230-328
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LORATADINE (UNII: 7AJ03BO7QN) (LORATADINE - UNII:7AJ03BO7QN)	LORATADINE	10 mg

Inactive Ingredients

Ingredient Name	Strength
LACTOSE MONOHYDRATE (UNII: EWQ57Q8I5X)	
STARCH, CORN (UNII: O8232NY3SJ)	

MAGNESIUM STEARATE (UNII: 70097M6I30)	
SODIUM STARCH GLYCOLATE TYPE A POTATO (UNII: 5856J3G2A2)	

Product Characteristics

Color	white (White to off white)	Score	no score
Shape	ROUND	Size	6mm
Flavor		Imprint Code	G;10
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69230-328-01	1 in 1 CARTON	07/31/2022	
1		100 in 1 BOTTLE; Type 0: Not a Combination Product		
2	NDC:69230-328-03	300 in 1 BOTTLE; Type 0: Not a Combination Product	07/31/2022	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA210722	07/31/2022	

Labeler - Camber Consumer Care Inc (079539968)

Establishment

Name	Address	ID/FEI	Business Operations
Granules India Limited		918609236	manufacture(69230-328)

Revised: 12/2022

Camber Consumer Care Inc