

TARTEGUARD MINERAL POWDER SPF 30- titanium dioxide and zinc oxide liquid
Tarte, Inc

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Tarteguard Mineral Powder SPF 30

Drug Facts

<i>Active ingredients</i>	<i>Purpose</i>
Titanium Dioxide 8.6%	Sunscreen
Zinc Oxide 10.0%	Sunscreen

Uses

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only.

Stop use and ask doctor if rash occurs.

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Keep out of the reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply liberally 15 minutes before sun exposure.
- Use a water resistant sunscreen if swimming or sweating.
- Reapply at least every 2 hours.
- Children under 6 months: Ask a doctor.
- Optional: apply to all skin exposed to the sun.
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

–Limit time in the sun, especially from 10 a.m.-2 p.m.

–Wear long-sleeved shirts, pants, hats and sunglasses

Other information

- Protect the product in this container from excessive heat and direct sunlight.
- You may report a serious adverse reaction to: tarte c/o Report Reaction, LLC, P.O. Box 22, Plainsboro, New Jersey 08536-0222.

Inactive ingredients

Polymethylsilsesquioxane, silica, jojoba esters, caprylyl glycol, alumina, sodium dehydroacetate, phenoxyethanol, vanillin, caprylic/capric triglyceride, hexylene glycol, vanilla planifolia fruit extract, aluminum dimyristate, triethoxycaprylylsilane, disodium stearyl glutamate, iron oxides, mica.
OX100FW000041.

Dist. by tarte™, Inc. New York, NY 10018.

PRINCIPAL DISPLAY PANEL - 8 g Tube Carton

tarte

high-performance naturals™

TARTEGUARD

30

mineral powder sunscreen

Broad Spectrum SPF 30

net wt 8 g / 0.28 Oz.



TARTEGUARD 30

mineral powder sunscreen
Broad Spectrum SPF 30

tarte
high-performance naturals™



TARTEGUARD 30

mineral powder sunscreen
Broad Spectrum SPF 30

net wt 8 g / 0.28 Oz.



Drug Facts

Active ingredients Purpose
Titanium Dioxide 8.6%.....Sunscreen
Zinc Oxide 10.0%.....Sunscreen

Uses

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only.

Stop use and ask doctor if rash occurs.

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Keep out of the reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply liberally 15 minutes before sun exposure.
- Use a water resistant sunscreen if swimming or sweating.
- Reapply at least every 2 hours.
- Children under 6 months: Ask a doctor.
- Optional: apply to all skin exposed to the sun.
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - Limit time in the sun, especially from 10 a.m.-2 p.m.
 - Wear long-sleeved shirts, pants, hats and sunglasses

Other information

- Protect the product in this container from excessive heat and direct sunlight.
- You may report a serious adverse reaction to: tarte c/o Report Reaction, LLC, P.O. Box 22, Plainsboro, New Jersey 08536-0222. ▶

Drug Facts (continued)

Inactive ingredients


Polymethylsilsesquioxane, silica, jojoba esters, caprylyl glycol, alumina, sodium dehydroacetate, phenoxyethanol, vanillin, caprylic/capric triglyceride, hexylene glycol, vanilla planifolia fruit extract, aluminum dimyristate, triethoxycaprylylsilane, disodium stearyl glutamate, iron oxides, mica. OX100FW000041.



Made in USA.
Dist. by tarte™, Inc. New York, NY 10018.
All rights reserved.

www.tarte.com

FG04186-01



TARTEGUARD MINERAL POWDER SPF 30

titanium dioxide and zinc oxide liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:51060-126
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Titanium Dioxide (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	86 mg in 1 mL
Zinc Oxide (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)	Zinc Oxide	100 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
POLYMETHYLSILSESQUOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
ALUMINUM OXIDE (UNII: LM26O6933)	
SODIUM DEHYDROACETATE (UNII: 8W46YN971G)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
VANILLIN (UNII: CHI530446X)	
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)	
HEXYLENE GLYCOL (UNII: KEH0A3F75J)	
VANILLA (UNII: Q74T35078H)	
ALUMINUM DIMYRISTATE (UNII: J2KA067N9O)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
DISODIUM STEAROYL GLUTAMATE (UNII: 45ASM2L11M)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:51060-126-01	1 in 1 CARTON	03/20/2018	

1	8.3 mL in 1 TUBE; Type 0: Not a Combination Product		
---	---	--	--

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH NOT FINAL	part352	03/20/2018	

Labeler - Tarte, Inc (027905186)

Revised: 3/2018

Tarte, Inc