

CD 1-2 - iodine liquid

BouMatic, LLC

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

CD 1-2

Commercial Grade Iodine Pre-dip

An aid in reducing the spread of mastitis causing organisms.

DIRECTIONS FOR PRE-DIPPING

1. Remove excessive organic soils from udder and teats prior to pre-dipping.
2. Dip or spray cow's teats thoroughly with CD 1-2.
3. Strip out 3-4 squirts of milk from each quarter.
4. To remove the Iodine Pre-Dip, wipe the teats dry with a single service towel .
5. Attach milking unit.

DIRECTIONS FOR POST-DIPPING

Immediately after milking, use CD 1-2 at full strength. Submerge entire teat in CD 1-2.

Allow to air dry. Do not wipe. Always use fresh, full strength CD 1-2. If product in dip cup becomes visibly dirty, discard contents and replenish with CD 1-2 undiluted product.

Do not reuse or return used product to the original container.

If frozen, thaw completely and mix well before using.

ACTIVE INGREDIENT: 1% Titratable Iodine

Contains 2% Skin Conditioners

DANGER

Keep Out of Reach of Children • Can Cause Eye Damage

Protect eyes when handling. DO NOT get in eyes or on clothing. Harmful if swallowed.

Avoid contamination of food.

FIRST AID

Eyes: In case of contact with eyes, flush immediately with plenty of water for at least 15 minutes. Call a physician.

Internal: If swallowed, promptly rinse mouth then give a large quantity of milk or water. Avoid alcohol. Contact a physician immediately. Never give anything by mouth to an unconscious person.

For Assistance with Medical Emergency, Call 1-800-255-3924.

Refer to Material Safety Data Sheet.

The screenshot shows a PDF document viewer interface. The document content is partially visible, showing the following text:

- TEAT DIP** (Logo)
- ACTIVE INGREDIENT: 1% Titratable Iodine
- Contains 2% Skin Conditioners
- DIRECTIONS FOR PRE-DIPPING**
- 1. Remove excessive organic soils from udder and teats prior to pre-dipping.
- 2. Dip or spray cow's teats thoroughly with CD 1-2.
- 3. Strip out 3-4 squirts of milk from each quarter.
- 4. To remove the Iodine Pre-Dip, wipe the teats dry with a single service towel .
- 5. Attach milking unit.
- DIRECTIONS FOR POST-DIPPING**
- Immediately after milking, use CD 1-2 at full strength. Submerge entire teat in CD 1-2.
- Allow to air dry. Do not wipe. Always use fresh, full strength CD 1-2. If product in dip cup becomes visibly dirty, discard contents and replenish with CD 1-2 undiluted product.
- Do not reuse or return used product to the original container.**
- If frozen, thaw completely and mix well before using.**

The PDF viewer interface includes a menu bar (File, Edit, View, Window, Help), a toolbar with navigation icons, and a status bar at the bottom right showing the file name "CDS_CD1-2-2up_1306_v2.pdf - Adobe Reader" and page number "1 / 1".

105% [Print] [Share] [Comment] [Tools] [Sign] [Comment]



CD 1-2

Commercial Dairy Systems

Commercial Grade Iodine Pre and Post Teat Dip

An aid in reducing the spread of mastitis causing organisms.

Lot #: _____
 Expires: _____
 Net Contents: _____

SKU: _____

Show Tools pane

PRE-DIPPING

Organic soils from udder and teats prior to pre-dipping:
 teats thoroughly with **CD 1-2**.
 of milk from each quarter.
 Pre-Dip, wipe the teats dry with a single service towel.

POST-DIPPING

ng, use **CD 1-2** at full strength. Submerge entire teat in **CD 1-2**.
 t wipe. Always use fresh, full strength **CD 1-2**. If product in dip cup
 discard contents and replenish with **CD 1-2** undiluted product.
 used product to the original container.
 ely and mix well before using.

ENT: 1% Titratable Iodine
 Conditioners

DANGER

Keep Out of Reach of Children • Can Cause Eye Damage
 Protect eyes when handling. DO NOT get in eyes or on clothing. Harmful if swallowed.
 Avoid contamination of food.

FIRST AID

Eyes: In case of contact with eyes, flush immediately with plenty of water for at least 15 minutes. Call a physician.
Internal: If swallowed, promptly rinse mouth then give a large quantity of milk or water. Avoid alcohol. Contact a physician immediately. Never give anything by mouth to an unconscious person.
For Assistance with Medical Emergency, call 1-800-255-3924.
 Refer to Material Safety Data Sheet.



TAKE TIME

OBSERVE
 LABEL
 DIRECTIONS

Repackaged by: **BROWN DAIRY EQUIPMENT CO., INC.**
 2153 N. Van Dyke • Bod Ave • Michigan 48413 • (800) 373-2153
 Distributed by: **BOUMATIC LLC**
 1919 S Shouthern Rd • Madison • Wisconsin 53708 • (608) 222-3484

Enter section text here

CD 1-2 iodine liquid

Product Information

Product Type	OTC ANIMAL DRUG	Item Code (Source)	NDC:48106-1191
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
IODINE (UNII: 9679TC07X4) (IODINE - UNII:9679TC07X4)	IODINE	100 g in 10 L

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:48106-1191-1	3.8 L in 1 DRUM		
2	NDC:48106-1191-2	18.9 L in 1 DRUM		
3	NDC:48106-1191-3	56.8 L in 1 DRUM		
4	NDC:48106-1191-4	114 L in 1 DRUM		
5	NDC:48106-1191-5	208 L in 1 DRUM		
6	NDC:48106-1191-9	1040 L in 1 CONTAINER, FLEXIBLE INTERMEDIATE BULK		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		08/01/2007	

Labeler - BouMatic, LLC (124727400)**Registrant** - BouMatic, LLC (124727400)**Establishment**

Name	Address	ID/FEI	Business Operations
BouMatic, LLC		124727400	manufacture, api manufacture

Establishment

Name	Address	ID/FEI	Business Operations
BROWN DAIRY EQUIPMENT		017030149	repack

Establishment

Name	Address	ID/FEI	Business Operations
BROWN DAIRY EQUIPMENT		028199899	repack