

ACTIVE SKIN REPAIR HYDRATING DAILY SUNSCREEN- zinc oxide lotion
Innovacyn, Inc.

Active ingredient

Zinc oxide, 19.6 %

Purpose

Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see ***Directions***), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- apply liberally and evenly 15 minutes before sun exposure
- reapply at least every 2 hours
- use a water-resistant sunscreen if swimming or sweating:
- immediately after towel drying
- at least every 2 hours
- children under 6 months of age: Ask a doctor
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m.– 2 p.m.
 - wear long-sleeved shirts, pants, hats, and sunglasses

Other Information

- protect the product in this container from excessive heat and direct sun

Inactive ingredients

water, C13-15 alkane, butyloctyl salicylate, ethylhexyl olivate, glycerin, zeamays (corn) starch, argania spinosa kernel oil, propanediol, tocopheryl acetate, polyhydroxystearic acid, inulin lauryl carbamate, pentylene glycol, 1,2-hexanediol, betaine, biosaccharide gum-4, bisabolol, cellulose, ethylhexylglycerin, eugenia caryophyllus (clove) bud extract, hydroxyethyl acrylate/sodium acryloyldimethyl taurate copolymer, lauroyl lysine, niacinamide, panthenol, phenoxyethanol, polyglyceryl-2 dipolyhydroxystearate, polyglyceryl-3 diisostearate, silica, sodium acrylates crosspolymer-2, sodium hyaluronate, solidago virgaurea (goldenrod) extract, sorbitan isostearate, squalane, tocopherol, trisodium ethylenediamine disuccinate

Product label



Sign by Jason
01/03/2025

Unit Carton

Drug Facts

Active Ingredient **Purpose**
Zinc oxide, 19.6 %..... Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- apply liberally and evenly 15 minutes before sun exposure
- reapply at least every 2 hours
- use a water-resistant sunscreen if swimming or sweating:
 - immediately after towel drying
 - at least every 2 hours
- children under 6 months of age: Ask a doctor
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. – 2 p.m.
 - wear long-sleeved shirts, pants, hats, and sunglasses

Other Information

- protect the product in this container from excessive heat and direct sun

Inactive Ingredients

water, C13-15 alkane, butyloctyl salicylate, ethylhexyl olivate, glycerin, zea mays (corn) starch, argania spinosa kernel oil, propanediol, tocopheryl acetate, polyhydroxystearic acid, inulin lauryl carbamate, pentylene glycol, 1,2-hexanediol, betaine, bisaccharide gum-4, bisabolol, cellulose, ethylhexylglycerin, eugenia caryophyllus (clove) bud extract, hydroxyethyl acrylate/sodium acryloyldimethyl taurate copolymer, lauroyl lysine, niacinamide, panthenol, phenoxethanol, polyglyceryl-2 dipolyhydroxystearate, polyglyceryl-3 distearate, silica, sodium acrylates crosspolymer-2, sodium hyaluronate, solidago virgaurea (goldenrod) extract, sorbitan isostearate, squalane, tocopherol, trisodium ethylenediamine disuccinate

a

active
SKIN
REPAIR

a



Non-Greasy



Lightweight Hydration



Clean Ingredients



FOR THE
PLANET

Made in U.S.A with
global components

BULK BY:
Innovacyr, Inc.
Rialto, CA 92377

Questions or Comments?

Please contact
hello@bldgactive.com
(866) 316-3116

Monday - Friday,
9am-5pm PST

142% 140218 v1.0



hydrating daily
sunscreen

non-nano zinc

hyaluronic acid
& niacinamide

Protect

- Non Nano Zinc Oxide

Hydrate & Repair

- hyaluronic acid
- niacinamide
- vitamin e
- squalene

harnessing the power
of the human body

Broad Spectrum SPF 50

1.7 fl.oz. / 50ml

Learn more at
ActiveSkinRepair.com



Tube 95* 123mm



Front

Back

ACTIVE SKIN REPAIR HYDRATING DAILY SUNSCREEN

zinc oxide lotion

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:70489-1615
Route of Administration	TOPICAL		
Active Ingredient/Active Moiety			
Ingredient Name		Basis of Strength	Strength
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC CATION - UNII:13S1S8SF37)		ZINC CATION	19.6 g in 100 mL
Inactive Ingredients			
Ingredient Name			Strength

WATER (UNII: 059QF0KO0R)	
C13-15 ALKANE (UNII: 114P5I43UJ)	
BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3)	
ETHYLHEXYL OLIVATE (UNII: HTC7G3S2PV)	
GLYCERIN (UNII: PDC6A3C0OX)	
ZEA MAYS (CORN) STARCH (UNII: O8232NY3SJ)	
ARGANIA SPINOSA KERNEL OIL (UNII: 4V59G5UW9X)	
PROPANEDIOL (UNII: 5965N8W85T)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
POLYHYDROXYSTEARIC ACID (2300 MW) (UNII: YXH47AOU0F)	
INULIN LAURYL CARBAMATE (UNII: 48RFF58ESG)	
PENTYLENE GLYCOL (UNII: 50C1307PZG)	
HYDROXYETHYL ACRYLATE/SODIUM ACRYLOYLDIMETHYL TAURATE COPOLYMER (100000 MPA.S AT 1.5%) (UNII: 86FQE96TZ4)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
SODIUM ACRYLATES CROSSPOLYMER-2 (UNII: D3HPR4WW6F)	
BISABOLOL (UNII: 24WE03BX2T)	
LAUROYL LYSINE (UNII: 113171Q70B)	
CLOVE (UNII: K48IKT5321)	
SQUALANE (UNII: GW89575KF9)	
SOLIDAGO VIRGAUREA FLOWERING TOP (UNII: 5405K23S50)	
TOCOPHEROL (UNII: R0ZB2556P8)	
BETAINE (UNII: 3SCV180C9W)	
NIACINAMIDE (UNII: 25X51I8RD4)	
PANTHENOL (UNII: WW9CM0O67Z)	
POLYGLYCERYL-2 DIPOLYHYDROXYSTEARATE (UNII: 9229XJ4V12)	
POLYGLYCERYL-3 DIISOSTEARATE (UNII: 46P231IQV8)	
POWDERED CELLULOSE (UNII: SMD1X3XO9M)	
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	
1,2-HEXANEDIOL (UNII: TR046Y3K1G)	
SORBITAN ISOSTEARATE (UNII: 01S2G2C1E4)	
TRISODIUM ETHYLENEDIAMINE DISUCCINATE (UNII: YA22H34H9Q)	
BIOSACCHARIDE GUM-4 (UNII: 9XRL057X90)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
HYALURONATE SODIUM (UNII: YSE9PPT4TH)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:70489-1615-1	50 mL in 1 TUBE; Type 0: Not a Combination Product	06/26/2025	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	06/26/2025	

Revised: 6/2025

Innovacyn, Inc.