

BABY SUNSCREEN SPF 50- titanium dioxide 3.1% zinc oxide 4.0% lotion

Meijer

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Drug Facts

Active ingredients	Purpose
Titanium Dioxide 3.1%.....	Sunscreen
Zinc Oxide 4.0%.....	Sunscreen

Uses • helps prevent sunburn

Warnings

For external use only

Do not use • on damaged or broken skin

When using this product • keep out of eyes.

Rinse with water to remove.

Stop use and ask a doctor if • rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions • Apply liberally 15 minutes before sun exposure

• Reapply: • after 80 minutes of swimming or sweating

• immediately after towel drying • at least every 2 hours • **Sun**

Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m. – 2 p.m. • wear long-sleeve shirts, pants, hats, and sunglasses • Children under 6 months: Ask a doctor

Other information • protect the product in this container from excessive heat and direct sun • may stain fabrics.

Inactive ingredients

Aloe Barbadensis Leaf Extract, Alumina, Butyloctyl Salicylate, Caprylic/ Capric Triglyceride Caprylyl Glycol Cetyl PEG/PPG-10/1 Dimethicone, Dimethicone Ethylhexyl Methoxycrylene, Glycerin, Isohexadecane, Lauryl PEG-8 Dimethicone Octyldodecyl Citrate Crosspolymer PEG-8, Phenoxyethanol Sodium Chloride, Sodium Citrate, Tocopheryl Acetate, Triethoxycaprylylsilane, VP/Eicosene Copolymer Water.

Questions? 866-483-2846

VALUE
SIZE

meijer

Baby
Sunscreen
Lotion



Broad Spectrum SPF 50

UVA/UVB Protection
Water Resistant (80 minutes)
Fragrance Free



Drug Facts

Active ingredients	Purpose
Titanium Dioxide 3.1%	Sunscreen
Zinc Oxide 4.0%	Sunscreen

Uses • helps prevent sunburn

Warnings

For external use only

Do not use • on damaged or broken skin

When using this product • keep out of eyes.

Rinse with water to remove.

Stop use and ask a doctor if • rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions • Apply liberally 15 minutes before sun exposure

• Reapply: • after 80 minutes of swimming or sweating

• immediately after towel drying • at least every 2 hours • **Sun**

Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m. – 2 p.m. • wear long-sleeve shirts, pants, hats, and sunglasses • Children under 6 months: Ask a doctor

Other information • protect the product in this container from excessive heat and direct sun • may stain fabrics.

Inactive ingredients Aloe Barbadensis Leaf Extract, Alumina, Butyloctyl Salicylate, Caprylic/ Capric Triglyceride Caprylyl Glycol Cetyl PEG/PPG-10/1 Dimethicone, Dimethicone Ethylhexyl Methoxycrylene, Glycerin, Isohexadecane, Lauryl PEG-8 Dimethicone Octyldodecyl Citrate Crosspolymer PEG-8, Phenoxyethanol Sodium Chloride, Sodium Citrate, Tocopheryl Acetate, Triethoxycaprylylsilane, VP/Eicosene Copolymer Water.

Questions? 866-483-2846

DIST. BY MEIJER
DISTRIBUTION, INC.
2929 WALKER, NW,
GRAND RAPIDS, MI
49544



BABY SUNSCREEN SPF 50

titanium dioxide 3.1% zinc oxide 4.0% lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:41250-902
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Titanium Dioxide (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	Titanium Dioxide	3.1 g in 100 mL
Zinc Oxide (UNII: SOI2LOH54Z) (ZINC CATION - UNII:13S1S8SF37)	ZINC CATION	4 g in 100 mL

Inactive Ingredients

Ingredient Name	Strength
ALOE VERA LEAF (UNII: ZY81Z83H0X)	
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)	
Caprylyl Glycol (UNII: 00YIU5438U)	
Dimethicone (UNII: 92RU3N3Y1O)	
Ethylhexyl Methoxycrylene (UNII: S3KFG6Q5X8)	
Glycerin (UNII: PDC6A3C0OX)	
Isohexadecane (UNII: 918X1OUF1E)	
POLYETHYLENE GLYCOL 400 (UNII: B697894SGQ)	
Phenoxyethanol (UNII: HIE492ZZ3T)	
Sodium Chloride (UNII: 451W47IQ8X)	
Sodium Citrate (UNII: 1Q73Q2JULR)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
Triethoxycaprylylsilane (UNII: LDC331P08E)	
EICOSYL POVIDONE (UNII: XQQ9MKE2BJ)	
Water (UNII: 059QF0K00R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:41250-902-06	296 mL in 1 BOTTLE; Type 0: Not a Combination Product	03/14/2017	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	03/14/2017	

Labeler - Meijer (006959555)

Registrant - Product Quest Mfg (927768135)

Establishment

Name	Address	ID/FEI	Business Operations
Product Quest Mfg		927768135	manufacture(41250-902) , label(41250-902)

Revised: 6/2018

Meijer