

**STOOL SOFTENER REGULAR STRENGTH- docusate sodium capsule, liquid filled
Sam's West, Inc**

Drug Facts

Active ingredient (in each softgel)

Docusate sodium 100 mg

Purpose

Stool softener laxative

Uses

- relieves occasional constipation (irregularity)
- generally produces bowel movement in 12 to 72 hours

Warnings

Do not use

if you are presently taking mineral oil, unless told to do so by a doctor.

Ask a doctor before use if you have

- stomach pain
- nausea
- vomiting
- noticed a sudden change in bowel habits that lasts over 2 weeks

Stop use and ask a doctor if

- you have rectal bleeding or fail to have a bowel movement after use of a laxative. These could be signs of a serious condition.
- you need to use a laxative for more than 1 week

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

- take only by mouth. Doses may be taken as a single daily dose or in divided doses.

adults and children 12 years and over	take 1-3 softgels daily
children 2 to under 12 years of age	take 1 softgel daily
children under 2 years	ask a doctor

Other information

- **each softgel contains:** sodium 5 mg
- store at 25°C (77°F); excursions permitted between 15-30°C (59-86°F)

Inactive ingredients

ammonium hydroxide, anhydrous citric acid, D&C red #33, ethyl alcohol, FD&C blue #1*, FD&C red #40, FD&C yellow #6, gelatin, glycerin, isopropyl alcohol, lecithin, mineral oil, n-butyl alcohol, polyethylene glycol, potassium hydroxide, propylene glycol, purified water, sorbitan, sorbitol, titanium dioxide

Questions or comments?

Call **1-877-753-3935** Monday-Friday 9AM-5PM EST

Principal Display Panel

Compare to **COLACE® ACTIVE INGREDIENT†**

Stool Softener

DOCUSATE SODIUM 100 mg

Stool Softener Laxative

GENTLE & DEPENDABLE

STIMULANT-FREE

SEE DIRECTIONS FOR SERVING SIZE

SOFTGELS

†This product is not manufactured or distributed by Atlantis Consumer Healthcare Inc., distributor of Colace® Regular Strength Stool Softener.

TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING.

DISTRIBUTED BY

SAM'S WEST, INC.

BENTONVILLE, AR 72716

Product Label

COMPARE TO COLACE® ACTIVE INGREDIENT!

Member's Mark
NDC 68196-998-60

Stool Softener

DOCUSATE SODIUM 100 MG

Stool Softener Laxative

600 SOFTGELS
GENTLE & DEPENDABLE
STIMULANT-FREE

ACTUAL SIZE
SEE DIRECTIONS FOR SERVING SIZE

TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING.

Drug Facts

Active ingredient (in each softgel)
Docusate sodium 100 mg.....Stool softener laxative

Uses

- relieves occasional constipation (irregularity)
- generally produces bowel movement in 12 to 72 hours

Warnings
 Do not use if you are presently taking mineral oil, unless told to do so by a doctor.
 Ask a doctor before use if you have

- stomach pain
- nausea
- vomiting

 or noticed a sudden change in bowel habits that lasts over 2 weeks
Stop use and ask a doctor if

- you have rectal bleeding or fail to have a bowel movement after use of a laxative. These could be signs of a serious condition.
- you need to use a laxative for more than 1 week

if pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions
 Take only by mouth. Doses may be taken as a single daily dose or in divided doses.
 adults and children 12 years and over take 1-3 softgels daily
 children 2 to under 12 years of age take 1 softgel daily
 children under 2 years ask a doctor

Other information
 each softgel contains: sodium 5 mg
 store at 25°C (77°F); excursions permitted between 15-30°C (59-86°F)

Inactive ingredients ammonium hydroxide, anhydrous citric acid, D&C Red #33, ethyl alcohol, FD&C blue #1, FD&C red #40, FD&C yellow # 6, gelatin, glycerin, isopropyl alcohol, lecithin, mineral oil, n-butyl alcohol, polyethylene glycol, potassium hydroxide, propylene glycol, purified water, sorbitol, sorbitol, titanium dioxide

Questions or comments?
 Call 1-877-753-3835 Monday-Friday 9AM-5PM EST

This product is not manufactured or distributed by Allantix Consumer Healthcare Inc., distributor of Colace® Regular Strength Stool Softener.



DISTRIBUTED BY
 SAM'S WEST, INC.
 BENTONVILLE, AR 72716

PRODUCT OF CHINA

Lot No.:
 PLD-C705A
 LBD09589

Exp. Date:

MEMBER'S MARK (Sam West) Stool Softener

STOOL SOFTENER REGULAR STRENGTH

docusate sodium capsule, liquid filled

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:68196-998
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DOCUSATE SODIUM (UNII: F05Q2T2JA0) (DOCUSATE - UNII:M7P27195AG)	DOCUSATE SODIUM	100 mg

Inactive Ingredients

Ingredient Name	Strength
D&C RED NO. 33 (UNII: 9DBA0SBB0L)	
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
FD&C YELLOW NO. 6 (UNII: H77VEI93A8)	
GELATIN (UNII: 2G86QN327L)	
GLYCERIN (UNII: PDC6A3C0OX)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
WATER (UNII: 059QF0KO0R)	
SORBITAN (UNII: 6O92ICV9RU)	
SORBITOL (UNII: 506T60A25R)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	
ALCOHOL (UNII: 3K9958V90M)	

ISOPROPYL ALCOHOL (UNII: ND2M416302)	
LECITHIN, SOYBEAN (UNII: 1DI56QDM62)	
MINERAL OIL (UNII: T5L8T28FGP)	
AMMONIA (UNII: 5138Q19F1X)	
BUTYL ALCOHOL (UNII: 8PJ61P6TS3)	
POTASSIUM HYDROXIDE (UNII: WZH3C48M4T)	

Product Characteristics

Color	red, white	Score	no score
Shape	OVAL	Size	12mm
Flavor		Imprint Code	PC18
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:68196-998-60	600 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	07/15/2022	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M007	07/15/2022	

Labeler - Sam's West, Inc (051957769)

Revised: 7/2024

Sam's West, Inc