SAFEGUARD ANTIBACTERIAL HAND WASH FRESH CLEAN SCENTchloroxylenol liquid

The Procter & Gamble Manufacturing Company

Safeguard ® AntiBacterial Hand Wash Fresh Clean Scent

Drug Facts

Active Ingredient

Chloroxylenol 0.35%

Purpose

Antibacterial

Uses

- For handwashing to decrease bacteria on the skin
- Recommended for repeated use

Warnings

For external use only

When using this product

- Avoid contact with eyes. If contact occurs, rinse thoroughly with water.
- If irritation develops, stop use and consult a doctor.
- **Do not use** as a facial wash

Keep out of reach of children except under adult supervision

In case of accidental ingestion, seek medical attention or contact a poison control center immediately.

Directions

Turn pump to unlock. Wet hands. Apply 5 mL to hands and scrub thoroughly for 30 seconds. Rinse.

Inactive ingredients

Water, sodium lauryl sulfate, cocamidopropyl betaine, citric acid, sodium chloride, fragrance, sodium citrate, sodium xylenesulfonate, benzyl alcohol, sodium benzoate, salicylic acid, disodium EDTA, PCA, methylchloroisothiazolinone, methylisothiazolinone, blue 1. red 33

Questions?

1-800-595-1375

www.safeguardna.com

Distr. by

Procter & Gamble,

Cincinnati, OH 45202

PRINCIPAL DISPLAY PANEL - 458 mL Label

Safeguard ®

Chloroxylenol Antibacterial

Hand Wash

enriched with skin conditioners

Kills 99.9%

of bacteria

Fresh Clean Scent

5.5 FL OZ 458 mL



Smella Like: Calming lily and lavender soothes the senses and brightens the day Fragrance Notes: Grapefruit, Apple, Rose,

Fragrance Notes: Grapefruit, Apple, Rose, Water Lily, and Mint Leaf









Drug Facts

Active ingredient

Purpose Antibacterial

Chloroxylenol 0.35%

- · For handwashing to decrease bacteria on skin
- · Recommended for repeated use

Warnings

For external use only

When using this product

- Avoid contact with eyes. If contact occurs, rinse thoroughly with water.
- . If irritation develops, stop use and consult a doctor.
- . Do not use as a facial wash

Keep out of reach of children except under adult supervision. In case of accidental ingestion, seek medical attention or contact a poison control center immediately.

Directions Turn pump to unlock. Wet hands. Apply 5 mL to hands and scrub thoroughly for 30 seconds. Rinse.


Inactive ingredients Water, sodium lauryl sulfate, cocamidopropyl betaine, citric acid, sodium chloride, fragrance, benzyl alcohol, sodium citrate, sodium xylenesulfonate, sodium benzoate, salicytic acid, disodium EDTA, PCA, methylchloroisothiazolinone, methylisothiazolinone, blue 1, red 33


* effective at eliminating 99.9% of representative bacteria as per FDA monograph in as little as 30 seconds.

Questions? 1-800-595-1375 www.safeguardna.com

Distr. by PROCTER & GAMBLE, CINCINNATI, OH 45202 Patents: www.pg.com/patents

P&G www.pg.com 9 2024, P&G





SAFEGUARD ANTIBACTERIAL HAND WASH FRESH CLEAN SCENT

chloroxylenol liquid

Product Information

Product Type HUMAN OTC DRUG Item Code (Source) NDC:84126-008

Route of Administration TOPICAL

| Active Ingredient/Active Moiety | | | |
|--|----------------------|------------------|--|
| Ingredient Name | Basis of Strength | Strength | |
| CHLOROXYLENOL (UNII: 0F32U78V2Q) (CHLOROXYLENOL - UNII:0F32U78V2Q) | CHLOROXYLENOL | 0.35 g in 100 mL | |

| Inactive Ingredients | | |
|--|----------|--|
| Ingredient Name | Strength | |
| METHYLCHLOROISOTHIAZOLINONE (UNII: DEL7T5QRPN) | | |
| SODIUM LAURYL SULFATE (UNII: 368GB5141J) | | |
| COCAMIDOPROPYL BETAINE (UNII: 50CF3011KX) | | |
| BENZYL ALCOHOL (UNII: LKG8494WBH) | | |
| EDETATE DISODIUM (UNII: 7FLD91C86K) | | |
| WATER (UNII: 059QF0KO0R) | | |
| FD&C BLUE NO. 1 (UNII: H3R47K3TBD) | | |
| D&C RED NO. 33 (UNII: 9DBA0SBB0L) | | |
| SODIUM CITRATE (UNII: 1Q73Q2JULR) | | |
| SODIUM XYLENESULFONATE (UNII: G4LZF950UR) | | |
| SODIUM CHLORIDE (UNII: 451W47IQ8X) | | |
| SODIUM BENZOATE (UNII: OJ245FE5EU) | | |
| SALICYLIC ACID (UNII: O414PZ4LPZ) | | |
| PIDOLIC ACID (UNII: SZB83O1W42) | | |
| METHYLISOTHIAZOLINONE (UNII: 229D0E1QFA) | | |
| CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP) | | |

| Packaging | | | | | | |
|-----------|----------------------|---|-------------------------|-----------------------|--|--|
| # | Item Code | Package Description | Marketing Start Date | Marketing End Date | | |
| 1 | NDC:84126- 008-45 | 458 mL in 1 BOTTLE, PUMP; Type 0: Not a Combination Product | 01/27/2024 | | | |

| Marketing Information | | | | | |
|-----------------------|---|-------------------------|-----------------------|--|--|
| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date | | |
| OTC Monograph Drug | 505G(a)(3) | 01/27/2024 | | | |
| | | | | | |

Labeler - The Procter & Gamble Manufacturing Company (004238200)

Revised: 8/2024 The Procter & Gamble Manufacturing Company