SUNMED MOTION- lidocaine liquid Sunflora Inc

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

SUNMED MOTION

Drug Facts

Active Ingredients

Lidocaine 4%

Purpose

Topical Analgesic

Uses

Temporarily relieves minor pain associated with:

• arthritis • sprains • simple backache • muscle strains • cramps • bruises

Warnings

For external use only

When using this product

• use only as directed • do not bandage tightly • avoid contact with eyes • do not apply to wounds or damaged skin • do not use in large quantities, particularly over raw surfaces or blistered areas.

Stop use and ask a doctor if

• condition worsens • symptoms persist for more than 7 days • symptoms clear up and occur again within a few days

Keep out of reach of children

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Adults and children 2 years of age and older: Apply to the affected area not more than 3 to 4 times daily.
- Children under 2 years of age: Consult a doctor.

Inactive Ingredients

Allantoin, Caprylic/Capric Triglyceride, Capsicum Annuum Fruit Powder, Calcium Disodium EDTA, Cannabis Sativa (Aerial) Extract Oil, Dimethicone, dl-alpha Tocopheryl Acetate, Ethyl Alcohol, Ethylhexylglycerin, Ethylhexyl Stearate, Fragrance, Glycerin, Phenoxyethanol, Polysorbate 80, Propanediol, Propylene Glycol, Purified Water, Simethicone, Sodium Polyacrylate, Trideceth-6, Vitis

Vinifera (Grape) Seed Oil, Xanthan Gum.

Visit us at SUNFLORA.org

This product has not been evaluated by the Food & Drug Administration and is not intended to diagnose, treat, cure, or prevent any disease. Consult your physician before use. For adults 18+.

DISTRIBUTED BY:

SunFlora, Inc. 411 19th street S

St. Petersberg, FL

Packaging



07 / 2021 Exp.

072019BSLR

LAB REPORT

LOT #

This product has not been evaluated by the Food & Drug Administration and is not intended to diagnose, treat, cure, or prevent any disease. Consult your physician before use. For adults 18+. Keep out of reach of children. DISTRIBUTED BY:

74mL | 2.5 fl oz

FOR PAIN RELIEF

NDC 73240-902-11

Drug Facts Active Ingredients

Lidocaine 4%

Purpose

.Topical Analgesic

Uses

- Temporarily relieves minor pain associated with:
- arthritis muscle strains
- sprains
- simple backache
- bruises

Warnings

For external use only

When using this product

 use only as directed • do not bandage tightly • avoid contact with eyes do not apply to wounds or damaged skin • do not use in large quantities, particularly over raw surfaces or blistered areas.

Stop use and ask a doctor if

- condition worsens
 symptoms persist for more than 7 days
- · symptoms clear up and occur again within a few days

Keep out of reach of children

If swallowed, get medical help or contact a Poison Control Center right away

- Adults and children 2 years of age and older: Apply to the affected area not more than 3 to 4 times daily.
- Children under 2 years of age: Consult a doctor.

Inactive Ingredients

Allantoin, Caprylic/Capric Triglyceride, Capsicum Annuum Fruit Powder, Calcium Disodium EDTA, Cannabis Sativa (Aerial) Extract Oil, Dimethicone dl-alpha Tocopheryl Acetate, Ethyl Alcohol, Ethylhexylglycerin, Ethylhexyl Stearate, Fragrance, Glycerin, Phenoxyethanol, Polysorbate 80, Propanediol, Propylene Glycol, PurifiedWater, Simethicone, Sodium Polyacrylate, Trideceth-6, Vitis Vinifera (Grape) Seed Oil, Xanthan Gum

Visit us at SUNFLORA.org



FRONT PANEL

NDC 73240-902-11 SUNMED MOTTON with LIDOCAINE 4% FOR PAIN RELIEF

SUNMED MOTION

lidocaine liquid

Product Information	roduct Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:73240-902		
Route of Administration	TOPICAL				

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
LIDO CAINE (UNII: 98 PI200987) (LIDO CAINE - UNII: 98 PI200987)	LIDOCAINE	4 g in 100 mL	

Inactive Ingredients		
Ingredient Name	Strength	
ALLANTO IN (UNII: 344S277G0Z)		
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)		
PAPRIKA (UNII: X72Z47861V)		
EDETATE CALCIUM DISO DIUM ANHYDRO US (UNII: 8 U5D0 349 55)		
CANNABIS SATIVA SUBSP. SATIVA FLOWERING TOP (UNII: 8 X454SZ22D)		
DIMETHICO NE (UNII: 92RU3N3Y1O)		
.ALPHATO COPHEROL ACETATE, DL- (UNII: WR1WPI7EW8)		
ALCOHOL (UNII: 3K9958V90M)		
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)		
ETHYLHEXYL STEARATE (UNII: EG3PA2K3K5)		
GLYCERIN (UNII: PDC6A3C0OX)		
PHENO XYETHANOL (UNII: HIE492ZZ3T)		
POLYSORBATE 80 (UNII: 6OZP39ZG8H)		
PROPANEDIOL (UNII: 5965N8W85T)		
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)		
WATER (UNII: 059QF0KO0R)		
SODIUM POLYACRYLATE (8000 MW) (UNII: 285CYO341L)		
TRIDECETH-6 (UNII: 3T5PCR2H0C)		
GRAPE SEED OIL (UNII: 930 MLC8 XGG)		
XANTHAN GUM (UNII: TTV12P4NEE)		

]	Packaging				
#	t Item Code	Package Description	Marketing Start Date	Marketing End Date	
1	NDC:73240-902-11	1 in 1 BOX	08/22/2019		
1		74 mL in 1 BOTTLE; Type 0: Not a Combination Product			

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC monograph not final	part348	08/22/2019		

Revised: 8/2019 Sunflora Inc