GZE SCAR GEL- allantoin 0.5% gel Guangzhou Yilong Cosmetics Co., Ltd

GZE Scar Gel

Allantoin 0.5%

Water (purified)

PEG 200

Alcohol

Xanthan Gum

Allium Cepa (Onion) Bulb Extract

Lecithin

Methylparaben

Sorbic Acid

Panthenol

Sodium Hyaluronate

Fragrance

Skin care for scar.

Apply evenly and gently rub into the scar once a day for 8 weeks on new scars, and once a day for 3-6 months on existing scars. Apply Scar Gel as soon as your wound has closed.

1. For external use only.

Stop use and ask a doctor if rash occurs.

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Apply evenly and gently rub into the scar once a day for 8 weeks on new scars, and once a day for 3-6 months on existing scars. Apply Scar Gel as soon as your wound has closed.



GZE SCAR GEL

allantoin 0.5% gel

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:83566-027
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
ALLANTOIN (UNII: 344S277G0Z) (ALLANTOIN - UNII:344S277G0Z)	ALLANTOIN	0.5 g in 100 g

Strength

Packaging			
# Item Code	Package Description	Marketing Start Date	Marketing End Date
1 NDC:83566-027-	30 g in 1 TUBE; Type 0: Not a Combination Product	08/01/2024	

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M016	08/01/2024	

Labeler - Guangzhou Yilong Cosmetics Co., Ltd (712647107)

Establishment				
Name	Address	ID/FEI	Business Operations	
Guangzhou Yilong Cosmetics Co., Ltd		712647107	manufacture(83566-027)	

Revised: 8/2024 Guangzhou Yilong Cosmetics Co., Ltd