

**SEACALL NASAL SPRAY.- nasal spray spray
Guangdong Quadrant Ecological Technology Co., Ltd.**

76986-001 Seacall Nasal Spray.

Active Ingredient

Naphazoline HCL (0.06%)

Purpose

Relief of Allergic Rhinitis,
Acute Rhinitis, Chronic, Rhinitis and Inflammatory, Nasal Congestion

Use

First remove the protective cap, before first use, press several times until liquid squirts out, then insert the nozzle into the nostril, press firmly, pull the nozzle out of the nostril before releasing, then release, close the cap for protection.

Warnings

- For adults only.
- Use of this container by more than one person may spread infection.

Do not use

Do not use: children, atrophic rhinitis, nasal dryness. Do not use when the character of this product changes.

When Using

When Using this product: avoid contact with eyes and mouth. If there is burning sensation, redness or swelling at the site of application, the drug should be discontinued and the local drug should be washed off. Consult a physician if necessary.

Stop Use

Stop Using and ask a doctor if you have Hypertension, Coronary heart disease, Hyperthyroidism or Allergic person.

Ask Doctor

Stop Using and ask a doctor if you have Hypertension, Coronary heart disease,

Hyperthyroidism or Allergic person.

Keep Out Of Reach Of Children

Keep out of reach of Children. In case of accidental ingestion, get medical help or contact a poison control center immediately.

Directions

No more than 4 times per day, with an interval of not less than 4 hours between each use, and not more than 7 days of continuous use.

Other information

If you are using other drugs, please consult your physician or pharmacist before using this product.

Shielded from light, sealed, stored in a cool place (not more than 20°C).

Inactive ingredients

Water, Glycosyl Trehalose, Schizophyllan, Citrus Reticulata (Tangerine) Fruit Extract, Benzyl Alcohol, Polysorbate 80, Sodium Citrate, Rhamnose, Carboxymethyl Chitosan, Phenoxyethanol, Disodium Edta, Benzoic Acid

PRINCIPAL DISPLAY PANEL



Stop Using and ask a doctor if you have Hypertension, Coronary heart disease, Hyperthyroidism or Allergic person.

Keep out of reach of Children. In case of accidental ingestion, get medical help or contact a poison control center immediately.

Directions
· No more than 4 times per day, with an interval of not less than 4 hours between each use, and not more than 7 days of continuous use.

Other information
· If you are using other drugs, please consult your physician or pharmacist before using this product.
· Shielded from light, sealed, stored in a cool place (not more than 20°C).

Inactive ingredients:
Water, Glycosyl Trehalose, Schizophyllan, Citrus Reticulata (Tangerine) Fruit Extract, Benzyl Alcohol, Polysorbate 80, Sodium Citrate, Rhamnose, Carboxymethyl Chitosan, Phenoxyethanol, Disodium Edta, Benzoic Acid



NAPHAZOLINE HCL
NASAL SPRAY
RHINITIS RELIEF

Relief of

- Allergic Rhinitis
- Acute Rhinitis
- Chronic Rhinitis
- Inflammatory Nasal Congestion



1 fl oz (30 ml)

Drug Facts

Active Ingredient
Naphazoline HCL (0.06%)

Purpose
Relief of Allergic Rhinitis, Acute Rhinitis, Chronic Rhinitis and Inflammatory Nasal Congestion.

Use
First remove the protective cap, before first use, press several times until liquid squirts out, then insert the nozzle into the nostril, press firmly, pull the nozzle out of the nostril before releasing, then release, close the cap for protection.

Warnings
· For adults only.
· Use of this container by more than one person may spread infection.

Do not use: children, atrophic rhinitis, nasal dryness. Do not use when the character of this product changes.

When Using this product: avoid contact with eyes and mouth. If there is burning sensation, redness or swelling at the site of application, the drug should be discontinued and the local drug should be washed off. Consult a physician if necessary.

Name: SEACALL Nasal Spray

Properties: This product is a transparent clarified liquid.

Category: This product is a non-prescription drug in the category of otorhinolaryngology drugs.

Possible adverse reactions
1. Over-frequent use of the drug may lead to rebound nasal congestion, and prolonged use may lead to drug rhinitis.
2. A few people have a slight burning sensation, pins and needles, as well as headache, dizziness, rapid heart rate and other reactions.
3. Rarely allergic reactions.

Shelf life: 36 Months
Production date: see packaging

Manufacturer: Guangdong Quadrant Ecological Technology Co., Ltd.

Address: Building B, General Plant, North Shanfen Road, West Songshan Road, Longhu, Shantou, Guangdong, China

MADE IN CHINA

Barcode



SEACALL NASAL SPRAY.

nasal spray spray

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:76986-001
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
NAPHAZOLINE HCL (UNII: MZ1131787D) (NAPHAZOLINE - UNII:H231GF11BV)	NAPHAZOLINE HCL	0.06 g in 100 mL

Inactive Ingredients

Ingredient Name	Strength
EDETATE DISODIUM (UNII: 7FLD91C86K)	
SODIUM CITRATE (UNII: 1Q73Q2JULR)	
BENZYL ALCOHOL (UNII: LKG8494WBH)	
N-CARBOXYMETHYLCHITOSAN (UNII: 5R88W82CC6)	
SIZOFIRAN (UNII: 7F763NNC9X)	
POLYSORBATE 80 (UNII: 6OZP39ZG8H)	
RHAMNOSE (UNII: QN34XC755A)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
WATER (UNII: 059QF0KO0R)	
TANGERINE (UNII: KH3E3096OO)	
BENZOIC ACID (UNII: 8SKN0B0MIM)	
GLUCOSYL TREHALOSE (UNII: 76B4LOB2YC)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:76986-001-01	30 mL in 1 BOTTLE; Type 0: Not a Combination Product	08/07/2024	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	08/07/2024	

Labeler - Guangdong Quadrant Ecological Technology Co., Ltd. (554532634)

Establishment

Name	Address	ID/FEI	Business Operations
-------------	----------------	---------------	----------------------------

Revised: 1/2026

Guangdong Quadrant Ecological Technology Co., Ltd.