

**SEI BELLA DAILY UV DEFENSE BROAD-SPECTRUM SPF 25 SUNSCREEN-
sunscreen cream
Melaleuca Inc.**

Sei Bella Daily UV Defense

Active Ingredients

Homosalate 7.5%
Octocrylene 9%
Octisalate 3.75%
Titanium Dioxide 2%
Zinc Oxide 9.45%

sunscreen

helps prevent sunburn

if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer caused by the sun

Warnings

For external use only. Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions For sunscreen use:

- apply liberally 15 minutes before sun exposure
- reapply at least every 2 hours
- use a water-resistant sunscreen if swimming or sweating
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad-spectrum SPF value of 15 or higher and other sun protection measures including:

limiting time in the sun, especially from 10 a.m. - 2 p.m.


wearing long-sleeve shirts, pants, hats, and sunglasses

- children under 6 months of age: Ask a doctor

store at room temperature 68-77 F. Protect from freezing.

water, caprylyl methicone, cyclopentasiloxane, glycerin, caprylic/capric triglyceride, coco-caprylate/caprinate, propanediol, pyrus malus (apple) fruit extract, dimethicone, polymethylsilsesquioxane, lauryl peg-9 polydimethylsiloxyethyl dimethicone, PEG-12 dimethicone/PPG-20 crosspolymer, acrylates/dimethicone copolymer, C12-15 alkyl

benzoate, polyhydroxystearic acid, dimethicone/peg-10/15 crosspolymer, gossypium hirsutum (cotton) extract, sodium chloride, phenoxyethanol, triethoxycaprylylsilane, ethylhexylglycerin, disteardimonium hectorite, silica, allantoin, sodium citrate, 2,3-butenediol, tocopherol





seibella™
WELLNESS INSPIRED BEAUTY

174±2

**DAILY UV
DEFENSE**

**BROAD-SPECTRUM
SPF 25 SUNSCREEN**

**AMPLIO ESPECTRO
FPS 25 PROTECCIÓN
UVA Y UVB MEDIA**

2.5 FL OZ/74 mL e

ACTIVE INGREDIENTS: Homosalate 7.5%, Octocrylene 9%, Octisalate 3.75%, Titanium Dioxide 2%, Zinc Oxide 9.45%
Purpose: Sunscreen

DIRECTIONS: For sunscreen use. Apply liberally 15 minutes before sun exposure. Reapply at least every 2 hours. Use a water-resistant sunscreen if swimming or sweating.
Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad-spectrum SPF value of 15 or higher and other sun protection measures including: limiting time in the sun, especially from 10 a.m. to 2 p.m., and wearing long-sleeve shirts, pants, hats, and sunglasses. Children under 6 months of age: Ask a doctor.

MODO DE USO: Para protección solar, Aplique abundantemente 15 minutos antes de exponerse al sol. Repita la aplicación al menos cada 2 horas. Si va a nadar o sudar, utilice un protector solar resistente al agua. Medidas de protección solar: Pasar tiempo bajo el sol aumenta el riesgo de padecer de cáncer de piel y el envejecimiento prematuro de la piel. Para disminuir este riesgo, use habitualmente un protector solar de amplio espectro con un FPS de 15 o más alta, así como otras medidas de protección solar, entre ellas: limite su tiempo en el sol, en especial de las 10 a. m. a las 2 p. m., y vistase con pantalones largos, playeras de manga larga, gorras y gafas. Consulte con un médico antes de aplicar este producto en un bebé menor de 6 meses. Mantenga a los bebés y niños pequeños fuera de la luz solar directa.

WARNING: For external use only. Do not use on damaged or broken skin. When using this product, keep out of eyes. Rinse with water to remove. Stop use and ask a doctor if rash occurs. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away. **PRECAUCIÓN:** Para uso externo únicamente. No debe aplicarse en la piel lesionada o lacerada. Evite el contacto con los ojos. Para quitar esta loción, enjuáguese el cutis con agua. En caso de irritación, suspenda el uso y consulte con un médico. Manténgalo fuera del alcance de los niños. En caso de ingestión, consulte con un médico o llame de inmediato al Centro de Información Toxicológica.

Melaleuca, Inc., Idaho Falls, ID 83402, 208-534-3000, Melaleuca.com • Exportado por: Melaleuca, Inc., 4699 West 65th South, Idaho Falls, ID 83402, Importado por: MELALEUCA CORPORATION, S. DE R.L. DE C.V., Av. Insurgentes Centro No. 64, Oficina B-601, Col. Juárez, Alameda Cuauhtémoc, Ciudad de México, 06600, RFC: MC0150731N22, Pedidos: 001-800-522-5167, mx.melaleuca.com

Made in the USA with thoughtfully selected globally sourced ingredients • Fabricado en EUA con componentes de origen mundial escogidos con mucho cuidado
N° 70226 04/24 U/MX
NOT FOR RESALE • PROHIBIDA SU REVENTA

SEI BELLA DAILY UV DEFENSE BROAD-SPECTRUM SPF 25 SUNSCREEN			
sunscreen cream			
Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:54473-403

Route of Administration

TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	0.225 g in 74 mL
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	0.236 g in 74 mL
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	0.188 g in 74 mL
OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	0.094 g in 74 mL
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	0.05 g in 74 mL

Inactive Ingredients

Ingredient Name	Strength
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
WATER (UNII: 059QF0KOOR)	
CAPRYLYL TRISILOXANE (UNII: Q95M2P1KJL)	
GLYCERIN (UNII: PDC6A3C0OX)	
COCO-CAPRYLATE/CAPRATE (UNII: 8D9H4QU99H)	
APPLE (UNII: B423VGH5S9)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
2-ETHYLHEXYL ACRYLATE, METHACRYLATE, METHYL METHACRYLATE, OR BUTYL METHACRYLATE/HYDROXYPROPYL DIMETHICONE COPOLYMER (30000-300000 MW) (UNII: S7ZA3CCJ4M)	
DIMETHICONE/PEG-10/15 CROSSPOLYMER (UNII: 21AS8B1BSS)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
2,3-BUTANEDIOL (UNII: 45427ZB5JJ)	
LAURYL PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE (UNII: 25G622K2RA)	
PEG-12 DIMETHICONE/PPG-20 CROSSPOLYMER (UNII: 965K72OQXO)	
POLYHYDROXYSTEARIC ACID (2300 MW) (UNII: YXH47AOU0F)	
TOCOPHEROL (UNII: R0ZB2556P8)	
POLYMETHYLSILSESQUIOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)	
PROPANEDIOL (UNII: 5965N8W85T)	
GOSSYPIUM HIRSUTUM ROOT (UNII: YGF1E6BVH1)	
SODIUM CITRATE (UNII: 1Q73Q2JULR)	
ALLANTOIN (UNII: 344S277G0Z)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)	
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)	
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:54473-403-01	74 mL in 1 TUBE; Type 0: Not a Combination Product	05/01/2024	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	05/01/2024	

Labeler - Melaleuca Inc. (139760102)

Registrant - Melaleuca Inc. (079711683)

Establishment

Name	Address	ID/FEI	Business Operations
Melaleuca Inc.		079711683	manufacture(54473-403)

Revised: 8/2024

Melaleuca Inc.