

**SEI BELLA DAILY UV DEFENSE BROAD-SPECTRUM SPF 25 SUNSCREEN-  
sunscreen cream  
Melaleuca Inc.**

-----  
**Sei Bella Daily UV Defense**

**Active Ingredients**

Homosalate 7.5%  
Octocrylene 9%  
Octisalate 3.75%  
Titanium Dioxide 2%  
Zinc Oxide 9.45%

sunscreen

helps prevent sunburn

if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer caused by the sun

**Warnings**

**For external use only. Do not use** on damaged or broken skin

**When using this product** keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor** if rash occurs

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions** For sunscreen use:

- apply liberally 15 minutes before sun exposure
- reapply at least every 2 hours
- use a water-resistant sunscreen if swimming or sweating
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad-spectrum SPF value of 15 or higher and other sun protection measures including:

limiting time in the sun, especially from 10 a.m. - 2 p.m.

wearing long-sleeve shirts, pants, hats, and sunglasses


- children under 6 months of age: Ask a doctor

store at room temperature 68-77 F. Protect from freezing.

water, caprylyl methicone, cyclopentasiloxane, glycerin, caprylic/capric triglyceride, coco-caprylate/caprinate, propanediol, pyrus malus (apple) fruit extract, dimethicone, polymethylsilsesquioxane, lauryl peg-9 polydimethylsiloxyethyl dimethicone, PEG-12 dimethicone/PPG-20 crosspolymer, acrylates/dimethicone copolymer, C12-15 alkyl

benzoate, polyhydroxystearic acid, dimethicone/peg-10/15 crosspolymer, gossypium hirsutum (cotton) extract, sodium chloride, phenoxyethanol, triethoxycaprylylsilane, ethylhexylglycerin, disteardimonium hectorite, silica, allantoin, sodium citrate, 2,3-butenediol, tocopherol





seibella™  
WELLNESS INSPIRED BEAUTY

174±2

DAILY UV  
DEFENSE

BROAD-SPECTRUM  
SPF 25 SUNSCREEN

AMPLIO ESPECTRO  
FPS 25 PROTECCIÓN  
UVA Y UVB MEDIA

2.5 FL OZ/74 mL e

ACTIVE INGREDIENTS: Homosalate 7.5%, Octocrylene 9%, Octisalate 3.75%, Titanium Dioxide 2%, Zinc Oxide 9.45%  
Purpose: Sunscreen

DIRECTIONS: For sunscreen use. Apply liberally 15 minutes before sun exposure. Reapply at least every 2 hours. Use a water-resistant sunscreen if swimming or sweating.  
**Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad-spectrum SPF value of 15 or higher and other sun protection measures including: limiting time in the sun, especially from 10 a.m. to 2 p.m., and wearing long-sleeve shirts, pants, hats, and sunglasses. Children under 6 months of age: Ask a doctor.

MODO DE USO: Para protección solar, Aplique abundantemente 15 minutos antes de exponerse al sol. Repita la aplicación al menos cada 2 horas. Si va a nadar o sudar, utilice un protector solar resistente al agua. Medidas de protección solar: Pasar tiempo bajo el sol aumenta el riesgo de padecer de cáncer de piel y el envejecimiento prematuro de la piel. Para disminuir este riesgo, use habitualmente un protector solar de amplio espectro con un FPS de 15 o más alta, así como otras medidas de protección solar, entre ellas: limite su tiempo en el sol, en especial de las 10 a. m. a las 2 p. m., y vistase con pantalones largos, playeras de manga larga, gorras y gafas. Consulte con un médico antes de aplicar este producto en un bebé menor de 6 meses. Mantenga a los bebés y niños pequeños fuera de la luz solar directa.

WARNING: For external use only. Do not use on damaged or broken skin. When using this product, keep out of eyes. Rinse with water to remove. Stop use and ask a doctor if rash occurs. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away. PRECAUCIÓN: Para uso externo únicamente. No debe aplicarse en la piel lesionada o lacerada. Evite el contacto con los ojos. Para quitar esta loción, enjuáguese el cutis con agua. En caso de irritación, suspenda el uso y consulte con un médico. Manténgalo fuera del alcance de los niños. En caso de ingestión, consulte con un médico o llame de inmediato al Centro de Información Toxicológica.

Melaleuca, Inc., Idaho Falls, ID 83402, 208-534-3000, Melaleuca.com • Exportado por: Melaleuca, Inc., 4699 West 65th South, Idaho Falls, ID 83402, Importado por: MELALEUCA CORPORATION, S. DE R.L. DE C.V., Av. Insurgentes Centro No. 64, Oficina B-601, Col. Juárez, Alzaldia Cuauhtémoc, Ciudad de México, 06600, RFC: MC0150731N22, Pedidos: 001-800-522-3167, mx.melaleuca.com

Made in the USA with thoughtfully selected globally sourced ingredients • Fabricado en EUA con componentes de origen mundial escogidos con mucho cuidado  
N° 70226 04/24 U/MX  
NOT FOR RESALE • PROHIBIDA SU REVENTA

<b>SEI BELLA DAILY UV DEFENSE BROAD-SPECTRUM SPF 25 SUNSCREEN</b>			
sunscreen cream			
<b>Product Information</b>			
<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:54473-403

## Route of Administration

TOPICAL

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>OCTOCRYLENE</b> (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	0.225 g in 74 mL
<b>ZINC OXIDE</b> (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	0.236 g in 74 mL
<b>HOMOSALATE</b> (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	0.188 g in 74 mL
<b>OCTISALATE</b> (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	0.094 g in 74 mL
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	0.05 g in 74 mL

## Inactive Ingredients

Ingredient Name	Strength
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>APPLE</b> (UNII: B423VGH5S9)	
<b>POLYMETHYLSILSESQUIOXANE (4.5 MICRONS)</b> (UNII: 59Z907ZB69)	
<b>PROPANEDIOL</b> (UNII: 5965N8W85T)	
<b>GOSSYPIUM HIRSUTUM ROOT</b> (UNII: YGF1E6BVH1)	
<b>SODIUM CITRATE</b> (UNII: 1Q73Q2JULR)	
<b>ALLANTOIN</b> (UNII: 344S277G0Z)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>CAPRYLYL TRISILOXANE</b> (UNII: Q95M2P1KJL)	
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	
<b>MEDIUM-CHAIN TRIGLYCERIDES</b> (UNII: C9H2L21V7U)	
<b>CYCLOMETHICONE 5</b> (UNII: 0THT5PCI0R)	
<b>ALKYL (C12-15) BENZOATE</b> (UNII: A9EJ3J61HQ)	
<b>TOCOPHEROL</b> (UNII: R0ZB2556P8)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>COCO-CAPRYLATE/CAPRATE</b> (UNII: 8D9H4QU99H)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>2-ETHYLHEXYL ACRYLATE, METHACRYLATE, METHYL METHACRYLATE, OR BUTYL METHACRYLATE/HYDROXYPROPYL DIMETHICONE COPOLYMER (30000-300000 MW)</b> (UNII: S7ZA3CCJ4M)	
<b>DIMETHICONE/PEG-10/15 CROSSPOLYMER</b> (UNII: 21AS8B1BSS)	
<b>SODIUM CHLORIDE</b> (UNII: 451W47IQ8X)	
<b>TRIETHOXYCAPRYLYLSILANE</b> (UNII: LDC331P08E)	
<b>ETHYLHEXYLGLYCERIN</b> (UNII: 147D247K3P)	
<b>DISTEARDIMONIUM HECTORITE</b> (UNII: X687XDK09L)	
<b>2,3-BUTANEDIOL</b> (UNII: 45427ZB5JJ)	
<b>POLYHYDROXYSTEARIC ACID (2300 MW)</b> (UNII: YXH47AOU0F)	
<b>LAURYL PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE</b> (UNII: 25G622K2RA)	
<b>PEG-12 DIMETHICONE/PPG-20 CROSSPOLYMER</b> (UNII: 965K72OQXO)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:54473-403-01	74 mL in 1 TUBE; Type 0: Not a Combination Product	05/01/2024	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	05/01/2024	

**Labeler** - Melaleuca Inc. (139760102)

**Registrant** - Melaleuca Inc. (079711683)

## Establishment

Name	Address	ID/FEI	Business Operations
Melaleuca Inc.		079711683	manufacture(54473-403)

Revised: 12/2025

Melaleuca Inc.