HEARTBURN RELIEF- aluminum hydroxide and magnesium carbonate suspension GERI-CARE PHARMACEUTICALS, CORP

QC ES heartburn relief

Active ingredients (in each 5 mL teaspoonful)

Aluminum hydroxide 254 mg Magnesium carbonate 237.5 mg

Purpose

Antacid

Uses

relieves

- heartburn
- sour stomach
- acid indigestion
- upset stomach associated with these symptoms

Warnings

Ask a doctor before use if you have

- kidney disease
- a magnesium-restricted diet
- a sodium-restricted diet

Ask a doctor or pharmacist before use if you are taking a prescription drug. Antacids may interact with certain prescription drugs.

When using this product

- laxative effect may occur
- do not use maximum dosage for more than 2 weeks
- do not take more than 16 teaspoonfuls in 24 hours

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

- shake well before use
- adults and children 12 years and older take 2-4 teaspoonsful four times a day or as directed by a doctor

- children under 12 years: consult a doctor
- take after meals and at bedtime
- dispense product only by spoon or other measuring device

Other information

- each 5 mL teaspoonful contains: magnesium 70 mg, sodium 16 mg
- store at room temperature
- protect from freezing
- keep tightly closed
- **TAMPER-EVIDENT**: Do not use this product if inner foil seal over mouth of the bottle is broken or missing.

Inactive ingredients

benzyl alcohol, edetate disodium, flavor, glycerin, purified water, saccharin sodium, simethicone emulsion, sodium alginate, sorbitol solution, xanthan gum

Questions or comments?

1-800-540-3765

package Label



Drug Facts

Active ingredients (in each 5 mL teaspoonful)

Purpose Aluminum fydroxide 254 mg Antacid Magnesium carbonate 237.5 mg Antacid

Uses relieves • acid indigestion • heartburn • sour stomach

upset stomach associated with these symptoms

Warnings

Ask a doctor before use if you have • kidney disease

a magnesium-restricted diet · a sodium-restricted diet

Ask a doctor or pharmacist before use if you are taking a prescription drug. Antacids may interact with certain prescription drugs.

When using this product

- · laxative effect may occur
- do not use maximum dosage for more than 2 weeks
- do not take more than 16 teaspoonfuls in 24 hours

If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away 1-800-222-1222.

Directions

- shake well before use
- adults and children 12 years and older take 2-4 teaspoonsful four times a day or as directed by a doctor
- children under 12 years: consult a doctor
- take after meals and at bedtime
- dispense product only by spoon or other measuring device

Other information

- each 5 mL teaspoonful contains: magnesium 70 mg, sodium 16 mg
- store at room temperature protect from freezing keep tightly closed TAMPER-EVIDENT: Do not use this product if inner seal over mouth of the bottle is broken or missing.



Inactive ingredients benzyl alcohol, edetate disodium, flavor, glycerin, purified water, saccharin sodium, simethicone emulsion, sodium alginate, sorbitol solution, xanthan gum

Questions or comments? 1-800-540-3765

*This product is not manufactured or distributed by GlaxoSmithKline, owner of the registered trademark Gaviscon® Extra Strength.

Distributed by Geri-Care Pharmaceuticals 1295 Towbin Ave. Lakewood, NJ 08701

HEARTBURN RELIEF

aluminum hydroxide and magnesium carbonate suspension

Product Information

Product Type HUMAN OTC DRUG Item Code (Source) NDC:57896-565

Route of Administration ORAL

Active Ingredient/Active Mojety

Active ingredient/Active Molety				
Ingredient Name	Basis of Strength	Strength		
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0) (ALUMINUM HYDROXIDE - UNII:5QB0T2IUN0)	ALUMINUM HYDROXIDE	254 mg in 5 mL		
MAGNESIUM CARBONATE (UNII: 0E53J927NA) (CARBONATE ION - UNII:7UJQ50PE7D)	MAGNESIUM CARBONATE	237.5 mg in 5 mL		

	trength
	trength
BENZYL ALCOHOL (UNII: LKG8494WBH)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
GLYCERIN (UNII: PDC6A3C0OX)	
WATER (UNII: 059QF0KO0R)	
SACCHARIN SODIUM (UNII: SB8ZUX40TY)	
SODIUM ALGINATE (UNII: C269C4G2ZQ)	
SORBITOL (UNII: 506T60A25R)	
XANTHAN GUM (UNII: TTV12P4NEE)	
DIMETHICONE (UNII: 92RU3N3Y1O)	

Product Characteristics			
Color		Score	
Shape		Size	
Flavor	CHERRY	Imprint Code	
Contains			

l	Packaging				
	#	# Item Code Package Description		Marketing Start Date	Marketing End Date
	1	NDC:57896-565- 12	355 mL in 1 BOTTLE; Type 0: Not a Combination Product	07/01/2024	

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC Monograph Drug	M001	07/01/2024		

Labeler - GERI-CARE PHARMACEUTICALS, CORP (611196254)

Registrant - GCP Laboratories (965480861)

Establishment					
Name	Address	ID/FEI	Business Operations		
GCP Laboratories		965480861	manufacture(57896-565)		