

MELAO DEFEND TATTOO SUNSCREEN- ascorbic acid liquid
Guangzhou Yilong Cosmetics Co., Ltd

MELAO Defend Tattoo Sunscreen

-Active ingredients

Propylene Glycol 3%

Cetearyl Alcohol 1.5%

Inactive ingredients

Water 52%

Ascorbic Acid 4%

Titanium Dioxide 3%

Zinc Oxide 3%

Niacinamide 3%

Glycerin 3%

Trehalose 3%

Allantoin 2%

Sodium Hyaluronate 2%

Dipotassium Glycyrrhizate 2%

Limnanthes Alba (Meadowfoam) Seed Oil 2%

Macadamia Ternifolia Seed Oil 2%

Triticum Vulgare (Wheat) Germ Oil 2%

Ethylhexyl Salicylate 1.8%

C12-15 Alkyl Benzoate 1.5%

Cetearyl Glucoside 1.5%

Ceteareth-2 1.4%

Dimethicone 1.4%

Menthol 1%

Tocopheryl Acetate 0.7%

Bisabolol 0.5%

Xanthan Gum 0.5%

Ethylhexylglycerin 0.5%

Chlorphenesin 0.5%

Mentha Arvensis Extract 0.4%

Paeonia Albiflora Root Extract 0.2%

Triticum Vulgare (Wheat) Germ Extract 0.2%

Centella Asiatica Root Extract 0.15%

Aloe Barbadosensis Leaf Extract 0.15%

Parfum 0.1%

Purpose

Sunscreen

Uses

Step 1: Clean and thoroughly dry your skin.

Step 2: Squeeze out an appropriate amount of sunscreen.

Step 3: Gently apply to the surface of the skin.

Warning

For external use only.

Stop use and ask a doctor if

rash occurs.

Do not use

on damaged or broken skin.

When using this product

keep out of eyes. Rinse with water to remove.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

DOSAGE & ADMINISTRATION

Squeeze out an appropriate amount of sunscreen and spread evenly on skin.

PRINCIPAL DISPLAY PANEL



MELLAO



DEFEND TATTOO
SUNSCREEN

SPF 30

BROAD SPECTRUM
ALL NATURAL INGREDIENTS

50g/1.76 oz

MELLAO



DEFEND TATTOO
SUNSCREEN

SPF 30

BROAD SPECTRUM
ALL NATURAL INGREDIENTS

50g/1.76 oz

MELAO DEFEND TATTOO SUNSCREEN

ascorbic acid liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:83566-575
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ALUMINUM CHLOROHYDREX PROPYLENE GLYCOL (UNII: PGG6VG42HP) (ALUMINUM CHLOROHYDREX PROPYLENE GLYCOL - UNII:PGG6VG42HP)	ALUMINUM CHLOROHYDREX PROPYLENE GLYCOL	3 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
NIACINAMIDE (UNII: 25X51I8RD4)	3 g in 100 g
GLYCERIN (UNII: PDC6A3C0OX)	3 g in 100 g
ALLANTOIN (UNII: 344S277G0Z)	2 g in 100 g
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	3 g in 100 g
WATER O-15 (UNII: 63M8RYN44N)	52 g in 100 g
ASCORBIC ACID (UNII: PQ6CK8PD0R)	4 g in 100 g
ZINC OXIDE (UNII: SOI2LOH54Z)	3 g in 100 g
CETEARYL BEHENATE (UNII: 7ARI9LTH0U)	1.5 g in 100 g
TREHALOSE (UNII: B8WCK70T7I)	3 g in 100 g

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:83566-575-01	50 g in 1 BOTTLE; Type 0: Not a Combination Product	08/08/2024	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	08/08/2024	

Labeler - Guangzhou Yilong Cosmetics Co., Ltd (712647107)

Establishment

Name	Address	ID/FEI	Business Operations
Guangzhou Yilong Cosmetics Co., Ltd		712647107	manufacture(83566-575)

Revised: 8/2024

Guangzhou Yilong Cosmetics Co., Ltd