### LAXATIVE- bisacodyl tablet, sugar coated Strategic Sourcing Services, LLC (Health Mart)

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

-----

#### Health Mart 44-327

### Active ingredient (in each tablet)

Bisacodyl USP, 5 mg

#### Purpose

Stimulant laxative

#### Uses

- for relief of occasional constipation and irregularity
- this product generally produces bowel movement in 6 to 12 hours

#### **Warnings**

#### Do not use

if you cannot swallow without chewing.

# Ask a doctor before use if you have

- stomach pain, nausea or vomiting
- a sudden change in bowel habits that lasts more than 2 weeks

# When using this product

- do not chew or crush tablet(s)
- do not use within 1 hour after taking an antacid or milk
- you may have stomach discomfort, faintness and cramps

#### Stop use and ask a doctor if

- you have rectal bleeding or fail to have a bowel movement after use of a laxative. These could be signs of a serious condition.
- you need to use a laxative for more than 1 week

# If pregnant or breast-feeding,

ask a health professional before use.

#### Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

#### **Directions**

take with a glass of water

adults and children 12 years and	take 1 to 3 tablets in a single daily
over	dose
children 6 to under 12 years	take 1 tablet in a single daily dose
children under 6 years	ask a doctor

#### Other information

- TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN
- avoid excessive humidity
- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- see end flap for expiration date and lot number

#### **Inactive ingredients**

acacia, ammonium hydroxide, calcium carbonate, carnauba wax, colloidal anhydrous silica, corn starch, D&C yellow #10 aluminum lake, FD&C yellow #6 aluminum lake, hypromellose, iron oxide black, lactose anhydrous, magnesium stearate, methylparaben, polydextrose, polyethylene glycol, polyvinyl acetate phthalate, povidone, propylene glycol, propylparaben, shellac glaze, simethicone, sodium alginate, sodium benzoate, sodium bicarbonate, stearic acid, sucrose, talc, titanium dioxide, triacetin, triethyl citrate

#### Questions or comments?

1-800-426-9391

#### **Principal Display Panel**

NDC 62011-0277-2

**Health** Mart®

Compare to the active ingredient in Dulcolax® Laxative Tablets\*

Laxative

Bis acodyl USP, 5 mg

Stimulant Laxative

Gentle, Dependable Constipation Relief

#### **Comfort Coated**

**Actual Size** 

**10** Tablets

TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING

This product is not manufactured or distributed by Sanofi-Aventis Deutschland

GMBH, owner of the registered trademark Dulcolax® Laxative Tablets.

50844 REV0115B32703

# **MCKESSON**

Distributed by McKesson Corporation 6555 State Highway 161 Irving, TX 75039

www.mckesson.com

Compare to the active ingredient in Dulcolax® Laxative Tablets\*



# Laxative

Bisacodyl USP, 5 mg



NDC 62011-0277-2

Compare to the active ingredient in Dulcolax® Laxative Tablets\*

# Laxative

Bisacodyl USP, 5 mg

Stimulant Laxative

Gentle, Dependable **Constipation Relief** 

**Comfort Coated** 



**Actual Size** 

10 Tablets

REV0119B32703 50844

1-800-456-9391 Questions or comments?

titanium dioxide, triacetin, triethyl citrate

(continued) state (continued)

picstpouste, stearic acid, sucrose, talc, sodium alginate, sodium benzoate, sodium polyvinyl acetate phithalate, povidone, propylene, glycol, propylparaben, shellac glaze, simethicone, methylparaben, polydextrose, polyetnylene glycol,

**Drug Facts** (continued)

B-1241-327-03-R REV0119B32703

pe sidus of a serious condition. movement after use of a laxative. These could

Stop use and ask a doctor if you have rectal bleeding or fail to have a bowel

- suggoid or milk
  - do not use within 1 hour after taking an

movement in 6 to 12 hours

lactose anhydrous, magnesium stearate, sjnminum lake, hypromellose, iron oxide black, yellow #10 sluminum lake, FD&C yellow #6 colloidal anhydrous silica, corn starch, D&C hydroxide, calcium carbonate, carnauba wax, Inactive ingredients acacia, ammonium

- see end flap for expiration date and lot number Detween 15°-30°C (59°-86°F)
- store at 25°C (77°F); excursions permitted avoid excessive humidity OB BROKEN PACKAGE IS OPENED OR BLISTER IS TORN

■ TAMPER EVIDENT: DO NOT USE IF OUTER Other information

ask a doctor	children under 6 years
daily dose	12 years
take 1 tablet in a single	children 6 to under
take 1 to 3 taplets in a single daily dose	12 years and over

TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS

6555 State Highway 161 Irving, TX 75039 MCKESSO Distributed by McKesson



Health Mart 44-327

# LAXATIVE

bisacodyl tablet, sugar coated

#### **Product Information**

Product Type HUMAN OTC DRUG Item Code (Source) NDC:62011-0277

Route of Administration ORAL

#### **Active Ingredient/Active Moiety**

Ingredient Name Basis of Strength Strength

BISACODYL (UNII: 10 X0 70 9 Y6 I) (DEACETYLBISACODYL - UNII: R0 9 0 78 E41Y)

BISACODYL

5 mg

Inactive Ingredients	
Ingredient Name	Strength
ACACIA (UNII: 5C5403N26O)	
<b>AMMO NIA</b> (UNII: 5138 Q 19 F1X)	
CALCIUM CARBO NATE (UNII: H0 G9 379 FGK)	
CARNAUBA WAX (UNII: R12CBM0EIZ)	
STARCH, CORN (UNII: O8232NY3SJ)	
D&C YELLOW NO. 10 (UNII: 35SW5USQ3G)	
FD&C YELLOW NO. 6 (UNII: H77VEI93A8)	
HYPROMELLO SE, UNSPECIFIED (UNII: 3NXW29 V3WO)	
FERROSOFERRIC OXIDE (UNII: XM0 M8 7F357)	
ANHYDRO US LACTO SE (UNII: 3S Y5LH9 PMK)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
POLYDEXTROSE (UNII: VH2XOU12IE)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
Polyvinyl Acetate Phthalate (UNII: 58QVG85GW3)	
PO VIDO NE, UNSPECIFIED (UNII: FZ989GH94E)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
SHELLAC (UNII: 46 N10 7B710)	
SILICON DIO XIDE (UNII: ETJ7Z6 XBU4)	
SODIUM ALGINATE (UNII: C269C4G2ZQ)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	

STEARIC ACID (UNII: 4ELV7Z65AP)	
SUCROSE (UNII: C151H8M554)	
TALC (UNII: 7SEV7J4R1U)	
TITANIUM DIO XIDE (UNII: 15FIX9 V2JP)	
TRIACETIN (UNII: XHX3C3X673)	
TRIETHYL CITRATE (UNII: 8Z96QXD6UM)	
<b>DIMETHICO NE</b> (UNII: 92RU3N3Y1O)	
WATER (UNII: 059QF0KO0R)	

Product Characteristics			
Color	ORANGE	Score	no score
Shape	ROUND	Size	6 mm
Flavor		Imprint Code	5
Contains			

P	Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date	
1	NDC:62011-0277-	1 in 1 CARTON	03/25/2002		
1		25 in 1 BLISTER PACK; Type 0: Not a Combination Product			
2	NDC:62011-0277- 2	1 in 1 CARTON	03/25/2002		
2		10 in 1 BLISTER PACK; Type 0: Not a Combination Product			
3	NDC:62011-0277-3	100 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	03/25/2002		

Marketing Information					
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date		
OTC MONOGRAPH NOT FINAL	part334	03/25/2002			

# Labeler - Strategic Sourcing Services, LLC (Health Mart) (116956644)

Establishment			
Name	Address	ID/FEI	Business Operations
LNK International, Inc.		038154464	PACK(62011-0277)

Establishment			
Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867894	MANUFACTURE(62011-0277)

Establishment			
Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867837	PACK(62011-0277)

Establishment			
Name	Address	ID/FEI	Business Operations
LNK International, Inc.		967626305	PACK(62011-0277)

Establishment			
Name	Address	ID/FEI	Business Operations
LNK International, Inc.		868734088	PACK(62011-0277)

Revised: 11/2019 Strategic Sourcing Services, LLC (Health Mart)