

AKIN COUGH FORMULA DM- dextromethorphan, guaifenesin liquid
Southern Sales & Service, Inc.

Akin Cough Formula DM

Drug Facts

(in each 5ml tsp.) Active ingredient

Dextromethorphan HBr USP 10 mg Guaifenesin USP 100 mg

Purpose

Cough suppressant

Expectorant

Uses

temporarily quiets cough associated with the common cold or inhaled irritants

helps loosen phlegm (mucus) and thin bronchial secretions to make coughs more productive.

Warnings

Do not use

if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if you are taking a prescription drug that contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if

- you have a cough that lasts or a chronic cough such as occurs with smoking, asthma, chronic bronchitis or emphysema
- cough occurs with too much phlegm (mucus)

Stop use and ask a doctor if

Cough lasts for more than 7 days, comes back, or occurs with fever, rash, or headache that lasts. These could be signs of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of the reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

Do not take more than 6 doses in any 24 hour period

adults and children 12 years and over	10 ml (2 teaspoonfuls every 4 hours or as directed by doctor)
Children under 12 years	do not use

Other information

- store at room temperature
- 15°- 30°C (59°- 86°F)
- TAMPER-EVIDENT: Do not use if seal under cap is torn, broken or missing.

Inactive ingredients

Propylene glycol, glycerine, citric acid, sucralose, sodium citrate, potassium sorbate, methylparaben, propylparaben, cherry flavor, menthol, FD&C Red#40, purified Water.

Akin Cough Formula DM 118 ml

Drug Facts	Active ingredient (in each 5ml tsp.) Dextromethorphan HBr USP 10 mg Cough suppressant Guaifenesin USP 100 mg Expectorant	Purpose temporarily quiets cough associated with the common cold or inhaled irritants • helps loosen phlegm (mucus) and thin bronchial secretions to make coughs more productive.
Warnings	Do not use if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if you are taking a prescription drug that contains an MAOI, ask a doctor or pharmacist before taking this product.	Ask a doctor before use if • you have a cough that lasts or a chronic cough such as occurs with smoking, asthma, chronic bronchitis or emphysema • cough occurs with too much phlegm (mucus)
Stop use and ask a doctor if • cough lasts for more than 7 days, comes back, or occurs with fever, rash, or headache that lasts. These could be signs of a serious condition.	If pregnant or breast-feeding, ask a health professional before use. Keep out of the reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.	

NDC# 69822-202-04



AKIN
Cough Formula
Guaifenesin DM

Sugar Free Alcohol Free

Adult

- Expectorant
- Cough Suppressant

Cherry Flavor
4 FL OZ (118 ml)

Directions Do not take more than 6 doses in any 24 hours period	Adults and children 12 years and over	10 ml (2 teaspoonfuls every 4 hours or as directed by doctor)	do not use
Other information • store at room temperature • 15°- 30°C (59°- 86°F) TAMPER-EVIDENT: Do not use if seal under cap is torn, broken or missing.	Inactive ingredients Propylene glycol, glycerine, citric acid, sucralose, sodium citrate, potassium sorbate, methylparaben, propylparaben, cherry flavor, menthol, FD&C Red#40, purified Water.		

DISTRIBUTED BY:
Southern Sales Services Inc.
Pembroke Pines, FL 33332
Questions or Comments?
Call 1-800-213-9370
southernsalesgrp.com



8 50011 55787 7

AKIN COUGH FORMULA DM

dextromethorphan, guaifenesin liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69822-202
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	10 mg in 5 mL
GUAIFENESIN (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)	GUAIFENESIN	100 mg in 5 mL

Inactive Ingredients

Ingredient Name	Strength
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
GLYCERIN (UNII: PDC6A3C0OX)	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
SUCRALOSE (UNII: 96K6UQ3ZD4)	
SODIUM CITRATE (UNII: 1Q73Q2JULR)	
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
CHERRY (UNII: BUC5I9595W)	
MENTHOL (UNII: L7T10EIP3A)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
WATER (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69822-202-04	118 mL in 1 BOTTLE; Type 0: Not a Combination Product	01/04/2014	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	01/04/2014	

Labeler - Southern Sales & Service, Inc. (013114906)**Registrant** - Southern Sales & Service, Inc. (013114906)

