NEKVNRO SCAR REMOVAL SHEETS- scar removal sheets patch Shenzhen Xingqi Technology Co., Ltd.

ACTIVE INGREDIENT

DIMETHICONE 5%

PURPOSE

SCAR REMOVAL

uses

- 1. Clean and dry scar area.
- 2. Cut sheet according to the size and shape of the scar.
- 3. Peel off liner from adhesive side of sheet.
- 4. Apply adhesive side of sheet directly on scar. Apply 4 hours a day for the first two days, 8 hours a day for the next two days, and then increase by 2 hours a day

Until you can apply 24 hours a day each scar sheet can be used repeatedly and when another new scar patch becomes difficult to clean or paste replace another new scar sheet.

Warning

Use this product once scar or wound has been healing for at least 7 days. You may start using immediately on older scars. For old scars, the product can be usedimmediately.

Must not be used for not completely healed or infected- wounds and damaged or acne skin. If it's affixed to unclean skin or too tightly, it may cause rashes. At this time, it should be reduced to stick and stick for less time.

Dosage and administration

For external use only.

Do not use

Discontinue use if any irritation or adverse reaction occurs

When using section

Use this product once scar or wound has been healing for at least 7 days. You may start using immediately on older scars. For old scars, the product can be usedimmediately. Must not be used for not completely healed or infected- wounds and damaged or acne skin. If it's affixed to unclean skin or too tightly, rt may cause rashes. At this time, it should be reduced to stick and stick for less time.

stop use

Use this product once scar or wound has been healing for at least 7 days. You may start using immediately on older scars. For old scars, the product can be usedimmediately. Must not be used for not completely healed or infected- wounds and damaged or acne skin. If it's affixed to unclean skin or too tightly, rt may cause rashes. At this time, it should be reduced to stick and stick for less time.

Keep out of reach of children.

Keep Away From Children Under 3 Years Old And Pets, Out Of Direct Sunlight And Store In A Cool, Dry Place

Inactive ingredients

POLYETHYLENE TEREPHTHALATE (INTRINSIC VISCOSITY 0.40-0.70)

[POLYURETHANE-39 [CYCLOMETHICONE]

NEKVNRO SCAR REMOVAL SHEETS

scar removal sheets patch

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:84613-054
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety				
Ingredient Name	Basis of Strength	Strength		
DIMETHICONE (UNII: 92RU3N3Y10) (DIMETHICONE - UNII:92RU3N3Y10)	DIMETHICONE	1 g in 100 g		

Inactive Ingredients			
Ingredient Name	Strength		
POLYETHYLENE TEREPHTHALATE (INTRINSIC VISCOSITY 0.40-0.70) (UNII: Y78AJD3DED)			
POLYURETHANE-39 (UNII: J9PXX566KC)			
CYCLOMETHICONE (UNII: NMQ347994Z)			

Packaging					
	#	Item Code	Package Description	Marketing Start Date	Marketing End Date
		NDC:84613-054- 01	50 g in 1 BOX; Type 0: Not a Combination Product	08/09/2024	

Marketing Information			
Marketing Application Number or Monograph Category Citation		Marketing Start Date	Marketing End Date
OTC Monograph Drug	505G(a)(3)	08/09/2024	

Labeler - Shenzhen Xingqi Technology Co., Ltd. (974493783)

Establishment				
Name	Address	ID/FEI	Business Operations	
Shenzhen Xingqi Technology Co., Ltd.		974493783	manufacture(84613-054)	

Revised: 8/2024 Shenzhen Xingqi Technology Co., Ltd.