

**PAIN AND FEVER CHILDRENS- acetaminophen tablet, chewable**  
**Walgreen Company**

-----  
**Walgreens 44-449 Childrens**

***Active ingredient (in each chewable tablet)***

Acetaminophen 160 mg

***Purpose***

Pain reliever/fever reducer

***Uses***

- temporarily relieves minor aches and pains due to:
  - headache
  - sore throat
  - flu
  - toothache
  - the common cold
- temporarily reduces fever

***Warnings***

**Liver warning:** This product contains acetaminophen. Severe liver damage may occur if your child takes

- more than 5 doses in 24 hours, which is the maximum daily amount
- with other drugs containing acetaminophen

**Allergy alert:** Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

**Sore throat warning:** If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.

**Do not use**

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if your child is allergic to acetaminophen or any of the inactive ingredients in this

product

**Ask a doctor before use if your child has**

liver disease.

**Ask a doctor or pharmacist before use if your child is**

taking the blood thinning drug warfarin.

**When using this product**

**do not exceed recommended dosage.**

**Stop use and ask a doctor if**

- pain gets worse or lasts more than 5 days
- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present

These could be signs of a serious condition.

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

**Directions**

- **this product does not contain directions or complete warnings for adult use**
- **do not give more than directed**
- find the right dose on chart below. If possible, use weight to dose; otherwise, use age.
- chew or crush tablets completely before swallowing; do not swallow tablets whole
- repeat dose every 4 hours while symptoms last
- do not give more than 5 times in 24 hours
- do not give for more than 5 days unless directed by a doctor

<b>Weight (lb)</b>	<b>Age (yr)</b>	<b>Dose (chewable tablets)*</b>
Under 24	Under 2	Ask a doctor
24-35	2-3	1 tablet
36-47	4-5	1 1/2 tablets
48-59	6-8	2 tablets
60-71	9-10	2 1/2 tablets
72-95	11	3 tablets

\*or as directed by a doctor

### ***Other information***

- **TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN**
- avoid high humidity
- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- see end flap for expiration date and lot number

### ***Inactive ingredients***

citric acid, crospovidone, D&C red #27 aluminum lake, D&C red #30 aluminum lake, dextrans hydrated, ethylcellulose, FD&C blue #1 aluminum lake, flavors, magnesium stearate, mannitol, polyethylene, stearic acid, sucralose

### ***Questions or comments?***

**1-800-426-9391**

### ***Principal display panel***

**NDC 0363-9440-08**

### ***Walgreens***

Compare to the active ingredient  
in Children's Tylenol®††

• WALGREENS •  
PHARMACIST RECOMMENDED†

### **Children's Pain & Fever**

**ACETAMINOPHEN 160 mg** CHEWABLE TABLETS  
PAIN RELIEVER / FEVER REDUCER

Chewable  
Aspirin Free  
Ibuprofen Free

### **AGES**

**2-11**  
YEARS

**24** CHEWABLE TABLETS

ACTUAL SIZE                      Grape flavor (160 mg each)

Chew or crush tablets completely before  
swallowing. Do not swallow tablets whole.

**TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED  
OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY  
SIGNS OF TAMPERING**

Walgreens Pharmacist Recommended  
Walgreens Pharmacist Survey

†Our pharmacists recommend the Walgreens brand. We invite you to compare to national brands.

††This product is not manufactured or distributed by Johnson & Johnson Corporation, owner of the registered trademark Children's Tylenol®.

DISTRIBUTED BY: **WALGREEN CO.**  
**200 WILMOT RD., DEERFIELD, IL 60015**  
**100% SATISFACTION GUARANTEED**

walgreens.com

©2021 Walgreen Co.

50844 REV0522A44908

**Drug Facts**

**KEEP OUT OF REACH OF CHILDREN. READ CAREFULLY FOR IMPORTANT PRODUCT INFORMATION.**

**Active ingredient (in each chewable tablet)**  
Acetaminophen 160 mg..... Pain reliever/fever reducer

**Uses**

- temporarily relieves minor aches and pains due to:
  - headache
  - sore throat
  - flu
  - toothache
  - the common cold
- temporarily reduces fever

**Warnings**

- Liver warning:** This product contains acetaminophen. Severe liver damage may occur if your child takes
  - more than 5 doses in 24 hours, which is the maximum daily amount.
  - with other drugs containing acetaminophen
- Allergy alert:** Acetaminophen may cause severe skin reactions. Symptoms may include:
  - skin redness
  - hives
  - rash
  - if a skin reaction occurs, stop use and seek medical help right away.
- Sore throat warning:** If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.

**Drug Facts (continued)**

- Do not use**
  - with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
  - if your child is allergic to acetaminophen or any of the inactive ingredients in this product.
- Ask a doctor before use if your child has**
  - ask a doctor or pharmacist before use if your child is taking the blood thinning drug warfarin.

**Drug Facts (continued)**

- Directions**
  - this product does not contain directions or complete warnings for adult use
  - do not give more than directed
  - find the right dose on chart below. If possible, use weight to dose; otherwise, use age.
  - chew or crush tablets completely before swallowing; do not swallow tablets whole
  - repeat dose every 4 hours while symptoms last
  - do not give more than 5 times in 24 hours
  - do not give for more than 5 days unless directed by a doctor

Weight (lb)	Age (yr)	Dose (chewable tablets)*
Under 24	Under 2	Ask a doctor
24-35	2-3	1 tablet
36-47	4-5	1 1/2 tablets
48-59	6-8	2 tablets
60-71	9-10	2 1/2 tablets
72-95	11	3 tablets

\* or as directed by a doctor

**Other information**

- TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTERS ARE TORN OR BROKEN**
  - avoid high humidity
  - store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
  - see end flap for expiration date and lot number

**Drug Facts (continued)**

- Inactive ingredients**
  - citric acid, croscopolone, D&C red #27 aluminum lake, D&C red #30 aluminum lake, dextrates hydrated ethylcellulose, FD&C blue #1 aluminum lake, flavors, magnesium stearate, mannitol, polyethylene glycol, stearic acid, sucrose
- Questions or comments?** 1-800-426-9391

ITEM 980502 W00000-0000-0  
 200 WILMOT RD., DEERFIELD, IL 60015  
 100% SATISFACTION GUARANTEED  
 walgreens.com  
 ©2021 Walgreen Co.

Our pharmacists recommend the Walgreens brand. We invite you to compare to national brands.  
 ††This product is not manufactured or distributed by Johnson & Johnson Corporation, owner of the registered trademark Children's Tylenol®.

**TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING**

**Walgreens**  
 Compare to the active ingredient in Children's Tylenol®

**Children's Pain & Fever**

**Fever**

ACETAMINOPHEN 160 mg CHEWABLE TABLETS  
 PAIN RELIEVER / FEVER REDUCER

- Chewable
- Aspirin Free
- Ibuprofen Free

**AGES 2-11 YEARS**

**24 CHEWABLE TABLETS** (160 mg each)  
 Chew or crush tablets completely before swallowing. Do not swallow tablets whole.



8-2201-449-08-HR  
 REV0522444908

NDC 0363-9440-08

**Walgreens**  
 Compare to the active ingredient in Children's Tylenol®


**Children's Pain & Fever**

ACETAMINOPHEN 160 mg CHEWABLE TABLETS  
 PAIN RELIEVER / FEVER REDUCER

- Chewable
- Aspirin Free
- Ibuprofen Free

**AGES 2-11 YEARS**

**24 CHEWABLE TABLETS**



ACTUAL SIZE



Grape flavor (160 mg each)

Chew or crush tablets completely before swallowing. Do not swallow tablets whole.

**Walgreens 44-449**

W3OR60222-F  
 REV0822

No print/No varnish  
 Lot & Exp date

518844 REV0522444908

# PAIN AND FEVER CHILDRENS

acetaminophen tablet, chewable

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:0363-9440
<b>Route of Administration</b>	ORAL		

## Active Ingredient/Active Moiety

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	160 mg

## Inactive Ingredients

<b>Ingredient Name</b>	<b>Strength</b>
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
CROSPVIDONE, UNSPECIFIED (UNII: 2S7830E561)	
D&C RED NO. 27 ALUMINUM LAKE (UNII: ZK64F7XSTX)	
D&C RED NO. 30 ALUMINUM LAKE (UNII: GE75M6YV5W)	
DEXTROSE MONOHYDRATE (UNII: LX22YL083G)	
ETHYLCELLULOSE, UNSPECIFIED (UNII: 7Z8S9VYZ4B)	
FD&C BLUE NO. 1 ALUMINUM LAKE (UNII: J9EQA3S2JM)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MANNITOL (UNII: 3OWL53L36A)	
HIGH DENSITY POLYETHYLENE (UNII: UG00KM4WR7)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
SUCRALOSE (UNII: 96K6UQ3ZD4)	

## Product Characteristics

<b>Color</b>	purple	<b>Score</b>	2 pieces
<b>Shape</b>	ROUND	<b>Size</b>	16mm
<b>Flavor</b>	GRAPE	<b>Imprint Code</b>	44;449
<b>Contains</b>			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0363-9440-08	4 in 1 CARTON	01/28/2005	
1		6 in 1 BLISTER PACK; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	01/28/2005	

**Labeler** - Walgreen Company (008965063)

### Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		038154464	pack(0363-9440)

### Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867837	manufacture(0363-9440) , pack(0363-9440)

### Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		967626305	pack(0363-9440)

### Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		117025878	manufacture(0363-9440)

Revised: 1/2026

Walgreen Company