PAIN AND FEVER CHILDRENS- acetaminophen tablet, chewable Walgreen Company

Walgreens 44-449 Childrens

Active ingredient (in each chewable tablet)

Acetaminophen 160 mg

Purpose

Pain reliever/fever reducer

Uses

- temporarily relieves minor aches and pains due to:
 - headache
 - sore throat
 - flu
 - toothache
 - the common cold
- temporarily reduces fever

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if your child takes

- more than 5 doses in 24 hours, which is the maximum daily amount
- with other drugs containing acetaminophen

Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

Sore throat warning: If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if your child is allergic to acetaminophen or any of the inactive ingredients in this

Ask a doctor before use if your child has

liver disease.

Ask a doctor or pharmacist before use if your child is

taking the blood thinning drug warfarin.

When using this product

do not exceed recommended dosage.

Stop use and ask a doctor if

- pain gets worse or lasts more than 5 days
- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present

These could be signs of a serious condition.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

- this product does not contain directions or complete warnings for adult use
- do not give more than directed
- find the right dose on chart below. If possible, use weight to dose; otherwise, use age.
- chew or crush tablets completely before swallowing; do not swallow tablets whole
- repeat dose every 4 hours while symptoms last
- do not give more than 5 times in 24 hours
- do not give for more than 5 days unless directed by a doctor

Weight (lb)	Age (yr)	Dose (chewable tablets)*
Under 24	Under 2	Ask a doctor
24-35	2-3	1 tablet
36-47	4-5	1 1/2 tablets
48-59	6-8	2 tablets
60-71	9-10	2 1/2 tablets
72-95	11	3 tablets

^{*}or as directed by a doctor

Other information

- TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN
- avoid high humidity
- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- see end flap for expiration date and lot number

Inactive ingredients

citric acid, crospovidone, D&C red #27 aluminum lake, D&C red #30 aluminum lake, dextrates hydrated, ethylcellulose, FD&C blue #1 aluminum lake, flavors, magnesium stearate, mannitol, polyethylene, stearic acid, sucralose

Questions or comments?

1-800-426-9391

Principal display panel

NDC 0363-9440-08

Walgreens

Compare to the active ingredient in Children's Tylenol^{®††}

• WALGREENS • PHARMACIST RECOMMENDED[†]

Children's Pain & Fever

ACETAMINOPHEN 160 mg CHEWABLE TABLETS

PAIN RELIEVER / FEVER REDUCER

Chewable Aspirin Free Ibuprofen Free

AGES

2-11

YEARS

24 CHEWABLE TABLETS

ACTUAL SIZE Grape flavor (160 mg each)

Chew or crush tablets completely before swallowing. Do not swallow tablets whole.

TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING

Walgreens Pharmacist Recommended Walgreens Pharmacist Survey

[†]Our pharmacists recommend the Walgreens brand. We invite you to compare to national brands.

††This product is not manufactured or distributed by Johnson & Johnson Corporation, owner of the registered trademark Children's Tylenol[®].

DISTRIBUTED BY: WALGREEN CO. 200 WILMOT RD., DEERFIELD, IL 60015 100% SATISFACTION GUARANTEED walgreens.com © 2021 Walgreen Co.

50844 REV0522A44908



Active ingredient (in each chewable tablet)

Drug Facts

■ headache ■ toothache sore throat Ifu the common cold

Ask a doctor before use if your child has

temporarily relieves minor aches and pains

Warnings temporarily reduces fever

Liver warning: This product contains acetaminophen. Severe liver damage may Ask a doctor or pharmacist before use if your child is taking the blood thinning irug warfarin.

Stop use and ask a doctor if When using this product do not exceed recommended dosage.

fever gets worse or lasts more than 3 pain gets worse or lasts more than 5 days

48-59 3647 24-35

> 4.5 2-3

1 1/2 tablets

1 tablet 2 tablets

Chewable

6-8 9-10

2 1/2 tablets

lbuprofen Free

■ redness or swelling is present These could be signs of a serious new symptoms occur

skin reddening If a skin reaction or

occurs, stop use and seek blisters

■ rash

medical help right away.

■ with other drugs containing acetaminophen Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may

more than 5 doses in 24 hours, which is

the maximum daily amount

occur if your child takes

overdose, get medical help or contact a Poison Control Center right away. Prompt medical attention is critical for adults as notice any signs or symptoms. Keep out of reach of children. In case of well as for children even if you do not

Other information

AGES 2-11 YEARS

OR BROXEN ■ avoid high humidity ■ store at 25°C (77°F); excursions permitted ■ TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN

between 15°-30°C (59°-86°F) see end flap for expiration date and lot number

Chew or crush tablets completely before swallowing. Do not swallow tablets whole.

B-2201-449-08-HR REV0522A44908

24 CHEWABLE TABLETS

Grape flavor (160 mg each)

rash, nausea, or vomiting, consult a doctor persists for more than 2 days, is accompanied or followed by fever, headache, Sore throat warning: If sore throat is severe

W30RG0222-F

REV0822

Drug Facts (continued)

Inactive ingredients citnic acid, crospovidone, D&C red #27 aluminum take, D&C red #30 aluminum take, dextrates hydrated, ethylcetlulose, FD&C blue #1 aluminum take, flavors, magnesium stearate, mannitol, polyethylene, stearic acid, sucratose

Questions or comments? 1-800-426-9391

No print/No varnish Lot & Exp date

584 4

REV0522A44908

ask a doctor or pharmacist. acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen

 If your child is allergic to acetaminophen or any of the inactive ingredients in this use age. possible, use weight to dose; otherwise

 chew or crush tablets completely before swallowing; do not swallow tablets whole repeat dose every 4 hours while symptoms

■ do not give more than 5 times in 24 hours ■ do not give for more than 5 days unless

Weight (lb) Under 24 Age (yr) Under 2 (chewable tablets Ask a doctor Dose

ACETAMINOPHEN 160 mg Chewable tablets Pain reliever / Fever reducer ever ain &





Compare to the active ingredient in Children's Tylenol Walgreens

NDC 0363-9440-08

NDC 0363-9440-08

Compare to the active ingredient



hildren's & Fever

ACETAMINOPHEN 160 mg (HEWABLE TABLETS PAIN RELIEVER / FEVER REDUCER

Chewable Aspirin Free

Ibuprofen Free



ACTUAL SIZE

Grape flavor (160 mg each)

Chew or crush tablets completely before swallowing. Do not swallow tablets whole.

CHEWABLE TABLETS

Walgreens 44-449

PAIN AND FEVER CHILDRENS

acetaminophen tablet, chewable

Product Information

Product Type HUMAN OTC DRUG Item Code (Source) NDC:0363-9440

Route of Administration ORAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (LINII: 36209ITI 9D) (ACETAMINOPHEN - LINII: 36209ITI 9D)	ACETAMINOPHEN	160 mg

Ingredient Name
Strength
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)
CROSPOVIDONE, UNSPECIFIED (UNII: 257830E561)
D&C RED NO. 27 ALUMINUM LAKE (UNII: ZK64F7XSTX)
D&C RED NO. 30 ALUMINUM LAKE (UNII: GE75M6YV5W)
DEXTROSE MONOHYDRATE (UNII: LX22YL083G)
ETHYLCELLULOSE, UNSPECIFIED (UNII: 7Z8S9VYZ4B)
FD&C BLUE NO. 1 ALUMINUM LAKE (UNII: J9EQA3S2JM)
MAGNESIUM STEARATE (UNII: 70097M6I30)
MANNITOL (UNII: 30WL53L36A)
HIGH DENSITY POLYETHYLENE (UNII: UG00KM4WR7)
STEARIC ACID (UNII: 96K6UQ3ZD4)

Product Characteristics				
Color	purple	Score	2 pieces	
Shape	ROUND	Size	16mm	
Flavor	GRAPE	Imprint Code	44;449	
Contains				

P	Packaging					
#	Item Code	Package Description	Marketing Start Date	Marketing End Date		
1	NDC:0363-9440- 08	4 in 1 CARTON	01/28/2005			
1		6 in 1 BLISTER PACK; Type 0: Not a Combination Product				

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	01/28/2005	

Labeler - Walgreen Company (008965063)

Establishment			
Name	Address	ID/FEI	Business Operations
LNK International, Inc.		038154464	pack(0363-9440)

Establishment			
Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867837	manufacture(0363-9440) , pack(0363-9440)

Establishment			
Name	Address	ID/FEI	Business Operations
LNK International, Inc.		967626305	pack(0363-9440)

Establishment			
Name	Address	ID/FEI	Business Operations
LNK International, Inc.		117025878	manufacture(0363-9440)

Revised: 1/2025 Walgreen Company