

**NIGHT TIME SLEEP AID- diphenhydramine hcl liquid
Dolgenercorp, Inc. (DOLLAR GENERAL & REXALL)**

Drug Facts

Active ingredient (in each 30 mL)

Diphenhydramine HCl 50 mg

Purpose

Nighttime sleep-aid

Uses

- for the relief of occasional sleeplessness
- reduces time to fall asleep if you have difficulty falling asleep

Warnings

Do not use

- in children under 12 years of age
- with any other product containing diphenhydramine, even one used on skin

Ask a doctor before use if you have

- a breathing problem such as emphysema or chronic bronchitis
- glaucoma
- trouble urinating due to an enlarged prostate gland

Ask a doctor or pharmacist before use if you are

taking sedatives or tranquilizers.

When using this product,

avoid alcoholic beverages.

Stop use and ask a doctor if

sleeplessness persists continuously for more than 2 weeks. Insomnia may be a symptom of a serious underlying medical illness

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-

1222) right away.

Directions

- take only one dose per day (24 hours)
- mL=milliliter
- keep dosing cup with product
- measure only with dosing cup provided. Do not use any other dosing device
- adults and children 12 years and over
 - one dose=30 mL at bedtime if needed, or as directed by a doctor
- children under 12 years do not use

Other information

- **each 30 mL contains:** sodium 23 mg
- store between 20-25°C (68-77°F). Do not refrigerate.
- protect from light

Inactive ingredients

citric acid, ethyl alcohol, FD&C blue #1, FD&C red #40, flavor, high fructose corn syrup, polyoxyl 40 stearate, propylene glycol, purified water, saccharin sodium, sodium benzoate, sodium citrate

Questions or comments?

Call **1-888-309-9030**

Principal Display Panel

Compare to the active ingredient of ZzzQUIL®*

Night Time

Sleep Aid

Diphenhydramine HCl 50 mg

Non-habit forming

Not for treating cold or flu

ALCOHOL 10%

Mixed Berry Flavor

fl oz (mL)

Failure to follow these warnings could result in serious consequences.

TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL AROUND DOSAGE

CUP OR UNDER CAP IS BROKEN OR MISSING.

*This product is not manufactured or distributed by Procter & Gamble Company.
ZzzQUIL® is a registered trademark of the Procter & Gamble Company.

DISTRIBUTED BY OLD EAST MAIN CO.

100 MISSION RIDGE

GOODLETTSVILLE, TN 37072

Package Label

DG health

Compare to
the active
ingredient of
ZZZQUIL[®]

Night Time

Sleep Aid

Diphenhydramine HCl, 50 mg

Non-Habit Forming

Not For Treating Cold or Flu

ALCOHOL 10%



Mixed Berry
Flavor

12 FL OZ
(355 mL)

50
mg

PLD-A262D LB009809

Failure to follow these warnings could result in serious consequences.

Drug Facts

Active ingredient (in each 30 mL)	Purpose
Diphenhydramine HCl 50 mg	Nighttime sleep-aid

Uses

- for the relief of occasional sleeplessness
- reduces time to fall asleep if you have difficulty falling asleep

*This product is not manufactured or distributed by The Procter & Gamble Company. ZZZQUIL[®] is a registered trademark of The Procter & Gamble Company.

**TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL
AROUND DOSAGE CAP OR UNDER CAP IS BROKEN OR MISSING.**

DISTRIBUTED BY OLD EAST MAIN CO.
100 MISSION RIDGE
GOODLETTSVILLE, TN 37072

Product of China

100%
Satisfaction
Guaranteed!
(888) 309-9030



PLD-A262D LB009868

FEEL CORNER FOR MORE DRUG FACTS

Drug Facts (continued)

Warnings

Do not use

- in children under 12 years of age
- with any other product containing diphenhydramine, even one used on skin

Ask a doctor before use if you have

- a breathing problem such as emphysema or chronic bronchitis
- glaucoma
- trouble urinating due to an enlarged prostate gland

Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers.

When using this product, avoid alcoholic beverages.

Stop use and ask a doctor if

Drug Facts (continued)


Directions

- take only one dose per day (24 hours)
- mL = milliliter ■ keep dosing cup with product
- measure only with dosing cup provided. Do not use any other dosing device.
- adults and children 12 years and over
 - one dose = 30 mL at bedtime if needed, or as directed by a doctor
- children under 12 years: do not use

Other information

- each 30 mL contains: sodium 23 mg
- store between 20-25°C (68-77°F). Do not refrigerate.
- protect from light

Inactive ingredients citric acid, ethyl alcohol, FD&C blue #1, FD&C red #40, flavor, high fructose corn syrup, polyoxyl 40 stearate, propylene glycol, purified water, saccharin sodium, sodium benzoate, sodium citrate



DOLLAR GENERAL Night Time Sleep Aid

NIGHT TIME SLEEP AID			
diphenhydramine hcl liquid			
Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:55910-114
Route of Administration	ORAL		
Active Ingredient/Active Moiety			
Ingredient Name		Basis of Strength	Strength
DIPHENHYDRAMINE HYDROCHLORIDE (UNII: TC2D6JAD40) (DIPHENHYDRAMINE - UNII:8GTS82S83M)		DIPHENHYDRAMINE HYDROCHLORIDE	50 mg in 30 mL
Inactive Ingredients			
Ingredient Name			Strength
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)			
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)			
POLYOXYL STEARATE 40 (UNII: 13A4J4NH9I)			
WATER (UNII: 059QF0KO0R)			
SODIUM BENZOATE (UNII: OJ245FE5EU)			
SACCHARIN SODIUM ANHYDROUS (UNII: I4807BK602)			
TRISODIUM CITRATE DIHYDRATE (UNII: B22547B95K)			
HIGH FRUCTOSE CORN SYRUP (UNII: XY6UN3QB6S)			
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)			
ALCOHOL (UNII: 3K9958V90M)			
FD&C RED NO. 40 (UNII: WZB9127XOA)			
Product Characteristics			
Color		Score	

Shape		Size	
Flavor	BERRY	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:55910-114-12	355 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	03/31/2015	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	03/31/2015	

Labeler - Dolgencorp, Inc. (DOLLAR GENERAL & REXALL) (068331990)

Revised: 7/2024

Dolgencorp, Inc. (DOLLAR GENERAL & REXALL)