

# **QUALITY CHOICE LICE TREATMENT- piperonyl butoxide, pyrethrum extract**

## **Chain Drug Marketing Association**

-----

### **Quality Choice Lice treatment Kit**

#### **Active ingredient**

Piperonyl butoxide 4%

Pyrethrum extract (equivalent to 0.33% pyrethrins)

#### **Uses**

treats head, pubic (crab), and body lice

#### **Purpose**

Lice treatment

#### **Warnings**

##### **For external use only**

##### **Do not use**

- near eyes
- inside nose, mouth, or vagina
- on lice in eyebrows or eyelashes. See a doctor if lice are present in these areas.

##### **Ask a doctor before use if you are**

- allergic to ragweed. May cause breathing difficulty or an asthmatic attack.

##### **When using this product**

- keep eyes tightly closed and protect eyes with a washcloth or towel
- if product gets into eyes, flush with water right away
- scalp itching or redness may occur

##### **Stop use and ask a doctor if**

- breathing difficulty occurs
- eye irritation occurs
- skin or scalp irritation continues or infection occurs

##### **Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center right away.

#### **Directions**

- **Important: Read warnings before use**
- **Adults and children 2 years and over:**

### **Inspect**

- check each household member with a magnifying glass in bright light for lice/nits (eggs)
- look for tiny nits near scalp, beginning at back of neck and behind ears
- examine small sections of hair at a time
- unlike dandruff which moves when touched, nits stick to the hair
- if either lice or nits are found, treat with this product

### **Treat**

- apply thoroughly to DRY HAIR or other affected area. For head lice, first apply behind ears and to back of neck.
- allow product to remain for 10 minutes, but no longer
- use warm water to form a lather, shampoo, then thoroughly rinse
- for head lice, towel dry hair and comb out tangles

### **Remove lice and their eggs (nits)**

- use a fine-tooth or special lice/nit comb. Remove any remaining nits by hand (using a throw-away glove).
- hair should remain slightly damp while removing nits
- if hair dries during combing, dampen slightly with water
- for head lice, part hair into sections. Do one section at a time starting on top of the head. Longer hair may take 1 to 2 hours.
- lift a 1-to 2-inch wide strand of hair. Place comb as close to scalp as possible and comb with a firm, even motion away from scalp.
- pin back each strand of hair after combing
- clean comb often. Wipe nits away with tissue and discard in a plastic bag. Seal bag and discard to prevent lice from coming back.
- after combing, thoroughly recheck for lice/nits. Repeat combing if necessary.
- check daily for any lice/nits that you missed
- a second treatment must be done in 7 to 10 days to kill any newly hatched lice
- if infestation continues, see a doctor for other treatments
- **Children under 2 years:** ask a doctor

### **Other information**

- do not freeze
- store at controlled room temperature 20°-25°C (68°-77°F)
- see package insert for additional information

### **Inactive ingredients**

ammonium laureth sulfate, fragrance, PEG-25 hydrogenated castor oil, polyquaternium-10, purified water, SD-40 alcohol

### **Consumer Information - Package Insert**

# LICE KILLING SHAMPOO

For the treatment of Head Lice, Pubic (Crab) Lice and Body Lice

## DIRECTIONS

**IMPORTANT! READ WARNINGS BEFORE USING THIS PRODUCT. A SECOND TREATMENT MUST BE DONE IN 7-10 DAYS TO KILL ANY NEWLY HATCHED LICE EGGS (NITS)**

### Inspect

- Examine each household member with a magnifying glass in bright light for lice/eggs (nits)
- Look for dry eggs (nits) near scalp, beginning at the back of neck and behind ears
- Examine small sections of hair
- Unkiss dandruff, which moves when touched, eggs (nits) stick to the hair
- If either lice or eggs (nits) are found, treat with this product

### Treat

- Apply thoroughly to dry hair or other affected area. For head lice, first apply behind ears and to back of neck.
- Allow product to remain for 10 minutes but no longer
- Use warm water to form a lather, shampoo, then thoroughly rinse
- For head lice, towel dry hair and comb out tangles

### To Remove Lice and Their Eggs (Nits)

- Use a special lice/comb or fine-toothed comb (included). Remove any remaining eggs (nits) by hand, using a fine-toothed comb
- Use a fine-toothed comb to remove lice and their eggs (nits) from the hair. Hair should remain slightly damp while removing eggs (nits)
- If hair dries during combing, dampen slightly with water
- For head lice, part hair into sections. Do one section at a time starting on top of the head. Longer hair may take 1 to 2 hours
- Use a 1- to 2-inch wide strand of hair. Place comb as close to scalp as possible and comb with a firm, even motion away from scalp
- Pin back each strand of hair after combing
- Comb comb often. Wipe eggs (nits) away with tissue and discard in a plastic bag. Seal bag and discard to prevent lice from coming back
- After combing, thoroughly inspect for lice/eggs (nits). Repeat combing if necessary
- Check daily for any lice/eggs (nits) that you missed
- A second treatment must be done within 7 to 10 days to kill any newly hatched lice/eggs (nits)
- If infestation continues, see a doctor for other treatments

### 1. HEAD LICE

- Head lice lay small white eggs (nits) on the hair shaft close to the scalp
- Eggs (nits) are most easily found on the back of the neck or behind the ears
- Diapers, hats, hair ribbons, scarves, coats, towels and bed linens by machine washing in hot water (above 54°C / 130°F), then using the hottest dryer setting for at least 30 minutes
- Items that cannot be washed, dry cleaned or steamed may be sprayed with a product designed for this purpose
- Soak all combs and brushes in hot water (above 54°C / 130°F) for at least 10 minutes
- Vacuum all carpets, mattresses, upholstered furniture, and car seats that may have been used by affected people

### 2. PUBIC (CRAB) LICE

- Pubic (crab) lice may be contacted by sexual contact
- Sexual partners should be treated simultaneously to avoid reinfection
- Lice are very small and look like brown or grey dots on the skin
- Pubic (crab) lice usually cause intense itching and lay small white eggs (nits) on the hair shaft generally close to the skin surface
- Pubic (crab) lice may be present on the short hairs of the groin, thigh, trunk, and underarms, and occasionally on the beard, eyelids, and mustache
- Diapers and bed linens by machine washing in hot water (above 54°C / 130°F), then using the hottest dryer setting for at least 30 minutes

### 3. BODY LICE

- Body lice and their eggs (nits) are generally found in the seams of clothing, particularly in the waistline and armpit areas
- Body lice feed on skin when return to clothing to lay their eggs (nits)
- Diagnose clothing by machine washing in hot water (above 54°C / 130°F), then using the hottest dryer setting for at least 30 minutes
- Do not use clothing in a plastic bag because eggs (nits) can remain dormant for up to 30 days

Save this insert for future reference

SHAKE WELL BEFORE USING

# LICE KILLING SHAMPOO

For the treatment of Head Lice, Pubic (Crab) Lice and Body Lice

## DIRECTIONS

**IMPORTANT! READ WARNINGS BEFORE USING THIS PRODUCT. A SECOND TREATMENT MUST BE DONE IN 7-10 DAYS TO KILL ANY NEWLY HATCHED LICE EGGS (NITS)**

### Inspect

- Examine each household member with a magnifying glass in bright light for lice/eggs (nits)
- Look for dry eggs (nits) near scalp, beginning at the back of neck and behind ears
- Examine small sections of hair
- Unkiss dandruff, which moves when touched, eggs (nits) stick to the hair
- If either lice or eggs (nits) are found, treat with this product

### Treat

- Apply thoroughly to dry hair or other affected area. For head lice, first apply behind ears and to back of neck.
- Allow product to remain for 10 minutes but no longer
- Use warm water to form a lather, shampoo, then thoroughly rinse
- For head lice, towel dry hair and comb out tangles

### To Remove Lice and Their Eggs (Nits)

- Use a special lice/comb or fine-toothed comb (included). Remove any remaining eggs (nits) by hand, using a fine-toothed comb
- Use a fine-toothed comb to remove lice and their eggs (nits) from the hair. Hair should remain slightly damp while removing eggs (nits)
- If hair dries during combing, dampen slightly with water
- For head lice, part hair into sections. Do one section at a time starting on top of the head. Longer hair may take 1 to 2 hours
- Use a 1- to 2-inch wide strand of hair. Place comb as close to scalp as possible and comb with a firm, even motion away from scalp
- Pin back each strand of hair after combing
- Comb comb often. Wipe eggs (nits) away with tissue and discard in a plastic bag. Seal bag and discard to prevent lice from coming back
- After combing, thoroughly inspect for lice/eggs (nits). Repeat combing if necessary
- Check daily for any lice/eggs (nits) that you missed
- A second treatment must be done within 7 to 10 days to kill any newly hatched lice/eggs (nits)
- If infestation continues, see a doctor for other treatments

### 1. HEAD LICE

- Head lice lay small white eggs (nits) on the hair shaft close to the scalp
- Eggs (nits) are most easily found on the back of the neck or behind the ears
- Diapers, hats, hair ribbons, scarves, coats, towels and bed linens by machine washing in hot water (above 54°C / 130°F), then using the hottest dryer setting for at least 30 minutes
- Items that cannot be washed, dry cleaned or steamed may be sprayed with a product designed for this purpose
- Soak all combs and brushes in hot water (above 54°C / 130°F) for at least 10 minutes
- Vacuum all carpets, mattresses, upholstered furniture, and car seats that may have been used by affected people

### 2. PUBIC (CRAB) LICE

- Pubic (crab) lice may be contacted by sexual contact
- Sexual partners should be treated simultaneously to avoid reinfection
- Lice are very small and look like brown or grey dots on the skin
- Pubic (crab) lice usually cause intense itching and lay small white eggs (nits) on the hair shaft generally close to the skin surface
- Pubic (crab) lice may be present on the short hairs of the groin, thigh, trunk, and underarms, and occasionally on the beard, eyelids, and mustache
- Diapers and bed linens by machine washing in hot water (above 54°C / 130°F), then using the hottest dryer setting for at least 30 minutes

### 3. BODY LICE

- Body lice and their eggs (nits) are generally found in the seams of clothing, particularly in the waistline and armpit areas
- Body lice feed on skin when return to clothing to lay their eggs (nits)
- Diagnose clothing by machine washing in hot water (above 54°C / 130°F), then using the hottest dryer setting for at least 30 minutes
- Do not use clothing in a plastic bag because eggs (nits) can remain dormant for up to 30 days

Save this insert for future reference

SHAKE WELL BEFORE USING

# CHAMPÚ PARA MATAR PIOJOS

Para el tratamiento de piojos de cabeza, piojos púbicos (ladillas) y piojos del cuerpo

### Para uso externo solamente.

- No lo use cerca de los ojos
- Dentro de la nariz, boca o vagina
- Para piojos en las cejas o pestañas. Consulte a un doctor si hay piojos en estas áreas
- Previamente a un doctor antes de usarlo si es alérgico a la amoníaco
- Puede provocar dificultades para respirar o un ataque asmático.

### Cuando use este producto

- Mantenga los ojos bien cerrados y protéjalos con una toallita o toalla
- El producto entra en los ojos, enjuáguese inmediatamente con agua
- Puede experimentar picazón o enrojecimiento del cuero cabelludo
- Deje de usarlo y consulte a un doctor si tiene dificultad para respirar
- Evite la irritación de los ojos

### Evite la irritación de la piel

- Evite el cuero cabelludo o se presente una infección.
- Si está embarazada o lactando, antes de usarlo pregunte a un profesional médico. Manténgalo fuera del alcance de los niños. Si otréaga, otéaga ayuda médica o póngase en contacto con el Centro de Control de Envenenamientos

## INSTRUCCIONES

**IMPORTANT! LEA LAS ADVERTENCIAS ANTES DE USAR ESTE PRODUCTO. UN SEGUNDO TRATAMIENTO DEBE SER REALIZADO ENTRE 7 Y 10 DÍAS PARA ELIMINAR LA REPRODUCCIÓN DE NUEVOS PIOJOS Y HUEVILLOS (LINDRIS).**

### Inspección

- Examine a cada uno de los integrantes de la familia bajo luz brillante con una lupa en busca de piojos o huevillitos (lindris) en el cuero cabelludo
- Busque los huevillitos (lindris) en el cabello, comenzando en la parte posterior del cuello y detrás de las orejas
- Examine áreas pequeñas del cabello
- Diferencia de la carga, la cual se mueve al tocarla, los huevillitos (lindris) permanecen adheridos al cabello
- Encuentra piojos o huevillitos (lindris) trate las áreas afectadas con este producto.

### Tratamiento

- Aplique sobre todo el cabello seco o otras áreas afectadas. Para lindris de cabeza primero aplique detrás de las orejas y en la parte posterior del cuello
- Deje el producto durante 10 minutos, pero no se exceda del tiempo sugerido
- Use agua tibia para formar espuma. Lave con champú y luego enjuague muy bien
- Para lindris de cabeza, seque el cabello con una toalla y desvede con un peine.

### Para eliminar los piojos y sus huevillitos (lindris)

- Use un peine de dientes finos o un peine especial para piojos y lindris. Remueva todos los huevillitos (lindris) restantes a mano usando guantes desechables
- El pelo debe permanecer húmedo mientras se remueven los huevillitos (lindris)
- El pelo se seca mientras es peinado, humidícelo con agua
- Para lindris de cabeza, divida el pelo en secciones. Revise una sección a la vez comenzando por la parte de arriba de la cabeza. Si tiene poco tiempo le puede tomar de 1 a 2 horas
- Revise mechones de una pulgada de ancho. Ponga el peine lo más cerca posible del cuero cabelludo y peine con movimientos suaves y firmes
- Quite cada mechón de pelo después de peinar
- Quite el peine con frecuencia. Limpie los huevillitos (lindris) con un papel toalla y tirelos en una bolsa plástica. Cierre la bolsa y ténela para prevenir que los piojos vuelvan a aparecer
- Después de peinar, vuelva a lavar para ver si encuentra piojos o huevillitos (lindris)
- Si fuera necesario repita el procedimiento
- Revise a diario para ver si aparece algún piojo o huevillito (lindris)
- Debe evitar un segundo tratamiento a los 7 a 10 días para matar los huevillitos nuevos (lindris)
- El plaguicida continuo se debe consultar con el doctor para hacer otros tratamientos.

### Otra Información

- No lo congelé
- Evite el contacto con el calor excesivo
- Ver la información adicional en el área del paquete

**Ingredientes:** Insecticida (auri) sulfato de amonio, fragancia, PEG-20 aceite de ricino hidrogenado, policatiónico-10, alcohol desnaturalizado SD-40-9, agua

### 1. PIOJOS DE LA CABEZA

- Los piojos de cabeza poseen huevos blancos (lindris) en los hebra del cabello cerca del cuero cabelludo. Las lindris son fáciles de encontrar en la parte posterior del cuello o detrás de las orejas
- Desinfecte los sombreros, cintas para el cabello, bufandas, abrigos, toallas y sábanas lavándolos en lavadora con agua caliente (a una temperatura de más de 54°C / 130°F) y luego séquelos en la secadora a la temperatura más alta durante un mínimo de 30 minutos
- Los artículos que no pueden ser lavados (cubrecamas, frajas, almohadas, juguetes de peluche, etc.) deben ser limpiados en seco o deben ser sellados en bolsas plásticas por 4 semanas, después sacados a la intemperie y sacados envaginadamente antes de ser usados otra vez
- Artículos que no pueden ser lavados, limpiados en seco o guardados deben ser sacados con productos desinfectados por este fin
- Guárdese todos los peine y cepillos en agua caliente (por más de 54°C / 130°F) por lo menos por 10 minutos
- Limpie las almohadas, cubrecamas, muebles tapizados y asientos del carro que pueden haber sido usados por personas infectadas

### 2. PIOJOS PÚBLICOS (LADILLAS)

- Los piojos públicos (ladilla) pueden adquirirse por contacto sexual
- Compáñeros sexuales deben ser tratados simultáneamente para evitar contagios
- Los piojos son muy pequeños y parecen puntas celtas o gusanos sobre la piel
- Piojos públicos producen picazón muy intensa y Jones nuevos muy pequeños (lindris) en los mechones de pelo cerca de la superficie de la piel
- Los piojos públicos pueden encontrarse en los pelos cortos de las cejas, axilas, tibia y axilas, y ocasionalmente pueden encontrarse en la tibia, pliegados y bigotes
- Desinfecte la ropa lavándola en la lavadora en agua caliente (a una temperatura de más de 54°C / 130°F) y luego use el ciclo más caliente de la secadora por más de 30 minutos

### 3. PIOJOS DE CUERPO

- Los piojos de cuerpo (los lindris) son generalmente encontrados en los dobladillos de la ropa, particularmente en el elástico de la cintura o en la zona de la axila
- Las lindris del cuerpo se alimentan de la piel y luego retornan a la ropa para depositar sus huevos (lindris)
- Desinfecte la ropa lavándola en la lavadora en agua caliente (a una temperatura de más de 54°C / 130°F) y luego use el ciclo más caliente de la secadora por más de 30 minutos
- No selle la ropa dentro de una bolsa de plástico debido a que los huevillitos (lindris) pueden permanecer en estado inactivo durante un periodo de hasta 30 días

Guarde las instrucciones para futuras referencias.

AGÍTESE MUY BIEN ANTES DE USAR

# CHAMPÚ PARA MATAR PIOJOS

Para el tratamiento de piojos de cabeza, piojos púbicos (ladillas) y piojos del cuerpo

### Para uso externo solamente.

- No lo use cerca de los ojos
- Dentro de la nariz, boca o vagina
- Para piojos en las cejas o pestañas. Consulte a un doctor si hay piojos en estas áreas
- Previamente a un doctor antes de usarlo si es alérgico a la amoníaco
- Puede provocar dificultades para respirar o un ataque asmático.

### Cuando use este producto

- Mantenga los ojos bien cerrados y protéjalos con una toallita o toalla
- El producto entra en los ojos, enjuáguese inmediatamente con agua
- Puede experimentar picazón o enrojecimiento del cuero cabelludo
- Deje de usarlo y consulte a un doctor si tiene dificultad para respirar
- Evite la irritación de los ojos

### Evite la irritación de la piel

- Evite el cuero cabelludo o se presente una infección.
- Si está embarazada o lactando, antes de usarlo pregunte a un profesional médico. Manténgalo fuera del alcance de los niños. Si otréaga, otéaga ayuda médica o póngase en contacto con el Centro de Control de Envenenamientos

## INSTRUCCIONES

**IMPORTANT! LEA LAS ADVERTENCIAS ANTES DE USAR ESTE PRODUCTO. UN SEGUNDO TRATAMIENTO DEBE SER REALIZADO ENTRE 7 Y 10 DÍAS PARA ELIMINAR LA REPRODUCCIÓN DE NUEVOS PIOJOS Y HUEVILLOS (LINDRIS).**

### Inspección

- Examine a cada uno de los integrantes de la familia bajo luz brillante con una lupa en busca de piojos o huevillitos (lindris) en el cuero cabelludo
- Busque los huevillitos (lindris) en el cabello, comenzando en la parte posterior del cuello y detrás de las orejas
- Examine áreas pequeñas del cabello
- Diferencia de la carga, la cual se mueve al tocarla, los huevillitos (lindris) permanecen adheridos al cabello
- Encuentra piojos o huevillitos (lindris) trate las áreas afectadas con este producto.

### Tratamiento

- Aplique sobre todo el cabello seco o otras áreas afectadas. Para lindris de cabeza primero aplique detrás de las orejas y en la parte posterior del cuello
- Deje el producto durante 10 minutos, pero no se exceda del tiempo sugerido
- Use agua tibia para formar espuma. Lave con champú y luego enjuague muy bien
- Para lindris de cabeza, seque el cabello con una toalla y desvede con un peine.

### Para eliminar los piojos y sus huevillitos (lindris)

- Use un peine de dientes finos o un peine especial para piojos y lindris. Remueva todos los huevillitos (lindris) restantes a mano usando guantes desechables
- El pelo debe permanecer húmedo mientras se remueven los huevillitos (lindris)
- El pelo se seca mientras es peinado, humidícelo con agua
- Para lindris de cabeza, divida el pelo en secciones. Revise una sección a la vez comenzando por la parte de arriba de la cabeza. Si tiene poco tiempo le puede tomar de 1 a 2 horas
- Revise mechones de una pulgada de ancho. Ponga el peine lo más cerca posible del cuero cabelludo y peine con movimientos suaves y firmes
- Quite cada mechón de pelo después de peinar
- Quite el peine con frecuencia. Limpie los huevillitos (lindris) con un papel toalla y tirelos en una bolsa plástica. Cierre la bolsa y ténela para prevenir que los piojos vuelvan a aparecer
- Después de peinar, vuelva a lavar para ver si encuentra piojos o huevillitos (lindris)
- Si fuera necesario repita el procedimiento
- Revise a diario para ver si aparece algún piojo o huevillito (lindris)
- Debe evitar un segundo tratamiento a los 7 a 10 días para matar los huevillitos nuevos (lindris)
- El plaguicida continuo se debe consultar con el doctor para hacer otros tratamientos.

### Otra Información

- No lo congelé
- Evite el contacto con el calor excesivo
- Ver la información adicional en el área del paquete

**Ingredientes:** Insecticida (auri) sulfato de amonio, fragancia, PEG-20 aceite de ricino hidrogenado, policatiónico-10, alcohol desnaturalizado SD-40-9, agua

### 1. PIOJOS DE LA CABEZA

- Los piojos de cabeza poseen huevos blancos (lindris) en los hebra del cabello cerca del cuero cabelludo. Las lindris son fáciles de encontrar en la parte posterior del cuello o detrás de las orejas
- Desinfecte los sombreros, cintas para el cabello, bufandas, abrigos, toallas y sábanas lavándolos en lavadora con agua caliente (a una temperatura de más de 54°C / 130°F) y luego séquelos en la secadora a la temperatura más alta durante un mínimo de 30 minutos
- Los artículos que no pueden ser lavados (cubrecamas, frajas, almohadas, juguetes de peluche, etc.) deben ser limpiados en seco o deben ser sellados en bolsas plásticas por 4 semanas, después sacados a la intemperie y sacados envaginadamente antes de ser usados otra vez
- Artículos que no pueden ser lavados, limpiados en seco o guardados deben ser sacados con productos desinfectados por este fin
- Guárdese todos los peine y cepillos en agua caliente (por más de 54°C / 130°F) por lo menos por 10 minutos
- Limpie las almohadas, cubrecamas, muebles tapizados y asientos del carro que pueden haber sido usados por personas infectadas

### 2. PIOJOS PÚBLICOS (LADILLAS)

- Los piojos públicos (ladilla) pueden adquirirse por contacto sexual
- Compáñeros sexuales deben ser tratados simultáneamente para evitar contagios
- Los piojos son muy pequeños y parecen puntas celtas o gusanos sobre la piel
- Piojos públicos producen picazón muy intensa y Jones nuevos muy pequeños (lindris) en los mechones de pelo cerca de la superficie de la piel
- Los piojos públicos pueden encontrarse en los pelos cortos de las cejas, axilas, tibia y axilas, y ocasionalmente pueden encontrarse en la tibia, pliegados y bigotes
- Desinfecte la ropa lavándola en la lavadora en agua caliente (a una temperatura de más de 54°C / 130°F) y luego use el ciclo más caliente de la secadora por más de 30 minutos

### 3. PIOJOS DE CUERPO

- Los piojos de cuerpo (los lindris) son generalmente encontrados en los dobladillos de la ropa, particularmente en el elástico de la cintura o en la zona de la axila
- Las lindris del cuerpo se alimentan de la piel y luego retornan a la ropa para depositar sus huevos (lindris)
- Desinfecte la ropa lavándola en la lavadora en agua caliente (a una temperatura de más de 54°C / 130°F) y luego use el ciclo más caliente de la secadora por más de 30 minutos
- No selle la ropa dentro de una bolsa de plástico debido a que los huevillitos (lindris) pueden permanecer en estado inactivo durante un periodo de hasta 30 días

Guarde las instrucciones para futuras referencias.

AGÍTESE MUY BIEN ANTES DE USAR



NDC 83324-268-01

\*Compare to the Active Ingredients in RID® SHAMPOO

# Complete Lice Treatment Kit

All-In-One Lice Solution | Instructions Included

### Step 1: TREAT

#### MAX STRENGTH SHAMPOO

- Kills Head Lice, Body Lice & Pubic (Crab) Lice

### Step 2: REMOVE

#### COMB

- 1 Special Nit Removal Comb
- Gentle to Hair

#### SPRAY

- Makes Combing Easier
- Helps Remove Lice Eggs

### Step 3: CONTROL

#### SPRAY

- Kills Lice And Bedbugs
- For Use on Bedding, Etc.
- NOT FOR USE ON HUMANS OR ANIMALS



### Instrucciones en español incluidas

- 4 fl oz (118 mL) LICE KILLING SHAMPOO • 2 fl oz (59 mL) LICE & EGG COMBING SPRAY • 1 SPECIAL NIT COMB
- 5 oz (142 g) Net Wt LICE, BEDBUG & MITE SPRAY

KEEP OUT OF REACH OF CHILDREN

**CAUTION:**

See Side Panel for Additional Precautionary Statements

Quality Choice

The all in one lice solution for your family

Compare to the Active Ingredients in RID® Shampoo with maximum strength Shampoo

1 treat shampoo

2 remove comb/gel

3 control spray

Instrucciones en español incluidas

## QUALITY CHOICE LICE TREATMENT

piperonyl butoxide, pyrethrum extract kit

### Product Information

Product Type

HUMAN OTC DRUG

Item Code (Source)

NDC:83324-268

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:83324-268-	1 in 1 CARTON; Type 0: Not a Combination	09/09/2024	

**Quantity of Parts**

Part #	Package Quantity	Total Product Quantity
Part 1	1 BOTTLE	118 mL

**Part 1 of 1**

**LICE KILLING**

piperonyl butoxide, pyrethrum extract shampoo

**Product Information**

<b>Route of Administration</b>	TOPICAL
--------------------------------	---------

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
<b>PIPERONYL BUTOXIDE</b> (UNII: LWK91TU9AH) (PIPERONYL BUTOXIDE - UNII:LWK91TU9AH)	PIPERONYL BUTOXIDE	40 mg in 1 mL
<b>PYRETHRUM EXTRACT</b> (UNII: ZUM06L90GV) (PYRETHRUM EXTRACT - UNII:ZUM06L90GV)	PYRETHRUM EXTRACT	3.3 mg in 1 mL

**Inactive Ingredients**

Ingredient Name	Strength
<b>POLYQUATERNIUM-10 (400 MPA.S AT 2%)</b> (UNII: HB1401PQFS)	
<b>AMMONIUM LAURETH-2 SULFATE</b> (UNII: 698O4Z48G6)	
<b>ALCOHOL</b> (UNII: 3K9958V90M)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>PEG-25 HYDROGENATED CASTOR OIL</b> (UNII: 0ZNO9PJJ9J)	

**Product Characteristics**

<b>Color</b>	yellow (cloudy to transparent, cream to straw)	<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>		<b>Imprint Code</b>	
<b>Contains</b>			

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1		118 mL in 1 BOTTLE; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M031	02/01/2014	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M031	09/09/2024	

**Labeler** - Chain Drug Marketing Association (011920774)

**Registrant** - Weeks & Leo Co., Inc. (005290028)

## Establishment

Name	Address	ID/FEI	Business Operations
Weeks & Leo Co., Inc.		005290028	manufacture(83324-268)

Revised: 8/2024

Chain Drug Marketing Association