# PROCEUTICALS PRIVATE LABEL BY TIZO NON-TINTED FOAMING MINERAL SUNSCREEN- titanium dioxide, zinc oxide aerosol, foam Fallien Cosmeceuticals, Ltd

-----

# **ACTIVE INGREDIENTS:**

Titanium Dioxide 3%

Zinc Oxide 10%

PURPOSE:Sunscreen

USES: Helps prevent sunburn. If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early aging caused by the sun.

# **DIRECTIONS:**

- Shake well before using.
- Press nozzle carefully during first use
- Apply liberally 15 minutes before sun exposure.
- Reapply:
- After 40 minutes of swimming or sweating
- Immediately after towel drying
- At least every 2 hours
- Children under 6 months: Ask a doctor
- Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
- Limit time in the sun, especially from 10 am -2 pm
- Wear long-sleeved shirts, pants, hats, and sunglasses

INACTIVE INGREDIENTS:Butyloctyl Salicylate, C12-15 Alkyl Benzoate, Caprylhydroxamic Acid, Caprylyl

Glycol, Cellulose Gum, Ceteareth-20, Cetearyl Alcohol, Citric Acid, Disodium EDTA, Glycereth-26, Glycerin, Glyceryl Stearate, Isododecane, Isohexadecane, Methyl Methacrylate Crosspolymer, Microcrystalline Cellulose, Octyldodecyl Erucate, Octyldodecyl Neopentanoate, Polymethyl Methacrylate, Polysorbate 80, Trans-1,3,3,3-Tetrafluoropropene, Tricontanyl PVP, Triethoxycaprylylsilane, Water

# OTHER INFORMATION:

- Protect this product from excessive heat and direct sun.
- Store between 68° to 104° F (20° to 40° C).
- Do not store at temperatures above 120° F.

## **WARNINGS:**

For external use only. Do not use on damaged or broken skin. Stop use and ask a doctor if rash occurs. When using this product, keep out of eyes. Rinse with water to remove. Keep out of the reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Keep out of the reach of children.

Helps prevent sunburn. If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

Apply liberally 15 minutes befor sun exposure.

Principal Display Panel - 100g Can Label

**PROCEUTICALS** 

PRIVATE LABEL by TiZO

non-tinted foaming

mineral sunscreen

broad spectrum spf 30

water resistant (40 minutes)

net wt. 3.5 oz/ 100 g

Graphic-Untitled

#### DRUG FACTS

Zinc Oxide 10%

ACTIVE INGREDIENTS: Titanium Dioxide 3% PURPOSE:

Sunscreen Sunscreen

#### USES:

Helps prevent sunburn. If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

#### WARNINGS:

For external use only. Do not use on damaged or broken skin. Stop use and ask a doctor if rash occurs. When using this product, keep out of eyes. Rinse with water to remove. **Keep out of the reach of children**. If swallowed, get medical help or contact a Poison Control Center right away.

## DIRECTIONS:

- · Shake well before using.
- · Press nozzle carefully during first use
- · Apply liberally 15 minutes before sun exposure.
- Reapply
- · After 40 minutes of swimming or sweating
- · Immediately after towel drying
- · At least every 2 hours
- · Children under 6 months: Ask a doctor
- Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
  - · Limit time in the sun, especially from 10 am -2 pm
  - · Wear long-sleeved shirts, pants, hats, and sunglasses

## INACTIVE INGREDIENTS:

Butyloctyl Salicylate, C<sub>12-15</sub> Alkyl Benzoate, Caprylhydroxamic Acid, Caprylyl Glycol, Cellulose Gum, Ceteareth-20, Cetearyl Alcohol, Citric Acid, Disodium EDTA, Glycereth-26, Glycerin, Glyceryl Stearate, Isododecane, Isohexadecane, Methyl Methacrylate Crosspolymer, Microcrystalline Cellulose, Octyldodecyl Erucate, Octyldodecyl Neopentanoate, Polymethyl Methacrylate, Polysorbate 80, Trans-1,3,3,3-Tetrafluoropropene, Tricontanyl PVP, Triethoxycaprylylsilane, Water

## OTHER INFORMATION:

- · Protect this product from excessive heat and direct sun
- · Store between 68° to 104° F (20° to 40° C).
- · Do not store at temperatures above 120° F

MANUFACTURED FOR: City, State, Zip NDC 58892-211-01



# non-tinted foaming mineral sunscreen

broad spectrum spf 30 water resistant (40 minutes)

net wt. 3.5 oz /100 g

# **MINERAL SUNSCREEN**

titanium dioxide, zinc oxide aerosol, foam

Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58892-211	
Route of Administration	TOPICAL			

Active Ingredient/Active Moiety			
Ingredient Name	<b>Basis of Strength</b>	Strength	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	30 mg in 1 g	
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	100 mg in 1 g	

Inactive Ingredients	
Ingredient Name	Strength
CETOSTEARYL ALCOHOL (UNII: 2DMT128M1S)	
GLYCERETH-26 (UNII: NNE56F2N14)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
POLYOXYL 20 CETOSTEARYL ETHER (UNII: YRC528SWUY)	
POLY(METHYL METHACRYLATE; 450000 MW) (UNII: Z47NNT4J11)	
GLYCERYL MONOSTEARATE (UNII: 2300U9XXE4)	
EDETATE DISODIUM ANHYDROUS (UNII: 8NLQ36F6MM)	
ISODODECANE (UNII: A8289P68Y2)	
OCTYLDODECYL NEOPENTANOATE (UNII: X8725R883T)	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
OCTYLDODECYL ERUCATE (UNII: D4N66T98C2)	
<b>1,3,3,3-TETRAFLUOROPROPENE, (1E)-</b> (UNII: 5I2481UOO8)	
POLYSORBATE 80 (UNII: 60ZP39ZG8H)	
METHYL METHACRYLATE/GLYCOL DIMETHACRYLATE CROSSPOLYMER (UNII: EG97988M5Q)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
CARBOXYMETHYLCELLULOSE SODIUM, UNSPECIFIED (UNII: K6790BS311)	
BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3)	
TRIACONTANYL PVP (WP-660) (UNII: NOSS3Q238D)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)	
POLYHYDROXYSTEARIC ACID (2300 MW) (UNII: YXH47AOU0F)	
WATER (UNII: 059QF0KO0R)	
CAPRYLHYDROXAMIC ACID (UNII: UPY805K99W)	
GLYCERIN (UNII: PDC6A3C0OX)	

Packaging				
# Item Code Package Description		Marketing Start Date	Marketing End Date	
	NDC:58892-211- 01	100 g in 1 CAN; Type 0: Not a Combination Product	08/09/2024	

g End

# Labeler - Fallien Cosmeceuticals, Ltd (958388357)

Establishment					
Name	Address	ID/FEI	Business Operations		
Tri-Pac Inc		020844956	manufacture(58892-211)		

Establishment				
Name	Address	ID/FEI	Business Operations	
Custom Analytics LLC		144949372	analysis(58892-211)	

Revised: 8/2024 Fallien Cosmeceuticals, Ltd