

**NO7 CC LIGHT- octocrylene and octinoxate emulsion**  
**NO7 CC MEDIUM- octocrylene and octinoxate emulsion**  
**Cosmetica Laboratories Inc.**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**No7 CC Cream**

***Drug Facts***

**Active ingredients**

Octinoxate 7.5%

Octocrylene 8%

**Purpose**

Sunscreen

**Uses**

- helps prevent sunburn

**Warnings**

**For external use only.**

**Do not use** on damaged or broken skin.

**When using this product** keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor if** rash occurs

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- apply liberally 15 minutes before sun exposure
- reapply at least every two hours.
- use a water resistant sunscreen if swimming or sweating
- children under age 6 months: Ask a doctor
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease the risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other protection measures including:
  - limit time in the sun, especially from 10 a.m. - 2 p.m.
  - wear long-sleeved shirts, pants, hats and sunglasses

**Other information**

- protect the product in this container from excessive heat and direct sun

**Inactive ingredients**

Aqua (Water), Cetearyl alcohol, Glyceryl stearate, PEG-40 castor oil, Glycerin, Silica, Dicaprylyl carbonate, Dimethicone, Sodium potassium aluminum silicate, Butylene glycol, Phenoxyethanol, Montmorillonite, Caprylyl glycol, Tocopheryl acetate, Xanthan gum, Disodium EDTA, Tetrahexyldecyl ascorbate, Ginkgo biloba leaf extract, Panax ginseng root extract, Litchi chinensis pericarp extract, [+/- (May contain) CI 77891 (Titanium dioxide), CI 77492 (Iron oxides), CI 77499 (Iron oxides), CI 77491 (Iron oxides).

**USA: Questions ?**

**1-868-75-BOOTS**

Dist. by Boots Retail USA Inc.  
Norwalk CT 06851 USA

**PRINCIPAL DISPLAY PANEL - 40 ml Tube Carton - Light**

**N°7**

**CC Cream**

**Color & Care**

Moisturises  
Protects  
Brightens  
Blurs imperfections

**Sunscreen**

Broad Spectrum  
SPF 20

Hypo-allergenic

40 ml e 1.3 US Fl. Oz.

**Drug Facts (continued)**

**Inactive ingredients**

Aqua (Water), Cetearyl alcohol, Glyceryl stearate, PEG-40 castor oil, Glycerin, Silica, Dicaprylyl carbonate, Dimethicone, Sodium potassium aluminum silicate, Butylene glycol, Phenoxyethanol, Montmorillonite, Caprylyl glycol, Tocopheryl acetate, Xanthan gum, Disodium EDTA, Tetrahexyldecyl ascorbate, Ginkgo biloba leaf extract, Panax ginseng root extract, Litchi chinensis pericarp extract, [+/- (May contain) CI 77891 (Titanium dioxide), CI 77492 (Iron oxides), CI 77499 (Iron oxides), CI 77491 (Iron oxides).

**USA: Questions?  
1-868-75-BOOTS**

No7

**CC Cream  
Color & Care**

Moisturises  
Protects  
Brightens  
Blurs imperfections

**Sunscreen**  
Broad Spectrum  
SPF 20

Hypo-allergenic

40ml e 1.3USFL Oz.

**No7 CC Cream**

A multi action complexion correction cream for a beautifully bare make-up look. With make-up and skin care properties, this light textured CC Cream will help to even the appearance of skin tone and skin texture for brighter looking skin.

For best results: Shake well before use. Smooth on evenly with your fingers or sponge.

Hypo-allergenic:  
Because all skin can have sensitive moments, all our foundation products are hypo-allergenic using ingredients we know and trust.

**Drug Facts**

**Active ingredients Purpose**

Octinoxate 7.5%  
Octocrylene 8% ..... Sunscreen

**Uses**

- helps prevent sunburn

**Warnings**

**For external use only.**

**Do not use** on damaged or broken skin.

**When using this product** keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor** if rash occurs

**Keep out of reach of children.**

**If swallowed,** get medical help or contact a Poison Control Center right away.

**Directions**

- apply liberally 15 minutes before sun exposure
- reapply at least every two hours.
- use a water resistant sunscreen if swimming or sweating
- children under age 6 months:  
Ask a doctor
- **Sun Protection Measures.**  
Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease the risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other protection measures including:
  - limit time in the sun, especially from 10 a.m. - 2 p.m.
  - wear long-sleeved shirts, pants, hats and sunglasses

**Other information**

- protect the product in this container from excessive heat and direct sun

The Boots Company PLC  
Nottingham England NG2 3AA  
Dist. by Boots Retail USA Inc.  
Norwalk CT 06851 USA  
Made in Canada  
www.boots.com



**PRINCIPAL DISPLAY PANEL - 40 ml Tube Carton - Medium**

**N°7**

**CC Cream**

**Color & Care**

Moisturises

Protects

Brightens

Blurs imperfections

**Sunscreen**

Broad Spectrum

SPF 20

Hypo-allergenic

40 ml e 1.3 US Fl. Oz.

**Drug Facts (continued)**

**Inactive ingredients**

Aqua (Water), Cetearyl alcohol, Glyceryl stearate, PEG-40 castor oil, Glycerin, Silica, Dicaprylyl carbonate, Dimethicone, Sodium potassium aluminum silicate, Butylene glycol, Phenoxyethanol, Montmorillonite, Caprylyl glycol, Tocopheryl acetate, Xanthan gum, Disodium EDTA, Tetrahexyldecyl ascorbate, Ginkgo biloba leaf extract, Panax ginseng root extract, Litchi chinensis pericarp extract, [+/- (May contain) CI 77891 (Titanium dioxide), CI 77492 (Iron oxides), CI 77499 (Iron oxides), CI 77491 (Iron oxides).

USA: Questions?  
1-868-75-BOOTS

No7

**CC Cream  
Color & Care**

Moisturises  
Protects  
Brightens  
Blurs imperfections

**Sunscreen**  
Broad Spectrum  
SPF 20

Hypo-allergenic

40ml e 1.3USFL Oz.

**No7 CC Cream**

A multi action complexion correction cream for a beautifully bare make-up look. With make-up and skin care properties, this light textured CC Cream will help to even the appearance of skin tone and skin texture for brighter looking skin.

For best results: Shake well before use. Smooth on evenly with your fingers or sponge.

Hypo-allergenic:  
Because all skin can have sensitive moments, all our foundation products are hypo-allergenic using ingredients we know and trust.

**Drug Facts**

**Active ingredients Purpose**

Octinoxate 7.5%  
Octocrylene 8% .....Sunscreen

**Uses**

- helps prevent sunburn

**Warnings**

**For external use only.**

**Do not use** on damaged or broken skin.

**When using this product** keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor** if rash occurs

**Keep out of reach of children.**

**If swallowed,** get medical help or contact a Poison Control Center right away.

**Directions**

- apply liberally 15 minutes before sun exposure
- reapply at least every two hours.
- use a water resistant sunscreen if swimming or sweating
- children under age 6 months:  
Ask a doctor
- **Sun Protection Measures.**  
Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease the risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other protection measures including:
  - limit time in the sun, especially from 10 a.m. - 2 p.m.
  - wear long-sleeved shirts, pants, hats and sunglasses

**Other information**

- protect the product in this container from excessive heat and direct sun

The Boots Company PLC  
Nottingham England NG2 3AA  
Dist. by Boots Retail USA Inc.  
Norwalk CT 06851 USA  
Made in Canada  
www.boots.com



# NO7 CC LIGHT

octocrylene and octinoxate emulsion

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:66559-2977
<b>Route of Administration</b>	TOPICAL		

## Active Ingredient/Active Moiety

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>Octocrylene</b> (UNII: 5A68WGF6WM) (Octocrylene - UNII:5A68WGF6WM)	Octocrylene	80 mg in 1 mL
<b>Octinoxate</b> (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	75 mg in 1 mL

## Inactive Ingredients

<b>Ingredient Name</b>	<b>Strength</b>
<b>CETOSTEARYL ALCOHOL</b> (UNII: 2DMT128M1S)	
<b>GLYCERYL MONOSTEARATE</b> (UNII: 230OU9XXE4)	
<b>PEG-40 CASTOR OIL</b> (UNII: 4ERD2076EF)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>DICAPRYLYL CARBONATE</b> (UNII: 609A3V1SUA)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)	
<b>MONTMORILLONITE</b> (UNII: A585MN1H2L)	
<b>.ALPHA.-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)	
<b>XANTHAN GUM</b> (UNII: TTV12P4NEE)	
<b>EDETATE DISODIUM</b> (UNII: 7FLD91C86K)	
<b>TETRAHEXYLDECYL ASCORBATE</b> (UNII: 9LBV3F07AZ)	
<b>GINKGO</b> (UNII: 19FUJ2C58T)	
<b>ASIAN GINSENG</b> (UNII: CUQ3A77YXI)	
<b>LITCHI FRUIT</b> (UNII: Y5P61KP51E)	
<b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)	
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)	
<b>FERRIC OXIDE YELLOW</b> (UNII: EX438O2MRT)	
<b>FERROSFERRIC OXIDE</b> (UNII: XM0M87F357)	
<b>WATER</b> (UNII: 059QF0K00R)	

## Product Characteristics

<b>Color</b>	BROWN	<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>		<b>Imprint Code</b>	
<b>Contains</b>			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:66559-2977-2	1 in 1 CARTON		
1		40 mL in 1 TUBE		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	05/01/2014	

## NO7 CC MEDIUM

octocrylene and octinoxate emulsion

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:66559-2978
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Octocrylene (UNII: 5A68WGF6WM) (Octocrylene - UNII:5A68WGF6WM)	Octocrylene	80 mg in 1 mL
Octinoxate (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	75 mg in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
CETOSTEARYL ALCOHOL (UNII: 2DMT128M1S)	
GLYCERYL MONOSTEARATE (UNII: 230OU9XXE4)	
PEG-40 CASTOR OIL (UNII: 4ERD2076EF)	
GLYCERIN (UNII: PDC6A3C0OX)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
DICAPRYLYL CARBONATE (UNII: 609A3V1SUA)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
MONTMORILLONITE (UNII: A585MN1H2L)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
XANTHAN GUM (UNII: TTV12P4NEE)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
TETRAHEXYLDECYL ASCORBATE (UNII: 9LBV3F07AZ)	
GINKGO (UNII: 19FUJ2C58T)	
ASIAN GINSENG (UNII: CUQ3A77YXI)	
LITCHI FRUIT (UNII: Y5P61KP51E)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	

<b>FERRIC OXIDE YELLOW</b> (UNII: EX438O2MRT)	
<b>FERROSO FERRIC OXIDE</b> (UNII: XM0M87F357)	
<b>WATER</b> (UNII: 059QF0KO0R)	

### Product Characteristics

<b>Color</b>	BROWN	<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>		<b>Imprint Code</b>	
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:66559-2978-2	1 in 1 CARTON		
1		40 mL in 1 TUBE		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	05/01/2014	

**Labeler** - Cosmetica Laboratories Inc. (255080491)

### Establishment

Name	Address	ID/FEI	Business Operations
Cosmetica Laboratories Inc.		255080491	MANUFACTURE(66559-2977, 66559-2978) , ANALYSIS(66559-2977, 66559-2978) , PACK(66559-2977, 66559-2978)

Revised: 4/2014

Cosmetica Laboratories Inc.