

**BROTEGE GOOD BOY PROTECTION SPF 15 AND RETINOL DAILY  
MOISTURIZER- benzophenone-3, butyle methoxydibenzoylmethane,  
ethylhexyl salicylate, octocrylene cream  
Spa de Soleil**

-----  
**Moisturizer Sunscreen SPF 50**

**Active Ingredients**

Benzophenone-3 4%

Butyl Methoxydibenzoylmethane 1.5%

Ethylhexyl Salicylate 5.0%

Octocrylene 2.5%

**Purpose**

Sunscreen

**Warnings**

**Warnings**

Do not use on damaged or broken skin

When using this product

- keep out of the eye area
- rinse with water to remove
- stop use and ask a doctor if rash or irritation develops
- for external use only
- keep out of reach of children

KEEP OUT OF REACH OF CHILDREN

**Directions**

Directions: for sunscreen use

- apply generously 15 minutes before sun exposure
- apply to all skin exposed to the sun
- children under 6 months of age: ask a doctor

Apply generously and evenly thirty minutes before sun exposure. Reapply at least every two hours.

**Inactive Ingredients**

Inactive Ingredients: Aqua, Glycerin, C12-15 Alkyl Benzoate, Cetyl Alcohol, Silica, Butylene Glycol, Cyclopentasiloxane, Sucrose Polystearate, Glyceryl Stearate, PEG-100 Stearate, Cetearyl Glucoside, Cetearyl Alcohol, Carbomer, Cetyl Palmitate, Disodium EDTA, Tocopheryl Acetate (Vitamin E), Sodium Hydroxide, Panthenol, Retinol, Polysorbate 20, Camellia Oleifera Seed Extract, BHT, Phenoxyethanol, Ethylhexylglycerin

**Principal Display Panel**



120mm

GOOD BOY  
PROTECTION

SPF15 & RETINOL

DAILY MOISTURIZER

<b>Drug Facts</b>	
<b>Active Ingredients:</b>	<b>Purpose:</b>
Benzophenone-3 4%.....	Sunscreen
Butyl Methoxydibenzoylmethane 1.5%.....	Sunscreen
Ethylhexyl Salicylate 5.0%.....	Sunscreen
Octocrylene 2.5%.....	Sunscreen
<b>Uses:</b> • Helps prevent sunburn. If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.	
<b>Warnings:</b>	
Do not use • on damaged or broken skin	
When using this product • keep out of eyes. Rinse with water to remove	
Stop use and ask a doctor if • rash occurs	
Keep out of reach of children • If swallowed, get medical help or contact a Poison Control Center immediately.	
<b>Directions:</b> for sunscreen use	
• apply generously 15 minutes before sun exposure	
• apply to all skin exposed to the sun	
• children under 6 months of age: ask a doctor	
<b>Other Information</b>	
• protect the product in this container from excessive heat and direct sun.	
<b>Inactive Ingredients:</b> Aqua, Glycerin, C12-15 Alkyl Benzoate, Cetyl Alcohol, Silica, Butylene Glycol, Cyclopentasiloxane, Sucrose Polystearate, Glyceryl Stearate, PEG-100 Stearate, Cetearyl Glucoside, Cetearyl Alcohol, Carbomer, Cetyl Palmitate, Disodium EDTA, Tocopheryl Acetate (Vitamin E), Sodium Hydroxide, Panthenol, Retinol, Polysorbate 20, Camellia Oleifera Seed Extract, BHT, Phenoxyethanol, Ethylhexylglycerin.	
Made in USA	
Manufactured For Brotégé	
Los Angeles, CA 90010	
So you stop effin up your face	SPF15MMR23.Ver 05

FRAGRANCE FREE

FOR BAD BROS

NET WT 1.4 OZ (40 g)

**BROTEGE GOOD BOY PROTECTION SPF 15 AND RETINOL DAILY MOISTURIZER**

benzophenone-3, butyle methoxydibenzoylmethane, ethylhexyl salicylate, octocrylene cream

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:68062-9981
<b>Route of Administration</b>	TOPICAL		

## Active Ingredient/Active Moiety

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>OCTOCRYLENE</b> (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	1 g in 40 mL
<b>OXYBENZONE</b> (UNII: 950OS7VE0Y) (OXYBENZONE - UNII:950OS7VE0Y)	OXYBENZONE	0.6 g in 40 mL
<b>AVOBENZONE</b> (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	1.6 g in 40 mL
<b>OCTISALATE</b> (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	2 g in 40 mL

## Inactive Ingredients

<b>Ingredient Name</b>	<b>Strength</b>
<b>CARBOMER 940</b> (UNII: 4Q93RCW27E)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>C12-15 ALKYL ETHYLHEXANOATE</b> (UNII: GQJ580CH83)	
<b>CETYL ALCOHOL</b> (UNII: 936JST6JCN)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)	
<b>CYCLOMETHICONE</b> (UNII: NMQ347994Z)	
<b>SUCROSE POLYSTEARATE</b> (UNII: SZF3GPA9YV)	
<b>GLYCERYL STEARATE SE</b> (UNII: FCZ5MH785I)	
<b>PEG-100 STEARATE</b> (UNII: YD01N1999R)	
<b>CETEARYL GLUCOSIDE</b> (UNII: 09FUA47KNA)	
<b>CETOSTEARYL ALCOHOL</b> (UNII: 2DMT128M1S)	
<b>CETYL PALMITATE</b> (UNII: 5ZA2S6B08X)	
<b>EDETATE DISODIUM</b> (UNII: 7FLD91C86K)	
<b>ASCORBYL TOCOPHERYL MALEATE</b> (UNII: D2G6259XR5)	
<b>PANTHENOL</b> (UNII: WW9CM0O67Z)	
<b>POLYSORBATE 20</b> (UNII: 7T1F30V5YH)	
<b>CAMELLIA OLEIFERA SEED</b> (UNII: 59ED29FM2J)	
<b>BUTYLATED HYDROXYTOLUENE</b> (UNII: 1P9D0Z171K)	
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	
<b>ETHYLHEXYLGLYCERIN</b> (UNII: 147D247K3P)	
<b>RETINOL</b> (UNII: G2SH0XKK91)	
<b>SODIUM HYDROXIDE</b> (UNII: 55X04QC32I)	

## Packaging

<b>#</b>	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:68062-9981-1	40 mL in 1 TUBE; Type 0: Not a Combination Product	08/09/2024	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	08/09/2024	

**Labeler** - Spa de Soleil (874682867)

## Establishment

Name	Address	ID/FEI	Business Operations
Spa de Soleil		874682867	manufacture(68062-9981)

Revised: 1/2026

Spa de Soleil