#### RING RELIEF- arnica montana - calcium sulfide - hypericum perforatum - lycopodium clavatum spore - mercurius solubilis - salicylic acid - silicon dioxide - allylthiourea - tablet, orally disintegrating TBB Company

#### **TRP Company**

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

-----

# Ring Relief Homeopathic Fast Dissolving Tablets

Active Ingredients		Purpose
Arnica montana HPUS	6X, 30X	Buzzing
Hepar sulphuris calcareum HPUS	13X	Sensitivity to Noise
Hypericum perforatum HPUS	6X, 30X	Nerve Sensitivity
Lycopodium clavatum HPUS	12X	Congestion, Throbbing
Mercurius solubilis HPUS	13X	Pain, Discomfort
Salicylicum acidum HPUS	6X	Ringing, Buzzing
Silicea HPUS	13X	Roaring
Thiosinaminum HPUS	6X	Ringing

The letters HPUS indicate that the components of this product are officially monographed in the Homeopathic Pharmacopoeia of the United States.

## Uses

According to homeopathic indications, these ingredients temporarily relieve multi symptoms of: • Ringing, Buzzing, Roaring • Nerve & Noise Sensitivity • Congestion • Throbbing • Pain & Discomfort and eardrum problems after diagnosis by a physician.

## Warnings

# USE ONLY AFTER DIAGNOSIS BY A PHYSICIAN.

- This product is intended to complement, not replace, standard medical treatment.
- Initial worsening of symptoms may occur.
- A physician should always be consulted to rule out serious causes.
- In case of overdose, get medical help or contact a Poison Control Center right away.

## Stop use and ask a doctor if:

- You experience ear pain or worsening symptoms.
- If symptoms last longer than 7 days.

# Keep out of reach of children

If pregnant or breast-feeding, ask a health professional before use.

### Directions

- Suitable for adults and children 12 years and above.
- Dissolve entire tablet under tongue.
- Do not chew or swallow whole.
- Take 1 tablet 3 times a day or as directed by a physician.
- Use up to 6 times a day as needed.
- Take at least 10 minutes before or at least 10 minutes after eating or drinking.
- Children under the age of 12: consult a physician before use.

### Other information

- Active ingredients are micro-diluted in accordance with the Homeopathic Pharmacopoeia of the United States and are therefore non-toxic with no known side effects.
- Store in a cool dark location.

### **Inactive Ingredients**

Advantol® 300, Lactose, Magnesium Stearate, Mannitol, Microcrystalline Cellulose.

### Do not use if tamper evident seal is torn, broken or missing.

For more information and to order related products call toll free: 888-969-6855 or trpcompany.com





#### **RING RELIEF**

UNII:XK4IUX8MNB)

arnica montana - calcium sulfide - hypericum perforatum - lycopodium clavatum spore - mercurius solubilis - salicylic acid - silicon dioxide - allylthiourea - tablet, orally disintegrating

Product Information					
Product Type	HUMAN OTC DRUG	Item Code (Source)		NDC:17312-015	
Route of Administration	ORAL				
Active Ingredient/Active Moi	ety				
Ingredient Name			Basis of S	trength	Strength
ARNICA MONTANA (UNII: 080TY208ZW) (ARNICA MONTANA - UNII:080TY208ZW)			ARNICA MONT	CANA	6 [hp_X]
CALCIUM SULFIDE (UNII: 1MBW07J51Q) (CALCIUM SULFIDE - UNII:1MBW07J51Q)			CALCIUM SUL	FIDE	13 [hp_X]

HYPERICUM PERFORATUM 6 [hp\_X]

HYPERICUM PERFORATUM (UNII: XK4IUX8MNB) (HYPERICUM PERFORATUM -

Marketing Inf			r Monograph Citation	Marketing Start Date	e Marketing	End Date
1	forma	tion				
	70 in 11	BOTTLE; Type 0: Not a	Combination Product			
<b>1</b> NDC:17312-015-14		PACKAGE		10/23/2012		
# Item Code		Package Description		Marketing Start Date	Marketing	End Dat
Packaging						- 1-
Contains						
Flavor			Imprint Code		TRP	
Shape		DIAMOND	Size		13mm	
Color		white	Score		no score	
Product Charact	eristic	S				
MAGNESIUM STEAR	ATE (UN	NII: 70097M6I30)				
LACTOSE (UNII: J2B	2A4N980	G)				
COPOVIDONE (UNII:			,			
		ALLINE (UNII: OP1R32)	D6 1U)			
CROSPOVIDONE (U		,				
SORBITOL (UNII: 50						
Ingredient Name MANNITOL (UNII: 30WL53L36A)					511	-ing th
Inactive Ingredie	ents	Ingradi	ent Name		Str	ength
Inactive Ingradi	a meto					
ALLYLTHIOUREA (UNII: 706 IDJ14B7) (ALLYLTHIOUREA - UNII:706 IDJ14B7)			ALLYLTHIOU	ALLYLTHIOUREA		
SILICON DIO XIDE (UNII: ETJ7Z6XBU4) (SILICON DIOXIDE - UNII:ETJ7Z6XBU4)				U4) SILICON DIC	SILICON DIOXIDE	
				SALICYLIC A	ACID	6 [hp_X]
,	MERCURIUS SOLUBILIS (UNII: 324Y4038G2) (MERCURIUS SOLUBILIS - UNII:324Y4038G2) MERCURIUS SOLUBILIS -					13 [hp_X
<b>MERCURIUS SOLUB</b> UNII:324Y4038G2)						

Labeler - TRP Company (105185719)

Revised: 1/2020

TRP Company