

**HANALEI FACE MOISTURIZING- zinc oxide lotion**  
**Hanalei Beauty Company LLC**

-----

**Hanalei Face Moisturizing**

**Hanalei Face Moisturizing**

**Directions**

- Apply liberally 15 minutes before sun exposure. • Reapply: at least every 2 hours.
- Use a water-resistant sunscreen if swimming or sweating
- **Sun Protection Measures** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: • Limit your time in the sun, especially from 10 a.m. – 2 p.m. • Wear long-sleeved shirts, pants, hats, and sunglasses. • Children under 6 months of age: ask a doctor.

***Inactive ingredients***

Water, Caprylic/Capric Triglyceride, Isoamyl Laurate, Squalane, Butyloctyl Salicylate, Jojoba Esters, Glycerin, Methylpropanediol, Cetyl Alcohol, Glyceryl Stearate, Silica, Polyglyceryl-2 Dipolyhydroxystearate, PEG-75 Stearate, Caprylyl Glycol, Alantoin, Pyrus Malus, (Apple) Fruit Extract, Lysolecithin, Sclerotium Gum, Lecithin, Ceteth-20, Phenylpropanol, Steareth-20, Pullulan, Xanthan Gum, Aloe Barbadensis Leaf Juice Powder, Bisabolol, Tetrasodium Glutamate Diacetate, Phenoxyethanol, Ethylhexylglycerin, Hexylene Glycol, Tocopherol, Sodium Hydroxide

**Uses** • helps prevent sunburn • if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

# Hanalei Face Moisturizing

---

**Drug Facts**

---

<i>Active ingredients</i>	<i>Purpose</i>
Zinc Oxide 12% .....	Sunscreen

---

# Hanalei Face Moisturizing

<b>Warnings</b>
• For external use only.
• Do not use on damaged or broken skin.
• When using this product keep out of eyes. Rinse with water to remove.
• Stop use and ask a doctor if skin rash occurs.
• Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

# Hanalei Face Moisturizing

---

**Drug Facts**

<i>Active ingredients</i>	<i>Purpose</i>
Zinc Oxide 12% .....	Sunscreen

---

# Hanalei Face Moisturizing

<b>Warnings</b>
• For external use only.
• Do not use on damaged or broken skin.
• When using this product keep out of eyes. Rinse with water to remove.
• Stop use and ask a doctor if skin rash occurs.
• Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

# Hanalei Face Moisturizing

<b>Drug Facts</b>	
<b>Active ingredients</b>	<b>Purpose</b>
Zinc Oxide 12% .....	Sunscreen
<p><b>Uses</b> • helps prevent sunburn • if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.</p>	
<p><b>Warnings</b></p> <ul style="list-style-type: none"> <li>• For external use only.</li> <li>• Do not use on damaged or broken skin.</li> <li>• When using this product keep out of eyes. Rinse with water to remove.</li> <li>• Stop use and ask a doctor if skin rash occurs.</li> <li>• Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.</li> </ul>	
<p><b>Directions</b></p> <ul style="list-style-type: none"> <li>• Apply liberally 15 minutes before sun exposure. • Reapply: at least every 2 hours.</li> <li>• Use a water-resistant sunscreen if swimming or sweating</li> <li>• <b>Sun Protection Measures</b> Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: • Limit your time in the sun, especially from 10 a.m. – 2 p.m. • Wear long-sleeved shirts, pants, hats, and sunglasses. • Children under 6 months of age: ask a doctor.</li> </ul>	
<p><b>Other information</b></p> <ul style="list-style-type: none"> <li>• Protect the product in this container from excessive heat and direct sun.</li> </ul>	
<p><b>Inactive ingredients</b></p> <p>Water, Caprylic/Capric Triglyceride, Isoamyl Laurate, Squalane, Butyloctyl Salicylate, Jojoba Esters, Glycerin, Methylpropanediol, Cetyl Alcohol, Glyceryl Stearate, Silica, Polyglyceryl-2 Dipolyhydroxystearate, PEG-75 Stearate, Caprylyl Glycol, Alantoin, Pyrus Malus, (Apple) Fruit Extract, Lysolcithin, Sclerotium Gum, Lecithin, Ceteth-20, Phenylpropanol, Steareth-20, Pullulan, Xanthan Gum, Aloe Barbadosensis Leaf Juice Powder, Bisabolol, Tetrasodium Glutamate Diacetate, Phenoxyethanol, Ethylhexylglycerin, Hexylene Glycol, Tocopherol, Sodium Hydroxide</p>	
<p><b>Questions or Comments?</b> Email: support@hanaleicompany.com</p>	

# HANALEI FACE MOISTURIZING

zinc oxide lotion

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:82915-2133
<b>Route of Administration</b>	TOPICAL		

## Active Ingredient/Active Moiety

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>ZINC OXIDE</b> (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	132 mg in 1 mL

## Inactive Ingredients

<b>Ingredient Name</b>	<b>Strength</b>
<b>LAVANDULA ANGUSTIFOLIA FLOWER</b> (UNII: 19AH1RAF4M)	
<b>ALLANTOIN</b> (UNII: 344S277G0Z)	
<b>TETRASODIUM GLUTAMATE DIACETATE</b> (UNII: 5EHL50I4MY)	
<b>LECITHIN, SOYBEAN</b> (UNII: 1DI56QDM62)	
<b>POLYGLYCERYL-2 DIPOLYHYDROXYSTEARATE</b> (UNII: 9229XJ4V12)	
<b>HYDROLYZED JOJOBA ESTERS (ACID FORM)</b> (UNII: UDR641JW8W)	
<b>METHYLPROPANEDIOL</b> (UNII: N8F53B3R4R)	
<b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)	
<b>PHENYLPROPANOL</b> (UNII: 0F897O3O4M)	
<b>XANTHAN GUM</b> (UNII: TTV12P4NEE)	
<b>ISOAMYL LAURATE</b> (UNII: M1SLX00M3M)	
<b>HEXYLENE GLYCOL</b> (UNII: KEH0A3F75J)	
<b>TOCOPHEROL</b> (UNII: R0ZB2556P8)	
<b>CETYL ALCOHOL</b> (UNII: 936JST6JCN)	
<b>ETHYLHEXYLGLYCERIN</b> (UNII: 147D247K3P)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>.ALPHA.-BISABOLOL, (+)-</b> (UNII: 105S6I733Z)	
<b>BUTYLOCTYL SALICYLATE</b> (UNII: 2EH13UN8D3)	
<b>CETETH-20</b> (UNII: I835H2IHHX)	
<b>PULLULAN</b> (UNII: 8ZQ0AYU1TT)	
<b>SQUALANE</b> (UNII: GW89575KF9)	
<b>STEARETH-20</b> (UNII: L0Q8IK9E08)	
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	
<b>PEG-75 STEARATE</b> (UNII: OT38R0N74H)	

## Product Characteristics

<b>Color</b>	white	<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>		<b>Imprint Code</b>	

**Contains****Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:82915-2133-2	1 in 1 CARTON	06/01/2024	
1	NDC:82915-2133-1	50 mL in 1 TUBE; Type 0: Not a Combination Product		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	06/01/2024	

**Labeler** - Hanalei Beauty Company LLC (080959824)

Revised: 11/2025

Hanalei Beauty Company LLC