

SMART CARE SPORT SUNSCREEN SPF 50- avobenzone, homosalate, octisalate, octocrylene aerosol, spray
Ashtel Studios, Inc.

Smart Care® SPORT SUNSCREEN SPRAY SPF 50

Drug Facts

Active ingredients

Avobenzone 2.7%
Homosalate 9.0%
Octisalate 4.5%
Octocrylene 6.0%

Purpose

Sunscreen

Uses

• helps prevent sunburn • if used as directed with other sun protection measures (see ***Directions***), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Flammable:

- do not use near heat, flame or while smoking
- avoid long term storage above 104°F (40°C)

Do not use • on damaged or broken skin.

When using this product • keep out of eyes. Rinse with water to remove. • keep away from face to avoid breathing it. • do not puncture or incinerate. Contents under pressure. • do not store at temperatures above 120°F.

Stop use and ask a doctor if • rash occurs.

Keep out of reach of children. If swallowed, call Poison Help at 1-800-222-1222 or go to PoisonHelp.org

Directions

• Spray liberally and spread evenly by hand 15 minutes before sun exposure • Hold can 4–6 inches away from the skin to apply • Do not spray directly into the face. Spray into hands then apply to the face

- Do not apply in windy conditions • Use in a well-ventilated area
- reapply: • after 80 minutes of swimming or sweating • immediately after towel drying • at least every 2 hours
- children under 6 months of age: Ask doctor
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. to 2 p.m. • wear long-sleeve shirts, pants, hats, and sunglasses

Other information

- protect this product from excessive heat and direct sun
- may stain or damage some fabrics, materials or surfaces

Inactive ingredients

Butane, Propane, Isobutane, Alcohol Denat., C12-15 Alkyl Benzoate, Butyloctyl Salicylate, Isododecane, Fragrance, VP/VA Copolymer, Caprylic/Capric Triglyceride, Tocopheryl Acetate

Questions or comments?

Call toll free **1-877-274-8358**

UVA/UVB Protection
BROAD SPECTRUM
Water Resistant (80 Minutes)

Smart Care®
WWW.SMARTCAREUS.COM

1-909-434-0911 INTERNATIONAL

PATENTS, COPYRIGHTS AND TRADEMARKS GRANTED OR PENDING WORLDWIDE
DISTRIBUTED BY ASHTEL STUDIOS INC.
ONTARIO, CA 91761

DESIGNED IN U.S.A
MADE IN INDIA

Packaging



Smart Care
SPORT
SUNSCREEN SPRAY

Smart Care
SPORT
SUNSCREEN SPRAY

Drug Facts

Active ingredients	Purpose
Avobenzone 2.7% Homosalate 9.0% Octisalate 4.5% Octocrylene 6.0%	Sunscreen

Uses • helps prevent sunburn • if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings
For external use only

Flammable:

- do not use near heat, flame or while smoking
- avoid long term storage above 104°F (40°C)

Do not use • on damaged or broken skin.

When using this product • keep out of eyes. Rinse with water to remove. • keep away from face to avoid breathing it. • do not puncture or incinerate. Contents under pressure. • do not store at temperatures above 120°F.

Stop use and ask a doctor if • rash occurs.

Keep out of reach of children. If swallowed, call Poison Help at 1-800-222-1222 or go to PoisonHelp.org

Directions

- Spray liberally and spread evenly by hand 15 minutes before sun exposure • Hold can 4-6 inches away from the skin to apply • Do not spray directly into the face. Spray into hands then apply to the face
- Do not apply in windy conditions • Use in a well-ventilated area
- reapply: • after 80 minutes of swimming or sweating • immediately after towel drying • at least every 2 hours
- children under 6 months of age: Ask a doctor
- Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m. to 2 p.m. • wear long-sleeve shirts, pants, hats, and sunglasses

Other information

- protect this product from excessive heat and direct sun
- may stain or damage some fabrics, materials or surfaces

Inactive ingredients
Butane, Propane, Isobutane, Alcohol Denat., C12-15 Alkyl Benzoate, Butyloctyl Salicylate, Isododecane, Fragrance, VPMA Copolymer, Caprylic/Capric Triglyceride, Tocopheryl Acetate.

Questions or comments? Call toll free 1-877-274-8358

DESIGNED IN U.S.A.
MADE IN INDIA

Item # 88813



8 10147 88813 9

Smart Care
WWW.SMARTCAREUS.COM
QUESTIONS OR COMMENTS?
1-877-274-8358 TOLL FREE IN U.S.A.
1-909-434-8911 INTERNATIONAL
PATENTS, COPYRIGHTS AND TRADEMARKS
GRANTED OR PENDING WORLDWIDE
DISTRIBUTED BY ASHTEL STUDIOS INC.
ONTARIO, CA 91761

SPF 50

UVA/UVB PROTECTION

BROAD SPECTRUM SPF 50 SPRAY

Water Resistant (80 Minutes)

NET WT 5.5 OZ (156g)



SMART CARE SPORT SUNSCREEN SPF 50

avobenzone, homosalate, octisalate, octocrylene aerosol, spray

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:70108-270
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	2.7 g in 100 g
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	9 g in 100 g
OCTISALATE (UNII: 4X49Y0596W) (ETHYLHEXYL SALICYLATE - UNII:4X49Y0596W)	OCTISALATE	4.5 g in 100 g
OCTOCRYLENE (UNII: 5A68WGF6VM) (OCTOCRYLENE - UNII:5A68WGF6VM)	OCTOCRYLENE	6 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
BUTANE (UNII: 6LV4FOR43R)	
PROPANE (UNII: T75W9911L6)	
ISOBUTANE (UNII: BXR49TP611)	
ALCOHOL (UNII: 3K9958V90M)	
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)	
BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3)	

ISODODECANE (UNII: A8289P68Y2)	
COPOVIDONE K25-31 (UNII: D9C330MD8B)	
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:70108-270-01	156 g in 1 BOTTLE, SPRAY; Type 0: Not a Combination Product	11/24/2025	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	11/24/2025	

Labeler - Ashtel Studios, Inc. (148689180)

Revised: 2/2026

Ashtel Studios, Inc.