SMTS DUAL HA SUN BLOCK- smts dual ha sun block cream Sonovio LLC

Reference Label Set Id: 1f40912f-8f5a-920a-e063-6394a90a656f

* 히아론 듀얼 액티브 모이스처 선블록 칼선 동일 * 지질 : CCP 350g + 유광 라미네이팅 🐕 Dual HA : SUN BLOCK **Drug Facts** sMTS Dual HA: Sun Block Active Ingredients SPF 44 PA ++ Octinoxate (7.0%) ------Zinc Oxide (2.9%) ----Titanium Dioxide (2.4%) ----It has basic UV protection effects and can even protect your skin. It is recommended to use SMTS Intensive Care products during the day to protect your skin when you go out after professional skincare. A light, multi-purpose antioxidant day cream formulated to moisturize and protect from photodamage. This product has a high UVA/B blocking effect Warnings and is a waterproof type. It is a waterproof type that is not easily erased by sweat and water due to its hypoallergenic fresh use and has excellent UV protection effects and high skin adhesion, so it is light and thin and less oily. 에스**엠티에스** For external use only. When using this product keep out of eyes, ears, and mouth. In case of contact with eyes, rinse eyes thoroughly with water. 듀얼 에이치에이 선블록 SPF 44 PA++ For skincare that becomes dry due to exposure to ultraviolet rays for a long time, it moisturizes and enriches dry and dry skin due to UV exposure during leisure, sports, and long-term outdoor activities. Stop use and ask a doctor if irritation or rash occurs. These may be signs of a serious condition. [자외선 차단 기능성 화장품 [serious condition.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

If swallowed, get medical help or contact a Poison Control Center right away. Contents Net 2.11 OZ. / 60g Directions After cleansing, apply generously to entire face and neck area 15-30 mins prior to sun exposure. Reapply as needed



SUN BLOCK PERFECTIVE

DOUBLE PROTECTION UVA/UVB

SPF 44 PA++

FOR ALL SKIN TYPE

용법용량:자외선에 노출되는 미부에 적당량을 취하여 골고루 피 바르니다 효능효과: 자외선으로부터 피부를 보호해줍니다. (SPF44 PA++)

사용 사의 주의사형 : 1) 화장품 사용 시 또는 사용 후 직사광선에 의하며 사용부위가 붉은 반원, 부어오름 또는 가대용증 등의 어난 중심에는 부처용이 있는 경우 전문의 등과 성명 및 각상 차가 있는 퇴막 등에는 사용을 재계를 것이 보라 및 취급 시의 후 의사장 개 어딘이의 손이 닿지 않는 곳에 보관할 것 나 지시광선 을 따려서 보관할 것 나 지시광선 을 따려서 보관할 것

60g



Sunscreen

Other information Inactive ingredients

Inactive Ingredients
Water, Cyclopentasiloxane, Butylene Glycol,
Cetyl Ethylhexonate, Dimethicone
Copolyol, Cyclohexasiloxane,
Cyclomethicone, Quaternium-18 Bentonite,
Isopropyl Myristate, PEC-10 Glycery
Tiriostearate, Butyrospermum Parkii (Shea)
Butter, Hesyl Laurate, Magnesium Suffate,
Alumina, Chlophenesin, Fragrander,
Tocopheryl Acetate, Dimethicone,
Alamton, Griffonia Simplicifolia Seed
Extract, Phenoxyethanol, Sodium
Hyaluronate, Scutellaria Baicalensis Root
Extract, Ethylhexylglycerin,
Alpha-Isomethyl Inonene, Geraniol, Linalool

fifth uneuropeoplelis com-

Visit www.sonoviollc.com Exclusively Distributed by SONOVIO LLC. 471 W. Lambert Road, Suite 102, Brea, CA 92821

Uses

A light, multi-purpose antioxidant day cream formulated to moisturize and protect from photodamage.

Warnings

- ①For external use only.
- ② When using this product keep out of eyes, ears, and mouth. In case of contact with eyes, rinse eyes thoroughly with water.
- 3Stop use and ask a doctor if irrrtion or rash occurs. These may be signs of a serious condition.
- ⑤If swallowed, get medical help or contact a Poison Control Center rightaway.

Do not use on damaged or broken skin.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away,

Directions

After cleansing, apply generously to entire face and neck area 15-30 mins prior to sun exposure. Reapply as needed.

Other information

Store between 15-30C (59-86F)

Inactive Ingredients

Water, Cyclopentasiloxane, Butylene Glycol, Cetyl Ethylhexanoate, Dimethicone Copolyol, Cyclohexasiloxane,

Cyclomethicone, Quaternium-18 Bentonite, Isopropyl Myristate, PEG-10 Glyceryl Triisostearate,

Butyrospermum Parkii (Shea) Butter, Hexyl Laurate, Magnesium Sulfate, Alumina, Chlorphenesin, Fragrance,

Tocopheryl Acetate, Dimethicone, Allantoin, Griffonia Simplicifolia Seed Extract, Phenoxyethanol, Sodium

Hyaluronate, Scutellaria Baicalensis Root Extract, Ethylhexylglycerin, Alpha-Isomethyl lonone, Benzyl Salicylate,

Citronellol, Limonene, Geraniol, Linalool

* 지질 : CCP 350g + 유광 라미네이팅



Drug Facts

Active Ingredients Purpose Octinoxate (7.0%) ------ Sunscreen Zinc Oxide (2.9%) ----- Sunscreen Titanium Dioxide (2.4%) ---- Sunscreen

A light, multi-purpose antioxidant day cream formulated to moisturize and protect from photodamage.

Warnings

- For external use only.
 When using this product keep out of eyes, ears, and mouth. In case of contact with eyes, rinse eyes thoroughly with water.
- Stop use and ask a doctor if irritation or rash occurs. These may be signs of a serious condition.
- Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.
- If swallowed, get medical help or contact a Poison Control Center right away.

After cleansing, apply generously to entire face and neck area 15-30 mins prior to sun exposure. Reapply as needed.

Other information re between 15-30C (59-86F)

Inactive ingredients

Inactive Ingredients
Water, Cyclopentasiloxane, Butylene Glycol,
Celyl Ethylhexanote, Dimethicone
Copolyol, Cyclohexasiloxane,
Cyclomethicone, Quaternium-18 Bentonite,
Isopropyl Myristate, PEC-10 Glycery
Tiriostearate, Butyrospermum Parkii (Shea)
Butter, Heayl Laurate, Magnesium Sulfate,
Alumina, Chlophenesin, Fragiane,
Tocopheryl Acetate, Dimethicone,
Alamtoni, Griffonia Simplicifolia Seed
Extract, Phenoxyethanol, Sodium
Hyaluronate, Scutellaria Baicalensis Root
Extract, Ethylhexylgycerin,
Alpha-bomethyl Ionone, Benzyl Salicylate,
Citromelol, Limonene, Genziol, Linalool

Visit www.sonoviollc.com Bcdustvely Distributed by SONOVIO LLC. 471 W. Lambert Road, Suite 102, Brea, CA 92821



Dual HA:

SUN BLOCK

PERFECTIVE DOUBLE PROTECTION UVA/UVB SPF 44 PA++

FOR ALL SKIN TYPE

sMTS Dual HA: Sun Block SPF 44 PA ++

It has basic UV protection effects and can even protect your skin. It is recommended to use SMTS Intensive Care products during the day to protect your skin when you go out after professional skincare.

This product has a high UVA/B blocking effect and is a waterproof type. It is a waterproof type that is not easily erased by sweat and water due to its hypoallergenic fresh use and has excellent UV protection effects and high skin adhesion, so it is light and thin and less oily.

For skincare that becomes dry due to exposure ror sanicare that becomes any due to exposure to ultraviolet rays for a long time, it moisturizes and enriches dry and dry skin due to UV exposure during leisure, sports, and long-term outdoor activities.

Contents Net 2.11 OZ. / 60g



듀얼 에이치에이 선블록

I 자외선 차단 기능성 화장품 I

전성분 : 경하수 아침액실제목시시니데이트, 사이글로 변리석육시인 박병급급이로, 세계하열차사노이어트, 대이글로벌로(보는 사이글로박시글목에서 경크유시어 도, 사이클로박시글로(바이를 시크유시어 도, 사이클로바디트, 타바닐디트, 사이는 데이스되므로 바이스라이트, 부터는 사항병보이트, 사이는 데이스되므로 보이스라이트, 부터는 사항병보이트, 사이는 에스테르트 보이스라이트, 부터는 사항병보이트, 바이스타드 보이스라이트, 부터는 사항병보이트, 바이스라이트 로크레웨어(ዘ이트, 모이메트로, 생명보인, 그리노의 대주요를, 아탈해석급리시판, 알마-아이스제병아이 오는, 변설성격실제이트, 시트로넬을, 리므턴 제작 나를 리낼 등

용법용량 : 자외선에 노출되는 미부에 적당량을 취하여 골고루 퍼

하습니다. 호등효과: 자외선으로부터 피부를 보호해줍니다. (SPF44 PA++)

사용 사의 주의사항: 1) 화감품 사용 시 또는 사용 후 작사광선에 의하여 사용부위가 붉은 반점, 부어오를 또는 가의유용 등의 이상 증성에는 부착되어 있는 경우 전쟁의 등과 성명 첫 2년 사기 있는 부탁 등에는 사용을 재계할 것 있라고 및 취급 시의 후 이 사용 가게 단인의 속이 달지 않는 곳에 보관할 것 나 자시당선 을 미해서 보관할 것

60g



제조번호 및 사용기하 : 법도표기

SMTS DUAL HA SUN BLOCK

smts dual ha sun block cream

Drad	IICT I	Intorn	nation
FIUU	ись		Hativii

Product Type HUMAN OTC DRUG Item Code (Source) NDC:84609-001

Route of Administration TOPICAL

Active Ingredient/Active Moiety

	Ingredient Name	Basis of Strength	Strength
ı	ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	2.94 g in 100 g

TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	2.4 g in 100 g
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	7 g in 100 g

Inactive Ingredients	
Ingredient Name	Strength
ISOMETHYLALPHAIONONE (UNII: 9XP4LC555B)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
LIMONENE, (+)- (UNII: GFD7C86Q1W)	
BUTYROSPERMUM PARKII (SHEA) BUTTER UNSAPONIFIABLES (UNII: 0C9AC7D6XU)	
CHLORPHENESIN (UNII: 1670DAL4SZ)	
.BETACITRONELLOL, (R)- (UNII: P010UT964K)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
CETYL ETHYLHEXANOATE (UNII: 134647WMX4)	
CYCLOMETHICONE 6 (UNII: XHK3U310BA)	
BENTOQUATAM (UNII: 7F465U79Q1)	
ISOPROPYL MYRISTATE (UNII: ORE8K4LNJS)	
PEG-10 GLYCERYL TRIISOSTEARATE (UNII: 8U46MJI8HO)	
HYALURONATE SODIUM (UNII: YSE9PPT4TH)	
SCUTELLARIA BAICALENSIS ROOT (UNII: 7J95K7ID2S)	
LINALOOL, (+/-)- (UNII: D81QY6I88E)	
GRIFFONIA SIMPLICIFOLIA SEED (UNII: LUS5142TMY)	
WATER (UNII: 059QF0KO0R)	
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)	
PEG/PPG-18/18 DIMETHICONE (UNII: 9H0AO7T794)	
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	
MAGNESIUM SULFATE, UNSPECIFIED (UNII: DE08037SAB)	
ALPHA-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
DIMETHICONE (UNII: 92RU3N3Y10)	
ALLANTOIN (UNII: 344S277G0Z)	
CYCLOMETHICONE (UNII: NMQ347994Z)	
ALUMINUM OXIDE (UNII: LMI26O6933)	
BENZYL SALICYLATE (UNII: WAO5MNK9TU)	
GERANIOL (UNII: L837108USY)	
HEXYL LAURATE (UNII: 4CG9F9W01Q)	

ı	Packaging				
	#	Item Code	Package Description	Marketing Start Date	Marketing End Date
		NDC:84609-001- 01	60 g in 1 BOTTLE; Type 0: Not a Combination Product	08/01/2024	

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	08/01/2024	

Labeler - Sonovio LLC (119201052)

Establishment				
Name	Address	ID/FEI	Business Operations	
Sonovio LLC		119201052	manufacture(84609-001)	

Revised: 8/2024 Sonovio LLC