

**TRIPLE ANTIBIOTIC- bacitracin zinc, neomycin sulfate, polymyxin b sulfate ointment**

**Wildeman Business Group**

-----  
**69103-5603. Triple Antibiotic**

**Active ingredients**

(in each gram)

Bacitracin Zinc (400 units Bacitracin)

Neomycin sulfate (3.5 mg Neomycin)

Polymyxin B Sulfate (Polymyxin B 5000 units)

**Purpose**

First aid antibiotic

**Uses**

first aid to help prevent infection in minor cuts, scrapes and burns

**Warnings**

**For external use only**

**Do not use**

- internally
- in eyes
- over large areas of the body or on puncture wounds, animal bites or serious burns
- for more than 1 week unless directed by a doctor
- if you are allergic to any of the ingredients

**Stop use and ask a doctor if**

- a rash or allergic reaction develops
- condition worsens or persists

**Keep out of reach of children**

If ingested, contact a Poison Control Center right away.

**Directions**

- clean affected area
- apply a small amount 1 to 3 times daily
- may cover with a sterile bandage

**Inactive ingredient**

petrolatum

**Principal Display Panel - 0.5g Pouch Label**

**Triple Antibiotic Ointment**

The Provision First Aid Line™

BY WILDMAN

0.5 g (1/57 oz.)

**Drug Facts**

Active ingredients	Purpose
Bacitracin Zinc (400 units)	First aid antibiotic
Neomycin sulfate (3.5 mg)	
Polymyxin B Sulfate (5000 units)	

..... First aid antibiotic

**Uses** First aid to help prevent infection in minor cuts, scrapes and burns.

**Warnings**  
For external use only.

**Do not use** ■ longer than 1 week unless directed by a doctor. ▶

Manufactured for: Provision by Wildman, Warsaw, IN 46580  
Provisionfirstaid.com 866-369-1552

**Drug Facts** (continued)

■ in the eyes or apply over large areas of the body. In case of deep or puncture wounds, animal bites, or serious burns, consult a doctor. ■ if you are allergic to any of the ingredients.

**Stop use and ask a doctor if**

- condition worsens or persists.
- a rash or allergic reaction develops.

**Keep out of reach of children.**  
If swallowed, get medical help or contact a Poison Control Center directly.

**Directions** ■ Clean the affected area. ■ Apply a small amount 1 to 3 times daily. ■ May be covered with a sterile bandage.

**Inactive ingredient**  
petrolatum

**Triple Antibiotic Ointment**

The **Provision** First Aid Line™

0.5 g (1/57 oz.)

# TRIPLE ANTIBIOTIC

bacitracin zinc, neomycin sulfate, polymyxin b sulfate ointment

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:84269-4500
<b>Route of Administration</b>	TOPICAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>BACITRACIN ZINC</b> (UNII: 89Y4M234ES) (BACITRACIN - UNII:58H6RWO52I)	BACITRACIN ZINC	400 [iU] in 1 g
<b>NEOMYCIN SULFATE</b> (UNII: 057Y626693) (NEOMYCIN - UNII:I16QD7X297)	NEOMYCIN SULFATE	3.5 mg in 1 g
<b>POLYMYXIN B SULFATE</b> (UNII: 19371312D4) (POLYMYXIN B - UNII:J2VZ07J96K)	POLYMYXIN B	5000 [iU] in 1 g

## Inactive Ingredients

Ingredient Name	Strength
<b>PETROLATUM</b> (UNII: 4T6H12BN9U)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:84269-4500-1	0.5 g in 1 POUCH; Type 0: Not a Combination Product	09/01/2024	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M004	09/01/2024	

**Labeler** - Wildeman Business Group (016677338)

**Registrant** - Safetec of America, Inc. (874965262)

## Establishment

Name	Address	ID/FEI	Business Operations
Safetec of America, Inc.		874965262	manufacture(84269-4500)