

PERIOGEL- hydrogen peroxide gel
PERIO PROTECT, LLC

PERIOGEL

Active Ingredient

Hydrogen Peroxide 1.7%(w/w)

Purpose

Oral Debriding Agent/Oral Wound Cleanser

Approved Uses

For temporary use in cleansing minor wounds or minor gum inflammation resulting from minor dental procedures, dentures, orthodontic appliances, accidental injury, or other irritations of the mouth and gums.

Warnings

Do not use for more than 7 days unless directed by a dentist or doctor. Spit out excess medication. Stop use and ask a doctor if

sore mouth symptoms do not improve in 7 days

irritation, pain or redness persists or worsens

swelling, rash or fever develops.

Keep out of reach of children.

Directions for adults and children 2 years of age and older

Apply several drops to the affected area of the mouth.

Allow the medication to remain in place at least 1 minute and then spit out.

Use up to 4 times daily after meals and at bedtime or as directed by a dentist or doctor.

Children under 12 years of age should be supervised in the use of this product.

Children under 2 years of age: Consult a dentist or doctor.

Other information

Store a controlled room temperature (68-77°F) in a cool, dry place away from direct sunlight.

Inactive Ingredients

Ethyl alcohol (5%w/w), menthol, methyl salicylate, phosphoric acid, poloxamer 407, polysorbate 20, potassium sorbate, sodium saccharin, sorbitol, water, xylitol.

Keep out of reach of children.

Adults and children 2 years of age and older: cut tube tip close to the narrow end. Apply several drops of gel to the affected area of the mouth. Leave in place for at least one minute: spit out. Use up to 4 times daily after meals and at bedtime or as directed by a dentist or doctor. Children under 12 years of age should be supervised in the use of the product. Children under 2 years of age: consult a dentist or doctor.

Principal Display Panel

PerioProtect®



PerioGel®

Oral Debriding Agent/
Oral Wound Cleanser

1.7% Hydrogen Peroxide

NET WT. 3 OZ (85g)

Do not use if tube has been cut or damaged prior to opening carton.

Active Ingredient: Hydrogen Peroxide
1.7% w/w.

Directions: Adults and children 2 years of age and older: Cut tube tip close to the narrow end. Apply several drops of gel to the affected area of the mouth. Leave in place for at least one minute: spit out. Use up to 4 times daily after meals and at bedtime or as directed by a dentist or doctor. Children under 12 years of age should be supervised in the use of the product. Children under 2 years of age: Consult a dentist or doctor.

See carton for additional information and cautionary notes.

Store at controlled room temperature, 20-25° C (68-77° F) away from direct sunlight.

Lot No. and Expiration Date on Crimp.

Product is filled by weight, not volume.

Manufactured for:
PerioProtect, LLC
9701 Green Park Industrial Dr.
St. Louis, MO 63123 USA

GEL-1000
07/2025



PerioProtect®

PerioGel®
Ultra Mint

PerioProtect®

PerioGel®

Oral Debriding Agent/
Oral Wound Cleanser

Ultra Mint

VALUE ADDED
IN EVERYTHING WE DO

NET WT. 3 OZ (85g)

Drug Facts

Active ingredient	Purpose
Hydrogen peroxide 1.7% (w/w)	Oral Debriding Agent/Oral Wound Cleanser

Approved Uses For temporary use in cleansing minor wounds or minor gum inflammation resulting from minor dental procedures, dentures, orthodontic appliances, accidental injury, or other irritations of the mouth and gums.

Warnings Do not use for more than 7 days unless directed by a dentist or doctor. Spit out excess medication. Stop use and ask a doctor if

- sore mouth symptoms do not improve in 7 days
- irritation, pain or redness persists or worsens;
- swelling, rash or fever develops.

Keep out of reach of children.

Directions for adults and children 2 years of age and older:

- Apply several drops to the affected area of the mouth.
- Allow the medication to remain in place at least 1 minute and then spit out.
- Use up to 4 times daily after meals and at bedtime or as directed by a dentist or doctor.
- Children under 12 years of age should be supervised in the use of this product.
- Children under 2 years of age: Consult a dentist or doctor.

Other information Store at controlled room temperature (68-77° F) in a cool, dry place away from direct sunlight.

Inactive ingredients

ethyl alcohol (5% w/w), menthol, methyl salicylate, phosphoric acid, poloxamer 407, polysorbate 20, potassium sorbate, sodium saccharin, sorbitol, water

Questions or comments?

Call toll free 1-877-434-4867 from 9am - 5pm CST/CDT Monday-Friday.

Manufactured for:
Perio Protect, LLC
9701 Green Park Industrial Dr. 2881A-2
St. Louis, MO 63123 11/2025



Periogel®

Oral Debriding Agent/Oral Wound Cleanser

(Hydrogen Peroxide)

Net Wt. 3oz. (85 g)

PERIOGEL

hydrogen peroxide gel

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:83381-3204
Route of Administration	DENTAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
HYDROGEN PEROXIDE (UNII: BBX060AN9V) (HYDROGEN PEROXIDE - UNII:BBX060AN9V)	HYDROGEN PEROXIDE	17 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
SACCHARIN SODIUM (UNII: SB8ZUX40TY)	
POLYSORBATE 20 (UNII: 7T1F30V5YH)	
POLOXAMER 407 (UNII: TUF2IVW3M2)	
PHOSPHORIC ACID (UNII: E4GA8884NN)	
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)	
SORBITOL (UNII: 506T60A25R)	
XYLITOL (UNII: VCQ006KQ1E)	
MENTHOL (UNII: L7T10EIP3A)	
METHYL SALICYLATE (UNII: LAV5U5022Y)	
ALCOHOL (UNII: 3K9958V90M)	
WATER (UNII: 059QF0KO0R)	

Product Characteristics

Color		Score	
Shape		Size	
Flavor	MINT	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:83381-3204-1	1 in 1 BOX	08/01/2024	
1		85 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M022	08/01/2024	

Labeler - PERIO PROTECT, LLC (617235606)

Revised: 3/2026

PERIO PROTECT, LLC