

VMV HYPOALLERGENICS ARMADA POST PROCEDURE 50 PLUS- titanium dioxide, zinc oxide, cream

SKIN SCIENCES LABORATORY INC.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Uses

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see Directions), decrease the risk of skin cancer and early skin aging caused by the sun.

Warnings

For External use only

Do not use on damaged skin or broken skin

Stop use and ask doctor if rash occurs

When using this product keep out of eyes. Rinse with water to remove.

Keep out of reach of children, if swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply liberally 15 minutes before sun exposure
- Use a water resistant sunscreen if swimming or sweating.
- Reapply at least every 2 hours
- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease the risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measure including:
 - Limit time in the sun, especially from 10am to 2pm
 - Wear long-sleeved shirts, pants, hats, and sunglasses.
 - Children under 6 months: Ask a doctor.

Other Information

- Protect the product in this container from excessive heat and direct sun
- Before use, test a tiny amount on skin (we omit allergen, but you may be sensitive to an ingredient that is not an allergen.)
- Introduce new skin products one at a time, with at least 3 days in between.
- Do not (re)introduce removed portions of products or other substances into container.

Inactive Ingredients

Alumina, Aluminum Stearate, Butylene Glycol, Camellia Sinensis Leaf Extract, Caprylic/Capric

Triglyceride, Citric Acid, Cyclopentasiloxane, Ferric Ferrocyanide, Glyceryl Caprate, Glyceryl Laurate, Hydrogen Dimethicone, Iron Oxide, PEG-10 Dimethicone, Polyhydrostearic Acid, Sodium Phytate, Water.

Principal Display Panel



proven!
The Safest, Most Effective Care
On The Planet.

We're *sincerely* thrilled
to meet you.

Who are we? **The only brand to validate its hypoallergenicity:** our **published VH-Rating System** (the first and only hypoallergenic rating system of its kind) is based on the North American Contact Dermatitis Group and European Surveillance System of Contact Allergies. Created by a **renowned dermatologist-dermatopathologist**, our randomized, double-blind, **evidence-based clinical studies** have been published in **medical journals** (over 75 of them) and presented (even awarded!) at dermatology conventions around the world. Each individual raw material, ingredient, brush — every little thing that goes into or on a product, and the product itself — is **patch tested for skin safety**. And that's just the beginning! What follows is a dizzying barrage of **clinical tests**, both in laboratories (in vitro) + human volunteers (in vivo), **never on animals**. We're a hypoallergenic, **cosmeceutical doctor brand** with **oodles of products**. Because for us, **skin safety isn't a nice perk: at VMV, hypoallergenicity is a lifestyle**. We care for men, women and children of all ages, **from head to toe + cell to surface ...** which is also why so many of our customers stay with us **from diapers to dermabrasion**, across generations.

Welcome to our *skinfatuation*.



.....
VMV HYPOALLERGENICS®
*validated hypoallergenic, randomized, blinded,
published & awarded clinical studies since 1979.*

ARMADA

**POST-PROCEDURE
BARRIER
CREAM**



50+

BROAD SPECTRUM SPF 50+

**redness-reducing barrier
cream + indoor-outdoor
mineral sun + light screen**

**Validated Hypoallergenic:
VH -76/76**

sans all common allergens:
extended allergen series North American
Contact Dermatitis Group + standard
allergen series European Surveillance
System on Contact Allergies

SPF 50+ (70). PFA: 40.
High/Superior UVA/UVB Protection.
BOOTS ★★★. Critical Wavelength:
378. UVA : UVB Ratio 0.74.
100% All-Types-Of-Fragrance-Free.
100% Dye-Phthalate-Paraben +
Preservative-Free.

Usage, Patch + Clinically-Tested
(in vivo + in vitro).

Non-Comedogenic. Non-Drying.

30 g (1.06 Oz.) - 30 g e

*crème barrière et
protection solaire à
base de filtres physiques
~ crema barrera
protector solar con
filtros químicos*

For skin recovering from lasers,
peels and other clinical
procedures or that is sensitive to
chemical (organic) sunscreens.
For rosacea, contact dermatitis
or polymorphous light eruption.

Protects against indoor +
outdoor UVA, UVB, Infrared and
Visible Light. With antibacterial
monolaurin and antioxidant
green tea to encourage
post-treatment healing and help
reduce inflammation from
redness. Subtly tinted green
(mineral pigments; no dyes) to
help cancel out redness.

To Use: Gently massage
over skin, avoiding mem-
branous (wet) areas of
eyes, nostrils + mouth.
**READ DRUG FACTS + BROCHURE
FOR IMPORTANT INFORMATION.**

*See Brochure, Voir Brochure,
Vedere Brochure, Ver Brochure. -
Read all information on this
container, online + in brochures.
- As with all things skin, consult
your dermatologist. - © VMV USA,
Ltd. Dist - New York, NY, USA. BeSanti S.r.l.
Palazzo Borromeo, Via San Carlo 52, Arona
Italy - Made in the Philippines exclusively for
VMV Hypoallergenic® 112114 01 - HELL.P:
vmvhypoallergenic.com
skintelligencenter.com*



BEST USED BY 10/2011 LOT J91

Drug Facts

Active Ingredients	Purpose
Titanium Dioxide 13.2%	} Sunscreen
Zinc Oxide 15.0%	

Uses
■ Helps prevent sunburn.
■ If used as directed with other sun protection
measures (see **Directions**), decreases the risk
of skin cancer and early skin aging caused by
the sun.

Warnings
For external use only
Do not use on damaged or broken skin
Stop use and ask doctor if rash occurs
When using this product keep out of eyes.
Rinse with water to remove.
Keep out of reach of children, if swallowed, get
medical help or contact a Poison Control Center
right away.

Directions
■ Apply liberally 15 minutes before sun
exposure.
■ Use a water resistant sunscreen if swimming
or sweating.
■ Reapply at least every 2 hours.
■ **Sun Protection Measures.** Spending time in
the sun increases your risk of skin cancer and
early skin aging. To decrease the risk, regularly
use a sunscreen with a Broad Spectrum SPF
value of 15 or higher and other sun protection
measure including:
■ limit time in the sun, especially from 10
a.m. to 2 p.m.
■ wear long-sleeved shirts, pants, hats, and
sunglasses.
■ Children under 6 months: Ask a doctor.

Other information
■ Protect the product in this container from
excessive heat and direct sun.
■ Before use, test a tiny amount on skin (we
omit allergens, but you may be sensitive to an
ingredient that is not an allergen.
■ Introduce new skin products one at a time,
with at least 3 days in between.
■ Do not (re)introduce removed portions of
product or other substances into container.

Bottom panel for additional Drug Facts ▼

Drug Facts (continued)
Inactive ingredients
Alumina, Aluminum Stearate, Butylene Glycol,
Camellia Sinesis Leaf Extract, Caprylic/Capric
Triglyceride, Citric Acid, Cyclopentasiloxane,
Ferric Ferrocyanide, Glycerol Caparate, Glyceryl
Laurate, Hydrogen Dimethicone, Iron Oxide,
PEG-10 Dimethicone, Polyhydroxystearic Acid,
Sodium Phylate, Water.

VMV HYPOALLERGENICS
validated hypoallergenic randomized blinded
published & awarded clinical studies since 1979
ARMADA

POST-

PROCEDURE

BARRIER

CREAM

50+

BROAD SPECTRUM SPF 50+

redness-reducing barrier cream + indoor-outdoor

mineral sun+light screen

Validated Hypoallergenic:

VH -76/76

sans all common allergens:

extended allergen series North American

Contact Dermatitis Group + standard

allergenic series European Surveillance

System on Contact Allergies

SPF 50+ (70). PFA: 40.

High/Superior UVA/UVB Protection.

BOOTS (3 stars). Critical Wavelength:

378. UVA:UVB Ratio 0.74.

100% All-Types-Of-Fragrance-Free.

100% Dye-Phthalate-Paraben +

Preservative Free.

Usage, Patch + Clinically-Tested

(in-vitro + in-vivo).

Non-Comedogenic. Non-Drying.

30g (1.06 Oz.) - 30g e

VMV HYPOALLERGENICS ARMADA POST PROCEDURE 50 PLUS

titanium dioxide, zinc oxide, cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69774-163
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9 V2JP) (TITANIUM DIOXIDE - UNII:15FIX9 V2JP)	TITANIUM DIOXIDE	13.2 g in 30 g
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	15 g in 30 g

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	

Product Characteristics

Color	gray	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69774-163-30	1 in 1 BOX	01/01/2015	
1		30 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part352	01/01/2015	

Labeler - SKIN SCIENCES LABORATORY INC. (718777360)

Revised: 9/2015

SKIN SCIENCES LABORATORY INC.