

**LAXATIVE- sennosides tablet, film coated**  
**ARMY AND AIR FORCE EXCHANGE SERVICE**

-----  
**Exchange Select 44-773**

***Active ingredient (in each tablet)***

Sennosides USP, 25 mg

***Purpose***

Stimulant laxative

***Uses***

- relieves occasional constipation (irregularity)
- generally produces bowel movement in 6 to 12 hours

***Warnings***

**Do not use**

laxative products when abdominal pain, nausea, or vomiting are present unless directed by a doctor.

**Ask a doctor before use if you have**

noticed a sudden change in bowel habits that persists over a period of 2 weeks.

**Ask a doctor or pharmacist before use if you are**

taking any other drug. Laxatives may affect how other drugs work. Take this product 2 or more hours before or after other drugs.

**When using this product,**

do not use for a period longer than 1 week.

**Stop use and ask a doctor if**

rectal bleeding or failure to have a bowel movement occur after use of a laxative. These may be signs of a serious condition.

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away.

**Directions**

- **do not take more than directed**
- swallow tablet(s) with a glass of water
- swallow tablet(s) whole; do not crush, break, or chew

adults and children 12 years and over	2 tablets once or twice daily
children 6 to under 12 years	1 tablet once or twice daily
children under 6 years	ask a doctor

**Other information**

- **each tablet contains:** calcium 35 mg
- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- see end flap for expiration date and lot number

**Inactive ingredients**

corn starch, dibasic calcium phosphate dihydrate, FD&C blue #1 aluminum lake, hypromellose, magnesium stearate, medium chain triglycerides, microcrystalline cellulose, polyethylene glycol, polyvinyl alcohol, silicon dioxide, sodium lauryl sulfate, sucrose, talc, titanium dioxide

**Questions or comments?**

**1-800-426-9391**

**Principal display panel**

exchange/**select**<sup>™</sup>

Compare To The Active Ingredient  
of ex•lax® Maximum Strength\*

*MAXIMUM STRENGTH*

***laxative***

sennosides USP, 25 mg  
stimulant laxative

Actual Size

**24** Tablets

*GENTLE, DEPENDABLE*

*OVERNIGHT RELIEF*

quality

value

**TAMPER EVIDENT: DO NOT  
USE IF PACKAGE IS OPENED  
OR IF BLISTER UNIT IS  
TORN, BROKEN OR SHOWS  
ANY SIGNS OF TAMPERING**

\*This product is not manufactured or distributed by GSK Consumer  
Healthcare SARL, owner of the registered trademark ex•lax®  
Maximum Strength. 50844 ORG082177308

**“SATISFACTION GUARANTEED OR YOUR MONEY BACK”**

Manufactured For Your Military Exchanges

Distributed by: LNK International, Inc.

Hauppauge, NY 11788 1-800-426-9391

Manufactured For Your Military Exchanges  
 Distributed by: LNK International, Inc.  
 Hainpauge, NY 11788 1-800-426-9391

This product is not manufactured or distributed by GSK Consumer Healthcare SARL, owner of the registered trademark ex•lax® Maximum Strength. 50844 ORG082177308

Compare To The Active Ingredient  
 of ex•lax® Maximum Strength\*

exchange select

MAXIMUM STRENGTH

**laxative**

sennosides USP, 25 mg  
 stimulant laxative



Actual Size

24 Tablets

GENTLE, DEPENDABLE  
 OVERNIGHT RELIEF

quality  
 value

TAMPER EVIDENT: DO NOT  
 USE IF PACKAGE IS OPENED  
 OR IF BLISTER UNIT IS  
 TORN, BROKEN OR SHOWS  
 ANY SIGNS OF TAMPERING



No print/No varnish Area  
 Lot & Exp. Date

**Drug Facts (continued)**  
 ■ store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)  
 ■ see end flap for expiration date and lot number  
**Inactive ingredients** corn starch, dibasic calcium phosphate dihydrate, FD&C blue #1 aluminum lake, sucrose, talc, titanium dioxide

**Drug Facts (continued)**  
 hypromellose, magnesium stearate, medium chain triglycerides, microcrystalline cellulose, polyethylene glycol, polyvinyl alcohol, silicon dioxide, sodium lauryl sulfate,

**Drug Facts (continued)**  
 Sennosides USP, 25 mg. . . . . Stimulant laxative  
**Active ingredient (in each tablet)**  
**Purpose**  
 ■ relieves occasional constipation (irregularity)  
 ■ generally produces bowel movement in 6 to 12 hours  
**Uses**  
 Do not use laxative products when abdominal pain, nausea, or vomiting are present unless directed by a doctor.  
**Warnings**  
 Ask a doctor before use if you have noticed a sudden change in bowel habits that persists over a period of 2 weeks.  
 Ask a doctor or pharmacist before use if you are taking any other drug. Laxatives may affect how other drugs work. Take this product 2 or more hours before or after other drugs.  
 When using this product, do not use for a period longer than 1 week.  
**Other information**  
 ■ each tablet contains: calcium 35 mg  
 ■ TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN

**Drug Facts (continued)**  
 Stop use and ask a doctor if rectal bleeding or failure to have a bowel movement occur after use of a laxative. These may be signs of a serious condition.  
 If pregnant or breast-feeding, ask a health professional before use.  
 Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.  
**Directions** ■ do not take more than directed  
 ■ swallow tablet(s) with a glass of water  
 ■ swallow tablet(s) whole; do not crush, break, or chew  
 adults and children 2 tablets once or 12 years and over twice daily  
 children 6 to under 12 years 1 tablet once or twice daily  
 children under 6 years ask a doctor

B-0066E-773-08-R  
 ORG082177308

Exchange Select 44-773

**LAXATIVE**

sennosides tablet, film coated

## Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:55301-773
Route of Administration	ORAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SENNOSIDES (UNII: 3FYP5M0JJX) (SENNOSIDES - UNII:3FYP5M0JJX)	SENNOSIDES	25 mg

## Inactive Ingredients

Ingredient Name	Strength
STARCH, CORN (UNII: O8232NY3SJ)	
DIBASIC CALCIUM PHOSPHATE DIHYDRATE (UNII: O7TSZ97GEP)	
FD&C BLUE NO. 1 ALUMINUM LAKE (UNII: J9EQA3S2JM)	
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)	
MAGNESIUM STEARATE (UNII: 70097M6I3O)	
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
POLYVINYL ALCOHOL, UNSPECIFIED (UNII: 532B59J990)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
SODIUM LAURYL SULFATE (UNII: 368GB5141J)	
SUCROSE (UNII: C151H8M554)	
TALC (UNII: 7SEV7J4R1U)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	

## Product Characteristics

Color	blue	Score	no score
Shape	ROUND	Size	10mm
Flavor		Imprint Code	L7
Contains			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:55301-773-08	2 in 1 CARTON	12/29/2022	
1		12 in 1 BLISTER PACK; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	505G(a)(3)	12/29/2022	

**Labeler - ARMY AND AIR FORCE EXCHANGE SERVICE (001695568)**

**Establishment**

<b>Name</b>	<b>Address</b>	<b>ID/FEI</b>	<b>Business Operations</b>
LNK International, Inc.		038154464	pack(55301-773)

**Establishment**

<b>Name</b>	<b>Address</b>	<b>ID/FEI</b>	<b>Business Operations</b>
LNK International, Inc.		832867837	manufacture(55301-773) , pack(55301-773)

**Establishment**

<b>Name</b>	<b>Address</b>	<b>ID/FEI</b>	<b>Business Operations</b>
LNK International, Inc.		832867894	manufacture(55301-773)

**Establishment**

<b>Name</b>	<b>Address</b>	<b>ID/FEI</b>	<b>Business Operations</b>
LNK International, Inc.		967626305	pack(55301-773)

**Establishment**

<b>Name</b>	<b>Address</b>	<b>ID/FEI</b>	<b>Business Operations</b>
LNK International, Inc.		117025878	manufacture(55301-773)

Revised: 11/2025

ARMY AND AIR FORCE EXCHANGE SERVICE