

LIDOTRODE- lidocaine patch
Strand Health Group

Lidotrode Transdermal Patch

DRUG FACTS

ACTIVE INGREDIENTS

Lidocaine 4%

PURPOSE

Local Anesthetic

USES

For the temporary relief of muscle pain and joint pain associated with:

-Backache -Neckache -Cramps -Soreness -Strains -Discomfort

WARNINGS: FOR EXTERNAL USE ONLY

ALLERGY ALERT

Local anesthetics may cause methemoglobinemia. If an allergic reaction occurs, stop use and seek medical attention immediately.

DO NOT USE

- On damaged, irritated, or infected skin
- If you are allergic to any ingredients in this product
- Otherwise as directed

WHEN USING THIS PRODUCT

Avoid contact with the eyes, nose, and mouth

STOP USE AND ASK DOCTOR IF

- Any of the warnings apply to you
- Excessive skin irritation develops

-Condition worses

IF PREGNANT OR BREASTFEEDING

Ask a healthcare professional before use

KEEP OUT OF REACH OF CHILDREN

If ingested, seek medical help or contact Poison Control immediately

FLAMMABLE

Keep away from excessive heat or open flame

DIRECTIONS

Adults and Children 12 Years of Age and Older:

- Clean and dry the affected area
- Apply gel pads directly to the skin for up to 12 hours
- One application of 4 pads per-day is recommended
- Wash hands immediately after use

OTHER INFORMATION

-Store in a cool, dry place with pouch tightly sealed. Keep from freezing.

INACTIVE INGREDIENTS

Aloe, Arnica, Magnesium, Polyacrylate, Vegan Glycerol

QUESTIONS OR COMMENTS

cs@strandhealthgroup.com



4 Patches
NDC 83295-6400-04

Manufactured For:



Latex Free, Paraben Free, Vegan



DRUG FACTS	
ACTIVE INGREDIENTS Lidocaine 4%	PURPOSE Local Anesthetic
USES For the temporary relief of muscle pain and joint pain associated with: -Backache -Neckache -Cramps -Soreness -Sprains -Discomfort	
WARNINGS: FOR EXTERNAL USE ONLY	
ALLERGY ALERT Local anesthetics may cause methemoglobinemia. If an allergic reaction occurs, stop use and seek medical attention immediately.	
DO NOT USE -On damaged, irritated, or infected skin -If you are allergic to any ingredients in this product -Otherwise as directed	
WHEN USING THIS PRODUCT Avoid contact with the eyes, nose, and mouth	
STOP USE AND ASK DOCTOR IF -Any of the warnings apply to you -Excessive skin irritation develops -Condition worsens	
IF PREGNANT OR BREASTFEEDING Ask a healthcare professional before use	
KEEP OUT OF REACH OF CHILDREN If ingested, seek medical help or contact Poison Control immediately	
FLAMMABLE Keep away from excessive heat or open flame	
DIRECTIONS Adults and Children 12 Years of Age and Older: -Clean and dry the affected area -Apply gel pads directly to the skin for up to 12 hours -One application of 4 pads per day is recommended -Wash hands immediately after use	
OTHER INFORMATION -Store in a cool, dry place with pouch tightly sealed. Keep from freezing.	
OTHER INFORMATION Alto, Amica, Magnesium, Polyacrylate, Vegan Glycerol	
QUESTIONS OR COMMENTS cs@strandhealthgroup.com	

LIDOTRODE

lidocaine patch

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:83295-6400
Route of Administration	TRANSDERMAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LIDOCAINE (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE	0.04 g in 1 g

Inactive Ingredients

Ingredient Name	Strength
GLYCERIN (UNII: PDC6A3C00X)	
WATER (UNII: 059QF0KO0R)	
ARNICA MONTANA FLOWER (UNII: OZ0E5Y15PZ)	
POLYACRYLATE-1 CROSSPOLYMER (UNII: R5P9Z5WD6D)	
MAGNESIUM (UNII: I38ZP9992A)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:83295-6400-4	4 in 1 POUCH	08/24/2024	
1		2.7 g in 1 PATCH; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	08/24/2024	

Labeler - Strand Health Group (118929144)

Revised: 8/2024

Strand Health Group