

LAMISIL AT TERBINAFINE HYDROCHLORIDE- terbinafine hydrochloride cream
Voyant Beauty, Inc.

Formula # 39900

Terbinafine hydrochloride 1%

Antifungal

- cures most athlete's foot (tinea pedis)
- cure most jock itch (tinea cruris) and ringworm (tinea corporis)
- relieves itching, burning, cracking and scaling which accompany this condition

For external use only

- on nails or scalp
- in or near the mouth or eyes
- for vaginal yeast infections

do not get into eyes. If eye contact occurs, rinse thoroughly with water

ask a doctor if too much irritation occurs or gets worse

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- adults and children 12 years and over:
 - use the tip of the cap to break the seal and open the tube
 - wash the affected skin with soap and water and dry completely before applying
 - for athlete's foot wear well-fitting, ventilated shoes. Change shoes and socks at least once daily.
 - between the toes only: apply twice a day (morning and night) for 1 week or as directed by a doctor
 - on the bottom or sides of the foot: apply twice a day (morning and night) for 2 weeks or as directed by a doctor
 - for jock itch and ringworm: apply once a day (morning or night) for 1 week or as directed by a doctor
 - wash hands after each use
- children under 12 years: ask a doctor

Other Information

- do not use if seal on tube is broken or is not visible
- store at controlled room temperature 20-25C (68-77F)

benzyl alcohol, cetyl alcohol, cetyl palmitate, isopropyl myristate, polysorbate 60, purified water, sodium hydroxide, sorbitan monostearate, stearly alcohol

call 1-888-544-1880

30g (1oz)

Lamisil AT

Cream

Terbinafine Hydrochloride

Cream 1% - Antifungal

For Athlete's Foot

Relieves Itching

Clinically Proven

to cure most

athlete's foot

between the toes

Fill prescription

strength

NET WT 30 g (1 oz)

LAMISIL^{AT} CREAM

TERBINAFINE HYDROCHLORIDE
CREAM 1% - ANTIFUNGAL

FOR **ATHLETE'S FOOT**

LAMISIL^{AT} CREAM

TERBINAFINE HYDROCHLORIDE
CREAM 1% - ANTIFUNGAL

FOR **ATHLETE'S FOOT**

- > RELIEVES ITCHING
- > CLINICALLY PROVEN TO CURE MOST ATHLETE'S FOOT BETWEEN THE TOES
- > FULL PRESCRIPTION STRENGTH



NET WT 30 g (1 oz)

LAMISIL^{AT}
CREAM
TERBINAFINE HYDROCHLORIDE
CREAM 1% - ANTIFUNGAL
FOR **ATHLETE'S FOOT**

RELIEVES ITCHING
CLINICALLY PROVEN TO CURE MOST
ATHLETE'S FOOT BETWEEN THE TOES
FULL PRESCRIPTION STRENGTH

NET WT 30 g (1 oz)

Drug Facts

Active ingredient
Terbinafine hydrochloride 1% **Purpose**
Antifungal

Uses

- cures most athlete's foot (tinea pedis)
- cures most jock itch (tinea cruris) and ringworm (tinea corporis)
- relieves itching, burning, cracking and scaling which accompany these conditions

Warnings

For external use only

Do not use

- on nails or scalp
- in or near the mouth or eyes
- for vaginal yeast infections

When using this product do not get into eyes. If eye contact occurs, rinse thoroughly with water.

Stop use and ask a doctor if too much irritation occurs or gets worse.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- adults and children 12 years and over:
 - use the tip of the cap to break the seal and open the tube
 - wash the affected skin with soap and water and dry completely before applying
 - for athlete's foot wear well-fitting, ventilated shoes. Change shoes and socks at least once daily.
 - between the toes only: apply twice a day (morning and night) for 1 week or as directed by a doctor
 - on the bottom or sides of the foot: apply twice a day (morning and night) for 2 weeks or as directed by a doctor
 - for jock itch and ringworm: apply once a day (morning or night) for 1 week or as directed by a doctor
 - wash hands after each use
 - children under 12 years: ask a doctor



Other information

- do not use if seal on tube is broken or is not visible
- store at controlled room temperature 20-25°C (68-77°F)

Drug Facts (continued)

Inactive ingredients benzyl alcohol, cetyl alcohol, cetyl palmitate, isopropyl myristate, polysorbate 60, purified water, sodium hydroxide, sorbitan monostearate, stearyl alcohol

Questions or comments?
call 1-888-544-1880



RECYCLABLE CARTON

Distributed by: Karo Healthcare Inc.
Morristown, NJ 07960 USA

Made in Canada

Trademarks owned or licensed
by Karo Healthcare
©2024 Karo Healthcare
or licensor.

karo
healthcare

1-888-544-1880



NDC
84485-3748-3
2004439_1

Store at controlled room temperature 20-25°C (68-77°F)
See crimp for lot number and expiration date
Do not use if seal on tube is broken or is not visible

Distributed by : Karo Healthcare Inc. Morristown, NJ 07960 USA
Made in Canada Trademarks owned or licensed by Karo
Healthcare. ©2024 Karo Healthcare or licensor. 2004440_1

LAMISIL^{AT} CREAM

TERBINAFINE HYDROCHLORIDE CREAM 1% - ANTIFUNGAL
FOR **ATHLETE'S FOOT**

NET WT
30 g (1 oz)

Active ingredient
Terbinafine hydrochloride 1%.....

Purpose
Antifungal

Uses

- cures most athlete's foot (tinea pedis)
- cures most jock itch (tinea cruris) and ringworm (tinea corporis)
- relieves itching, burning, cracking and scaling which accompany these conditions

Warnings
For external use only

Do not use

- on nails or scalp
- in or near the mouth or eyes
- for vaginal yeast infections


When using this product do not get into eyes. If eye contact occurs, rinse thoroughly with water.

Stop use and ask a doctor if too much irritation occurs or gets worse


Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away. ▶

Directions


- adults and children 12 years and over:
- use the tip of the cap to break the seal and open the tube
- wash the affected skin with soap and water and dry completely before applying
- **for athlete's foot** wear well-fitting, ventilated shoes. Change shoes and socks at least once daily.
- **between the toes only:** apply twice a day (morning and night) for **1 week** or as directed by a doctor
- **on the bottom or sides of the foot:** apply twice a day (morning and night) for **2 weeks** or as directed by a doctor
- **for jock itch and ringworm:** apply once a day (morning or night) for **1 week** or as directed by a doctor
- wash hands after each use
- children under 12 years: ask a doctor



1 week
between the toes



2 weeks
on the bottom or
sides of the foot



Store at controlled room temperature 20-25°C (68-77°F)
See crimp for lot number and expiration date
Do not use if seal on tube is broken or is not visible

Distributed by : Karo Healthcare Inc. Morristown, NJ 07960 USA
Made in Canada. Trademarks owned or licensed by Karo
Healthcare. ©2024 Karo Healthcare or licensor. 2003664_1

LAMISIL^{AT} CREAM

TERBINAFINE HYDROCHLORIDE CREAM 1% - ANTIFUNGAL
FOR **ATHLETE'S FOOT**

NET WT
30 g (1 oz)

Active ingredient
Terbinafine hydrochloride 1%**Purpose**
Antifungal

Uses

- cures most athlete's foot (tinea pedis)
- cures most jock itch (tinea cruris) and ringworm (tinea corporis)
- relieves itching, burning, cracking and scaling which accompany these conditions

Warnings
For external use only

Do not use

- on nails or scalp
- in or near the mouth or eyes
- for vaginal yeast infections

When using this product do not get into eyes. If eye contact occurs, rinse thoroughly with water.

Stop use and ask a doctor if too much irritation occurs or gets worse

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away. ▶

Directions

- adults and children 12 years and over:
 - use the tip of the cap to break the seal and open the tube
 - wash the affected skin with soap and water and dry completely before applying
 - **for athlete's foot** wear well-fitting, ventilated shoes. Change shoes and socks at least once daily.
 - **between the toes only:** apply twice a day (morning and night) for **1 week** or as directed by a doctor
 - **on the bottom or sides of the foot:** apply twice a day (morning and night) for **2 weeks** or as directed by a doctor
 - **for jock itch and ringworm:** apply once a day (morning or night) for **1 week** or as directed by a doctor
 - wash hands after each use
 - children under 12 years: ask a doctor



M1007



12g (0.42oz)

LAMISIL AT

CREAM

TERBINAFINE HYDROCHLORIDE
CREAM 1% - ANTIFUNGAL

FOR JOCK ITCH

CURES MOST

JOCK ITCH

FOR EFFECTIVE

REFLIEF OF ITCHING

AND BURNING

NEW WT 12G (0.42OZ)

Store at controlled room temperature 20-25°C (68-77°F)
See crimp for lot number and expiration date
Do not use if seal on tube is broken or is not visible

Dist. by: Karo Healthcare Inc. Morristown, NJ 07960 USA.
Made in Canada. Trademarks owned or licensed by Karo
Healthcare. ©2024 Karo Healthcare or licenser. 2004314_1

LAMISIL^{AT} CREAM
TERBINAFINE HYDROCHLORIDE CREAM 1% - ANTIFUNGAL
FOR JOCK ITCH

NET WT
12 g (0.42 oz)

Active ingredient
Terbinafine hydrochloride 1%.....Antifungal

Uses

- cures most jock itch (tinea cruris)
- relieves itching, burning, cracking and scaling which accompany this condition

Warnings
For external use only

Do not use • on nails or scalp • in or near the mouth or eyes • for vaginal yeast infections

When using this product do not get into eyes. If eye contact occurs, rinse thoroughly with water.

Stop use and ask a doctor if too much irritation occurs or gets worse

Purpose

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- adults and children 12 years and over:
 - use the tip of the cap to break the seal and open the tube
 - wash the affected skin with soap and water and dry completely before applying
 - apply once a day (morning or night) for **1 week** or as directed by a doctor
 - wash hands after each use
- children under 12 years: ask a doctor





12g new graphics

NOW AVAILABEL

LAMISIL AT

CREAM

TERBINAFINE HYDROCHLORIDE CREAM 1% - ANTIFUNGAL

ALL-IN-ONE

Athlete's Foot - Jock Itch - Ringworm

Clinically proven to cure most athlete's foot, jock itch, and ringworm

Effective relief of itching, burning, cracking and scaling

Full Prescription Strength

Net wt 12g (0.42oz)



LAMISIL AT TERBINAFINE HYDROCHLORIDE terbinafine hydrochloride cream

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:61047-139
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TERBINAFINE HYDROCHLORIDE (UNII: 012C11ZU6G) (TERBINAFINE - UNII:G7RIW8S0XP)	TERBINAFINE HYDROCHLORIDE	1 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
SORBITAN MONOSTEARATE (UNII: NVZ4I0H58X)	
BENZYL ALCOHOL (UNII: LKG8494WBH)	
POLYSORBATE 60 (UNII: CAL22UVI4M)	
STEARYL ALCOHOL (UNII: 2KR89I4H1Y)	
WATER (UNII: 059QF0KO0R)	
CETYL ALCOHOL (UNII: 936JST6JCN)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	
ISOPROPYL MYRISTATE (UNII: 0RE8K4LNJS)	
CETYL PALMITATE (UNII: 5ZA2S6B08X)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:61047-139-01	1 in 1 CARTON	08/21/2024	
1		30 g in 1 TUBE; Type 0: Not a Combination Product		
2	NDC:61047-139-02	1 in 1 CARTON	01/06/2025	
2		12 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
NDA	NDA020980	08/21/2024	

Labeler - Voyant Beauty, Inc. (243547333)

Revised: 9/2025

Voyant Beauty, Inc.