

**LAMISIL AT TERBINAFFINE HYDROCHLORIDE- terbinafine hydrochloride cream**  
**Voyant Beauty, Inc.**

-----  
**Formula # 39900**

Terbinafine hydrochloride 1%

Antifungal

- cures most athlete's foot (tinea pedis)
- cure most jock itch (tinea cruris) and ringworm (tinea corporis)
- relieves itching, burning, cracking and scaling which accompany this condition

For external use only

- on nails or scalp
- in or near the mouth or eyes
- for vaginal yeast infections

do not get into eyes. If eye contact occurs, rinse thoroughly with water

ask a doctor if too much irritation occurs or gets worse

If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- adults and children 12 years and over:
  - use the tip of the cap to break the seal and open the tube
  - wash the affected skin with soap and water and dry completely before applying
  - for athlete's foot wear well-fitting, ventilated shoes. Change shoes and socks at least once daily.
  - between the toes only: apply twice a day (morning and night) for 1 week or as directed by a doctor
  - on the bottom or sides of the foot: apply twice a day (morning and night) for 2 weeks or as directed by a doctor
  - for jock itch and ringworm: apply once a day (morning or night) for 1 week or as directed by a doctor
  - wash hands after each use
- children under 12 years: ask a doctor

**Other Information**

- do not use if seal on tube is broken or is not visible
- store at controlled room temperature 20-25C (68-77F)

benzyl alcohol, cetyl alcohol, cetyl palmitate, isopropyl myristate, polysorbate 60, purified water, sodium hydroxide, sorbitan monostearate, stearly alcohol

call 1-888-544-1880

**30g (1oz)**

Lamisil AT

Cream

Terbinafine Hydrochloride

Cream 1% - Antifungal

For Athlete's Foot

Relieves Itching

Clinically Proven

to cure most

athlete's foot

between the toes

Fill prescription

strength

NET WT 30 g (1 oz)

# LAMISIL<sup>AT</sup> CREAM

TERBINAFINE HYDROCHLORIDE  
CREAM 1% - ANTIFUNGAL

FOR **ATHLETE'S FOOT**

# LAMISIL<sup>AT</sup> CREAM

TERBINAFINE HYDROCHLORIDE  
CREAM 1% - ANTIFUNGAL

FOR **ATHLETE'S FOOT**

- > RELIEVES ITCHING
- > CLINICALLY PROVEN TO CURE MOST ATHLETE'S FOOT BETWEEN THE TOES
- > FULL PRESCRIPTION STRENGTH



NET WT 30 g (1 oz)

LAMISIL<sup>AT</sup>  
CREAM  
TERBINAFINE HYDROCHLORIDE  
CREAM 1% - ANTIFUNGAL  
FOR **ATHLETE'S FOOT**

RELIEVES ITCHING  
CLINICALLY PROVEN TO CURE MOST  
ATHLETE'S FOOT BETWEEN THE TOES  
FULL PRESCRIPTION STRENGTH

NET WT 30 g (1 oz)

### Drug Facts

Active ingredient	Purpose
Terbinafine hydrochloride 1%	Antifungal

### Uses

- cures most athlete's foot (tinea pedis)
- cures most jock itch (tinea cruris) and ringworm (tinea corporis)
- relieves itching, burning, cracking and scaling which accompany these conditions

### Warnings

For external use only

### Do not use

- on nails or scalp
- in or near the mouth or eyes
- for vaginal yeast infections

When using this product do not get into eyes. If eye contact occurs, rinse thoroughly with water.

Stop use and ask a doctor if too much irritation occurs or gets worse.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

### Directions

- adults and children 12 years and over:
  - use the tip of the cap to break the seal and open the tube
  - wash the affected skin with soap and water and dry completely before applying
  - for athlete's foot wear well-fitting, ventilated shoes. Change shoes and socks at least once daily.
  - between the toes only: apply twice a day (morning and night) for 1 week or as directed by a doctor
  - on the bottom or sides of the foot: apply twice a day (morning and night) for 2 weeks or as directed by a doctor
  - for jock itch and ringworm: apply once a day (morning or night) for 1 week or as directed by a doctor
  - wash hands after each use
  - children under 12 years: ask a doctor



### Other information

- do not use if seal on tube is broken or is not visible
- store at controlled room temperature 20-25°C (68-77°F)

### Drug Facts (continued)

**Inactive ingredients** benzyl alcohol, cetyl alcohol, cetyl palmitate, isopropyl myristate, polysorbate 60, purified water, sodium hydroxide, sorbitan monostearate, stearyl alcohol

**Questions or comments?**  
call 1-888-544-1880



RECYCLABLE CARTON

Distributed by: Karo Healthcare Inc.  
Morristown, NJ 07960 USA

Made in Canada

Trademarks owned or licensed  
by Karo Healthcare  
©2024 Karo Healthcare  
or licensor.

karo  
healthcare

1-888-544-1880



NDC  
84485-3748-3  
2004439\_1

Store at controlled room temperature 20-25°C (68-77°F)  
See crimp for lot number and expiration date  
Do not use if seal on tube is broken or is not visible

Distributed by : Karo Healthcare Inc. Morristown, NJ 07960 USA  
Made in Canada Trademarks owned or licensed by Karo  
Healthcare. ©2024 Karo Healthcare or licensor. 2004440\_1

# LAMISIL<sup>AT</sup> CREAM

TERBINAFINE HYDROCHLORIDE CREAM 1% - ANTIFUNGAL  
FOR **ATHLETE'S FOOT**

NET WT  
30 g (1 oz)

**Active ingredient**  
Terbinafine hydrochloride 1%.....

**Purpose**  
Antifungal

**Uses**

- cures most athlete's foot (tinea pedis)
- cures most jock itch (tinea cruris) and ringworm (tinea corporis)
- relieves itching, burning, cracking and scaling which accompany these conditions

**Warnings**  
For external use only

**Do not use**

- on nails or scalp
- in or near the mouth or eyes
- for vaginal yeast infections



**When using this product** do not get into eyes. If eye contact occurs, rinse thoroughly with water.

**Stop use and ask a doctor if** too much irritation occurs or gets worse

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away. ▶

**Directions**

- adults and children 12 years and over:
- use the tip of the cap to break the seal and open the tube
- wash the affected skin with soap and water and dry completely before applying
- **for athlete's foot** wear well-fitting, ventilated shoes. Change shoes and socks at least once daily.
- **between the toes only:** apply twice a day (morning and night) for **1 week** or as directed by a doctor
- **on the bottom or sides of the foot:** apply twice a day (morning and night) for **2 weeks** or as directed by a doctor
- **for jock itch and ringworm:** apply once a day (morning or night) for **1 week** or as directed by a doctor
- wash hands after each use
- children under 12 years: ask a doctor



SEAM - OVERLAP

SEAM - OVERLAP

SEAM - OVERLAP

Store at controlled room temperature 20-25°C (68-77°F)  
See crimp for lot number and expiration date  
Do not use if seal on tube is broken or is not visible

Distributed by : Karo Healthcare Inc. Morristown, NJ 07960 USA  
Made in Canada. Trademarks owned or licensed by Karo  
Healthcare. ©2024 Karo Healthcare or licensor. 2003664\_1

# LAMISIL<sup>AT</sup> CREAM

TERBINAFINE HYDROCHLORIDE CREAM 1% - ANTIFUNGAL  
FOR **ATHLETE'S FOOT**

NET WT  
30 g (1 oz)

**Active ingredient**  
Terbinafine hydrochloride 1% .....

**Purpose**  
Antifungal

**Uses**

- cures most athlete's foot (tinea pedis)
- cures most jock itch (tinea cruris) and ringworm (tinea corporis)
- relieves itching, burning, cracking and scaling which accompany these conditions

**Warnings**  
For external use only

**Do not use**

- on nails or scalp
- in or near the mouth or eyes
- for vaginal yeast infections

**When using this product** do not get into eyes. If eye contact occurs, rinse thoroughly with water.

**Stop use and ask a doctor if** too much irritation occurs or gets worse

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away. ▶

**Directions**

- adults and children 12 years and over:
  - use the tip of the cap to break the seal and open the tube
  - wash the affected skin with soap and water and dry completely before applying
  - **for athlete's foot** wear well-fitting, ventilated shoes. Change shoes and socks at least once daily.
  - **between the toes only:** apply twice a day (morning and night) for **1 week** or as directed by a doctor
  - **on the bottom or sides of the foot:** apply twice a day (morning and night) for **2 weeks** or as directed by a doctor
  - **for jock itch and ringworm:** apply once a day (morning or night) for **1 week** or as directed by a doctor
  - wash hands after each use
  - children under 12 years: ask a doctor



SEAM - OVERLAP

SEAM - OVERLAP

SEAM - OVERLAP



M1007

LOT  
EXP

**Drug Facts (continued)**

- wash the affected skin with soap and water and dry completely before applying
- for athlete's foot wear well-fitting, ventilated shoes. Change shoes and socks at least once daily.
- for jock itch wash the affected area with soap and water (morning and night) for 1 week or as directed by a doctor
- on the bottom or sides of the foot:
  - apply twice a day (morning and night) for 1 week or as directed by a doctor
  - for jock itch and ringworm apply once a day (morning or night) for 1 week or as directed by a doctor
- wash hands after each use
- children under 12 years: ask a doctor

**Other Information**

- do not use if seal on tube is broken or is not visible
- store at controlled room temperature 20-25 °C (68-77 °F)

**Inactive ingredients:** benzyl alcohol, cetyl alcohol, cetyl palmitate, isopropyl myristate, polyacrylate 80, purified water, sodium hydroxide, sorbitan monostearate, stearyl alcohol

**Questions or comments?** call 1-888-544-1880

Distributed by: **Karo Healthcare Inc.**, Marlborough, MA 07560 USA  
 Made in Canada  
 ©2024 Karo Healthcare or Ibsenac. 2008665\_1

**LAMISIL<sup>AT</sup> CREAM**

TERBINAFINE HYDROCHLORIDE CREAM 1% - ANTIFUNGAL  
 FOR ATHLETE'S FOOT

NET WT 30 g (1 oz)

**Drug Facts**

**Active ingredient**  
Terbinafine hydrochloride 1%

**Purpose**  
Antifungal

**Uses**  
cures most athlete's foot (tinea pedis)  
 cures most jock itch (tinea cruris) and ringworm (tinea corporis)  
 relieves itching, burning, cracking and scaling which accompany these conditions

**Warnings**  
 For external use only  
 Do not use  
 in or near the mouth or eyes  
 if you have a known hypersensitivity to any of the ingredients  
 Stop use and ask a doctor if too much irritation occurs or gets worse

**Directions**  
 If swallowed, get medical help or contact a Poison Control Center right away.  
 • adults and children 12 years and over:  
 use the tip of the cap to break the seal and open the tube

**LAMISIL<sup>AT</sup> CREAM**

TERBINAFINE HYDROCHLORIDE CREAM 1% - ANTIFUNGAL  
 FOR ATHLETE'S FOOT

RELIEVES ITCHING  
 CLINICALLY PROVEN TO CURE MOST ATHLETE'S FOOT BETWEEN THE TOES  
 FULL PRESCRIPTION STRENGTH!



**LAMISIL<sup>AT</sup> CREAM**

TERBINAFINE HYDROCHLORIDE CREAM 1% - ANTIFUNGAL  
 FOR ATHLETE'S FOOT

**LAMISIL<sup>AT</sup> CREAM**

TERBINAFINE HYDROCHLORIDE CREAM 1% - ANTIFUNGAL  
 FOR ATHLETE'S FOOT

**12g (0.42oz)**  
 LAMISIL AT  
 CREAM  
 TERBINAFINE HYDROCHLORIDE  
 CREAM 1% - ANTIFUNGAL  
 FOR JOCK ITCH  
 CURES MOST  
 JOCK ITCH  
 FOR EFFECTIVE  
 RELIEF OF ITCHING  
 AND BURNING  
 NEW WT 12G (0.42OZ)

Store at controlled room temperature 20-25°C (68-77°F)  
See crimp for lot number and expiration date  
Do not use if seal on tube is broken or is not visible

Dist. by: Karo Healthcare Inc. Morristown, NJ 07960 USA.  
Made in Canada. Trademarks owned or licensed by Karo  
Healthcare. ©2024 Karo Healthcare or licenser. 2004314\_1

**LAMISIL<sup>AT</sup> CREAM**  
TERBINAFINE HYDROCHLORIDE CREAM 1% - ANTIFUNGAL  
FOR JOCK ITCH

**NET WT**  
**12 g (0.42 oz)**

**Active ingredient**  
Terbinafine hydrochloride 1%.....Antifungal

**Purpose**

**Uses**

- cures most jock itch (tinea cruris)
- relieves itching, burning, cracking and scaling which accompany this condition

**Warnings**  
**For external use only**

**Do not use** • on nails or scalp • in or near the mouth or eyes • for vaginal yeast infections

**When using this product** do not get into eyes. If eye contact occurs, rinse thoroughly with water.

**Stop use and ask a doctor if** too much irritation occurs or gets worse

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- adults and children 12 years and over:
  - use the tip of the cap to break the seal and open the tube
  - wash the affected skin with soap and water and dry completely before applying
  - apply once a day (morning or night) for **1 week** or as directed by a doctor
  - wash hands after each use
- children under 12 years: ask a doctor





# LAMISIL AT TERBINAFINE HYDROCHLORIDE

terbinafine hydrochloride cream

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:61047-139
<b>Route of Administration</b>	TOPICAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>TERBINAFINE HYDROCHLORIDE</b> (UNII: 012C11ZU6G) (TERBINAFINE - UNII:G7RIW8S0XP)	TERBINAFINE HYDROCHLORIDE	1 g in 100 g



## Inactive Ingredients

Ingredient Name	Strength
<b>SORBITAN MONOSTEARATE</b> (UNII: NVZ4I0H58X)	
<b>BENZYL ALCOHOL</b> (UNII: LKG8494WBH)	
<b>POLYSORBATE 60</b> (UNII: CAL22UVI4M)	
<b>STEARYL ALCOHOL</b> (UNII: 2KR89I4H1Y)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>CETYL ALCOHOL</b> (UNII: 936JST6JCN)	
<b>SODIUM HYDROXIDE</b> (UNII: 55X04QC32I)	
<b>ISOPROPYL MYRISTATE</b> (UNII: 0RE8K4LNJS)	
<b>CETYL PALMITATE</b> (UNII: 5ZA2S6B08X)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:61047-139-01	1 in 1 CARTON	08/21/2024	
1		30 g in 1 TUBE; Type 0: Not a Combination Product		
2	NDC:61047-139-02	1 in 1 CARTON	01/06/2025	
2		12 g in 1 TUBE; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
NDA	NDA020980	08/21/2024	

**Labeler** - Voyant Beauty, Inc. (243547333)

Revised: 1/2025

Voyant Beauty, Inc.