

**NEKVNRO ADVANCED SCAR- polydimethylsiloxane2% advanced scar cream**  
**Jiangxi Hemei Pharmaceutical Co., Ltd**

-----  
**84010-027**

**Active Ingredient**

Polydimethylsiloxane 2%

**Purpose**

Skin protectant

**Use**

- Temporarily protects and helps relieve chapped or cracked skin
- Effective on both old and new scars resulting from cuts, scrapes, burns,surgery, or aging.

**Warnings**

- In case of having following symptoms after using this,you're advised to stop using it immediately.If you keep using it,the symptoms will get worse and need to consult a dermatologist:In case of having problems such as red rash,swelling, itching,stimulation during usage.
- In case of having the same symptoms above on the part you put this product on by direct sunlight.
- You should avoid using this product under direct sunlight,especially on areas with scars, eczema, or dermatitis.

**Do not use**

- You should avoid using this product under direct sunlight,especially on areas with scars, eczema, or dermatitis.

**When Using**

- In case of having the same symptoms above on the part you put this product on by direct sunlight.
- You should avoid using this product under direct sunlight,especially on areas with scars, eczema, or dermatitis.

**Stop Use**

·In case of having following symptoms after using this,you're advised to stop using it immediately. If you keep using it,the symptoms will get worse and need to consult a dermatologist:In case of having problems such as red rash,swelling, itching,stimulation during usage.

### **Ask Doctor**

·In case of having following symptoms after using this,you're advised to stop using it immediately. If you keep using it,the symptoms will get worse and need to consult a dermatologist:In case of having problems such as red rash,swelling, itching,stimulation during usage.

### **Keep Out Of Reach Of Children**

·Keep out of reach of babies and children, If swallowed, get medical help or contact a Poison control center right away.

### **Directions**

·Gently massage into scar twice a day for 2-3 minutes

### **Other information**

Store at room temperature.

### **Inactive ingredients**

Sodium Hyaluronate ,Glycine ,Salicylic Acid ,GinkgolideB ,Bongkrelic Acid ,Lactic Acid,DI-  
Pancreatic PolypeptideGrowth Factor Receptor-Bound Protein 2 ,Aloe ,GentianaAcaulis  
Whole ,Matrine

### **PRINCIPAL DISPLAY PANEL**

说明书 /90×130mm  
 外包装 / 30 X 22 X 133 mm  
 瓶贴 / 85 X 60 mm  
 主体色 / PANTONE P 104-16 C   
 外包装正面主体字及 LOGO 击凸 / 图案过 VU

| DRUG FACTS   |                                   |
|--|-----------------------------------|
| <b>ACTIVE INGREDIENTS</b><br>Polydimethylsiloxane 2%   | <b>PURPOSE</b><br>Skin protectant |
| <b>USES</b><br>• Temporarily protects and helps relieve chapped or cracked skin<br>• Effective on both old and new scars resulting from cuts, scrapes, burns, surgery, or aging.   |                                   |
| <b>WARNINGS</b><br>• In case of having following symptoms after using this, you're advised to stop using it, the symptoms will get worse and need to consult a dermatologist in case of having problems such as red rash, swelling, itching, stimulation during usage.<br>• In case of having the same symptoms above on the part you put this product on by direct sunlight.<br>• You should avoid using this product under direct sunlight, especially on areas with scars, eczema, or dermatitis. |                                   |
| <b>KEEP OUT OF REACH OF CHILDREN</b><br>• Keep out of reach of babies and children. If swallowed, get medical help or contact a Poison Control Center right away.  |                                   |
| <b>DIRECTIONS</b><br>• Gently massage into scar twice a day for 2-3 minutes.   |                                   |
| <b>OTHER INFORMATION</b><br>• Store at room temperature.   |                                   |
| <b>INACTIVE INGREDIENTS</b><br>Sodium Hyaluronate, Glycerine, Salicylic Acid, Ginkgolide B, Bongkrelic Acid, Lactic Acid, D1-, Pancreatic Polypeptide, Growth Factor Receptor-Bound Protein 2, Aloe, Gentiana Acaulis Whole, Matrine   |                                   |



| NEKVNRO ADVANCED SCAR  |                |                           |               |
|--|----------------|---------------------------|---------------|
| polydimethylsiloxane2% advanced scar cream                     |                |                           |               |
| Product Information  |                |                           |               |
| <b>Product Type</b>  | HUMAN OTC DRUG | <b>Item Code (Source)</b> | NDC:84010-027 |
| <b>Route of Administration</b>                                 | TOPICAL        |                           |               |
| Active Ingredient/Active Moiety                                |                |                           |               |
| Ingredient Name  |                | Basis of Strength         | Strength      |
| DIMETHICONE (UNII: 92RU3N3Y1O) (DIMETHICONE - UNII:92RU3N3Y1O) |                | DIMETHICONE               | 2 g in 100 g  |
| Inactive Ingredients   |                |                           |               |
| Ingredient Name  |                |                           | Strength      |
| BONGKREKIC ACID (UNII: L7V4I673D2)                             |                |                           |               |
| GROWTH FACTOR RECEPTOR-BOUND PROTEIN 2 (UNII: Y5F0ROG9QC)      |                |                           |               |
| GINKGOLIDE B (UNII: DF149B9460)                                |                |                           |               |
| GENTIANA ACAULIS WHOLE (UNII: 0SR9G8J0FE)                      |                |                           |               |
| MATRINE (UNII: N390W430AC)                                     |                |                           |               |
| PANCREATIC POLYPEPTIDE (UNII: UDH73690IV)                      |                |                           |               |

|   |  |
|---|--|
| <b>ALOE</b> (UNII: V5VD430YW9)                                  |  |
| <b>LYSYL-PEG-LAUROYL-MODIFIED AMINO ACID</b> (UNII: H3EN7GDD53) |  |
| <b>HYALURONATE SODIUM</b> (UNII: YSE9PPT4TH)                    |  |
| <b>SALICYLIC ACID</b> (UNII: O414PZ4LPZ)                        |  |
| <b>LACTIC ACID, DL-</b> (UNII: 3B8D35Y7S4)                      |  |

### Packaging

| # | Item Code        | Package Description                                 | Marketing Start Date | Marketing End Date |
|---|------------------|---|----------------------|--------------------|
| 1 | NDC:84010-027-01 | 20 g in 1 BOTTLE; Type 0: Not a Combination Product | 08/18/2024           |                    |

### Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC Monograph Drug | M016                                     | 08/18/2024           |                    |

**Labeler** - Jiangxi Hemei Pharmaceutical Co., Ltd (724892056)

### Establishment

| Name                                  | Address | ID/FEI    | Business Operations    |
|---------------------------------------|---------|-----------|------------------------|
| Jiangxi Hemei Pharmaceutical Co., Ltd |         | 724892056 | manufacture(84010-027) |

Revised: 8/2024

Jiangxi Hemei Pharmaceutical Co., Ltd