

**NEKVNRO HEMORRHOID FISSURE- lidocaine 4%,phenylephrine hcl 0.25%
hemorrhoid fissure ointment
Jiangxi Hemei Pharmaceutical Co., Ltd**

84010-025

Active Ingredient

Lidocaine 4%

Phenylephrine HCl 0.25%

Purpose

Analgesic (pain relief) Vasoconstrictor

Use

For external use only including the skin of the anal canal

Warnings

When using this product do not exceed recommended daily dosage unless directed by a doctor, when using finger cots or an applicator, apply externally or the skin of the anal canal only. Do not put this product into the rectum.

Do not use

in children less than 2 months of age on open skin wounds.

When Using

When using this product do not exceed recommended daily dosage unless directed by a doctor, when using finger cots or an applicator, apply externally or the skin of the anal canal only. Do not put this product into the rectum.

Stop Use

Ask a doctor before use if you have allergies to any of the components of this product, difficulty in urination due to enlargement of the prostate gland, diabetes, heart disease, high blood pressure, thyroid disease, or presently taking a prescription for high blood pressure or depression.

Ask Doctor

Stop use and ask a doctor if condition worsens or does not improve within seven days,

bleeding occurs, an allergic reaction develops, the symptom being treated does not subside or if redness, irritation, swelling, pain or other symptoms develop or increase.

Keep Out Of Reach Of Children

If swallowed, seek medical help or contact a Poison Control Center right away.

Directions

Children under 12 years of age consult your pediatrician. Adults: apply to affected area up to 3 times daily. Clean affected area with mild soap and warm water, rinse thoroughly, and then gently dry (patting or blotting) with tissue or soft cloth before use.

To use dispensing cap, attach it to tube, lubricate well then gently insert part way into anus and squeeze tube to deliver medication. Thoroughly cleanse dispensing cap after use with mild soap and warm water and rinse thoroughly

Other information

If pregnant or breast-feeding, ask a health care professional before use.

Inactive ingredients

Borneol, Carbomer Homopolymer, Chlorhexidine Acetate Glycerin, Thymol

PRINCIPAL DISPLAY PANEL

THYMOL (UNII: 3J50XA376E)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:84010-025-01	42.5 g in 1 BOTTLE; Type 0: Not a Combination Product	08/18/2024	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	08/18/2024	

Labeler - Jiangxi Hemei Pharmaceutical Co., Ltd (724892056)

Establishment

Name	Address	ID/FEI	Business Operations
Jiangxi Hemei Pharmaceutical Co., Ltd		724892056	manufacture(84010-025)

Revised: 8/2024

Jiangxi Hemei Pharmaceutical Co., Ltd